according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13-Jun-2016 Print date: 13-Jun-2016

Version: 3



DEXRON VI red

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Dexron VI red

Article No.: 88.25.008

1.2. Relevant identified uses of the substance or mixture and uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

TRUCKTEC Automotive GmbH

Katharina-Loth-Str. 2 66386 St. Ingbert

Germany

Telephone: +49 6894 9269-0 **Telefax:** +49 6894 9269-90 **Website:** www.trucktec.de

E-mail (competent person): info@trucktec.de

1.4. Emergency telephone number

Abt. Produktsicherheit, 24h: +49 700 24 112 112 (Company ID: LUB) (outside USA/Canada), 011 49 700 24 112 112 (Company ID: LUB) (inside USA/Canada), +49 38354 1795 30

(Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (inhalative) (Acute Tox. 4)	H332: Harmful if inhaled.	
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



GHS07

Exclamation mark
Signal word: Warning

hazard statements for health hazards		
H332	Harmful if inhaled.	
hazard statements for environmental hazards		
H412	Harmful to aquatic life with long lasting effects.	
Supplemental Hazard information (EU)		
EUH208	Contains 1-(tert-Dodecylthio)propan-2-ol, Polymer., Ethanol, 2,2'-Iminobis-, N-Talgalkylderivate. May produce an allergic reaction.	

www.trucktec.de EN Seite 1/8

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13-Jun-2016 Print date: 13-Jun-2016

Version: 3

DEXRON VI red



Precautionary statements Prevention	
P260 Do not breathe dust/fume/gas/mist/vapours/spray.	
P271 Use only outdoors or in a well-ventilated area.	
P273 Avoid release to the environment.	

Precautionary statements Response	
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P312 Call a POISON CENTER/doctor// if you feel unwell.	

Precautionary statements Disposal	
P501	Dispose of contents/container to

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 68649-11-6 EC No.: 500-228-5	Dec-1-ene, dimers, hydrogenated Acute Tox. 4, Asp. Tox. 1 Danger H304-H332	0 – 2 Wt %
CAS No.: 67124-09-8 EC No.: 266-582-5	1-(tert-dodecylthio)propan-2-ol Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1 H317-H400-H410	0 – 1 Wt %
CAS No.: 0000000-02-5	Polymere Eye Irrit. 2, Skin Sens. 1 H317-H319	0 – 1 Wt %
CAS No.: 61791-44-4 EC No.: 263-177-5	Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs. Skin Corr. 1B, AcuteTox. 4, Skin Sens. 1, Aquatic Chronic 3 H302-H314-H317-H412	0 – 1 Wt %
CAS No.: 122-39-4 EC No.: 204-539-4	diphenylamine Acute Tox. 3, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1 Danger H301-H311-H331-H373-H410	0 – 1 Wt %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Consult a doctor immediately. Provide fresh air.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately. After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

www.trucktec.de EN Seite 2/8

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13-Jun-2016 Print date: 13-Jun-2016

Version: 3



DEXRON VI red

After ingestion:

Rinse mouth thoroughly with water. Do NOT induce vomiting. Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Sand Extinguishing powder Carbon dioxide (CO2)

Unsuitable extinguishing media:

High power water jet

5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

Hazardous combustion products:

Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx) In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing. Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing

www.trucktec.de EN Seite 3/8

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13-Jun-2016 Print date: 13-Jun-2016

Version: 3



DEXRON VI red

acids Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Avoid oil mist. Do not put any product-impregnated cleaning rags into your trouser pockets. Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special fire protection measures are necessary.

Environmental precautions:

See section 8.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product. Keep/Store only in original container.

Hints on storage assembly:

not required

Storage class:

10 – Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

www.trucktec.de EN Seite 4/8

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13-Jun-2016 Print date: 13-Jun-2016

Version: 3

DEXRON VI red



Limit value type (country of origin)	Substance name	Iong-term occupational exposure limit value short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
DFG (DE)	Dec-1-ene, dimers, hydrogenated CAS No.: 68649-11-6	① 5 mg/m³ ② 20 mg/m³ ⑤ (alveolengängige Fraktion)
DFG (DE)	diphenylamine CAS No.: 122-39-4	① 5 mg/m³ ② 10 mg/m³ ⑤ (einatembare Fraktion)

8.1.2. biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment

Eye/face protection:

During transfer: Eye glasses with side protection DIN EN 166

Skin protection:

Hand protection

NBR (Nitrile rubber), PVC (Polyvinyl chloride) Thickness of the glove material: >= 0,4 mm

480

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable protective clothing: Protective clothing: Tested protective gloves must be worn DIN EN 374 Suitable material: Breakthrough time (maximum wearing time) min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

Usually no personal respirative protection necessary. A If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. A Filtering device with filter or ventilator filtering device of type: A

8.2.3. Environmental exposure controls

No data available

8.3. Additional information

TLV-ACGIH mineral oil mist, limit 5 mg/m³

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: liquid Odour: not determined Colour: red

Safety relevant basis data

Parameter		at °C	Method	Remark
рН	not determined			

www.trucktec.de EN Seite 5/8

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13-Jun-2016 Print date: 13-Jun-2016

Version: 3

DEXRON VI red



Melting point	not determined		
Freezing point	not determined		
Initial boiling point and boiling range	not determined		
Decomposition temperature (°C):	not determined		
Flash point	222 °C		
Evaporation rate	not determined		
Ignition temperature in °C	not determined		
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	844 kg/m³		
Bulk density	not determined		
Water solubility (g/L)	not determined		
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	29.9 mm²/s	40 °C	
Stockpunkt	-51 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

10.5. Incompatible materials

Materials to avoid: Acid, Reducing agent

10.6. Hazardous decomposition products

Hazardous combustion products: Carbon dioxide Carbon monoxide Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
122-39-4	diphenylamine	LD ₅₀ oral: 1,120 mg/kg

Acute oral toxicity:

Toxic if inhaled.

Respiratory or skin sensitisation:

Contains epoxy constituents. May produce an allergic reaction.

www.trucktec.de EN Seite 6/8

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13-Jun-2016 Print date: 13-Jun-2016

Version: 3



DEXRON VI red

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

Remark:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste code packaging:

Remark:

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

13.2. Additional information

No data available

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

14.1. UN-No.

not relevant

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

www.trucktec.de EN Seite 7/8

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13-Jun-2016 Print date: 13-Jun-2016

Version: 3



14.5. Environmental hazards

not relevant

14.6. Special precautions for user

not relevant

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

utomotive

15.1.1. EU legislation

Other regulations (EU):

Safety data sheet available for professional user on request.

15.1.2. National regulations

[DE] National regulations

Water hazard class (WGK)

WGK:

2 - deutlich wassergefährdend

Description:

hazardous to water (WGK 2)

Technische Regeln für Gefahrstoffe

TRGS 510

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Berufsgenossenschaftliche Vorschriften (BGV)

Berufsgenossenschaftliche Regeln (BGR) 190, 192, 195

Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltölV)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

15.3. Additional information

No data available

SECTION 16: Other information

16.1. Indication of changes

Sections 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14

16.2. Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive

1999/45/EEC - Dangerous Preparations Directive

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

www.trucktec.de EN Seite 8/8

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13-Jun-2016 Print date: 13-Jun-2016

Version: 3



DEXRON VI red

OECDThe Global Portal to Information on Chemical Substances (ChemPortal)
Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances
Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP] Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (inhalative) (Acute Tox. 4)	H332: Harmful if inhaled.	
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statemen	nts
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure. ()
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new madeup material.

www.trucktec.de EN Seite 9/8