

according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 500ml**

Revision date: 01.03.2019 Product code: 21362 Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

VELIND Glasreiniger 500ml

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

SURFACE CLEANERS (liquid, powder, gel neat, spray neat) for consumer use

### Uses advised against

No information available. Use(Usage) exclusively according to labelled intended purpose!

### 1.3. Details of the supplier of the safety data sheet

Company name: VELIND Aerosol GmbH
Street: Passower Chaussee 111
Place: D-16303 Schwedt/O

Telephone: +49 33 32 / 4 50 88 - 0 Telefax: +49 33 32 / 4 50 88 - 30

e-mail: info@velind.de

Contact person: Witt Telephone: 18

e-mail: qs@velind.de Internet: www.velind.de

Responsible Department: QS

1.4. Emergency telephone GGIZ der Länder Mecklenburg-Vorpommern, Sachsen, Sachsen-Anhalt und

**number:** Thüringen: +49 3 61 / 7 30 73 -0

### **Further Information**

Emergency - Phonecalls to +49 (0) 33 32 / 4 50 88 16 (during office-hours from 8.00 a.m. to 4.00 p.m.)

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3

Hazard Statements:

Flammable liquid and vapour.

### 2.2. Label elements

### Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



# **Hazard statements**

H226 Flammable liquid and vapour.

#### **Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P403+P235 Store in a well-ventilated place. Keep cool.



according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 500ml**

Revision date: 01.03.2019 Product code: 21362 Page 2 of 12

Dispose of the Contents/container of waste according to with local/national regulations

Special labelling of certain mixtures

Contains formaldehyde.

applicable legislation.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:

P501



### 2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture. Inhalation causes narcotic effects/intoxication.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	GHS Classification	•	•		
64-17-5	ethanol, ethyl alcohol	ethanol, ethyl alcohol			
	200-578-6	603-002-00-5	01-2119457610-43		
	Flam. Liq. 2, Eye Irrit. 2; H225 H319 EUH066				
5131-66-8	3-butoxypropan-2-ol	3-butoxypropan-2-ol			
	225-878-4	603-052-00-8	01-2119475527-28		
	Flam. Liq. 3, Skin Irrit. 2, Eye Irrit. 2; H226 H315 H319				

Full text of H and EUH statements: see section 16.

# Labelling for contents according to Regulation (EC) No 648/2004

perfumes.

### **Further Information**

In use, may form flammable/explosive vapour-air mixture. Inhalation causes narcotic effects/intoxication.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

Remove contaminated, saturated clothing immediately. First aider: Pay attention to self-protection! Move victim out of danger zone.

### After inhalation

Provide fresh air. Move victim out of danger zone. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

Print date: 27.08.2019



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **VELIND Glasreiniger 500ml**

Revision date: 01.03.2019 Product code: 21362 Page 3 of 12

### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Rinse mouth thoroughly with water. Do NOT induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

The following symptoms may occur::

Intoxication. unconsciousness. Headache. drowsiness. vomiting. Dizziness. Depression of the central nervous system.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. This information is not available.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder. alcohol resistant foam. Water fog.

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air. In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Vapours are heavier than air and will spread at floor level. Beware of reignition. Special exposure hazards arising from the substance itself, combustion products, resulting gases: Carbon monoxide Carbon dioxide.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Special protective equipment for firefighters

#### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Remove according to the regulations.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protection equipment. Keep away from sources of ignition - No smoking.

# 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion Provide fresh air. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains. inform the responsible authorities.

# 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Ventilate affected area. Collect in closed containers for disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13



according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 500ml**

Revision date: 01.03.2019 Product code: 21362 Page 4 of 12

See protective measures under point 7 and 8.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Do not breathe gas/fumes/vapour/spray. Use only outdoors or in a well-ventilated area. Keep away from sources of ignition - No smoking. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. When using do not eat, drink, smoke, sniff. Keep out of the reach of children. Keep away from hot surfaces. Prolonged/repetitive skin contact may cause skin defattening or dermatitis. Read label before use. Observe in addition any national regulations!

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Protect from sunlight. Store in a well-ventilated place. Keep only in the original container in a cool, well-ventilated place.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Maximum storage temperature: 30°C Further information concerning storage conditions: The floor should be leak tight, jointless and not absorbent. Ensure adequate ventilation of the storage area.

### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Keep away from: Oxidizing agents. strong alkalis. Strong acid.

### Further information on storage conditions

Fire class: B

## 7.3. Specific end use(s)

SURFACE CLEANERS (liquid, powder, gel neat, spray neat) for consumer use

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL



according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 500ml**

Revision date: 01.03.2019 Product code: 21362 Page 5 of 12

# **DNEL/DMEL values**

CAS No	Substance			
DNEL type	Suparanec	Exposure route	Effect	Value
64-17-5	ethanol, ethyl alcohol	<u> </u>		
Worker DNEL	acute	inhalation	local	1900 mg/m³
Worker DNEL	long-term	inhalation	systemic	950 mg/m³
Worker DNEL	long-term	dermal	systemic	343 mg/kg bw/day
Consumer DN	EL, acute	inhalation	local	950 mg/m³
Consumer DN	EL, long-term	inhalation	systemic	114 mg/m³
Consumer DN	EL, long-term	oral	systemic	87 mg/kg bw/day
Consumer DN	EL, long-term	dermal	systemic	206 mg/kg bw/day
5131-66-8	3-butoxypropan-2-ol			
Worker DNEL	long-term	dermal	systemic	44
Worker DNEL	long-term	inhalation	systemic	270
Worker DNEL	long-term	dermal	local	50%
Worker DNEL	acute	dermal	local	50%
Worker DNEL	acute	inhalation	local	50%
Consumer DN	EL, acute	dermal	local	50%
Consumer DN	EL, long-term	dermal	local	50%
Consumer DNEL, long-term		dermal	systemic	16 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	33,8 mg/m³
Consumer DNEL, long-term		oral	systemic	8,75 mg/kg bw/day
,				

### **PNEC values**

CAS No	Substance		
Environmental	compartment	Value	
64-17-5	ethanol, ethyl alcohol		
Freshwater		0,96 mg/l	
Marine water		0,79 mg/l	
Freshwater see	liment	3,6 mg/l	
Marine sedime	nt	2,9 mg/l	
Micro-organisn	ns in sewage treatment plants (STP)	580 mg/l	
Soil		0,63 mg/kg	
5131-66-8	3-butoxypropan-2-ol		
Freshwater		0,525 mg/l	
Marine water		0,0525 mg/l	
Freshwater sediment		2,36 mg/kg	
Marine sediment 0,23		0,236 mg/kg	
Soil 0,16 mg/kg		0,16 mg/kg	

### Additional advice on limit values

Take precautionary measures against static discharges.



according to Regulation (EC) No 1907/2006

### **VELIND Glasreiniger 500ml**

Revision date: 01.03.2019 Product code: 21362 Page 6 of 12

### 8.2. Exposure controls





#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. Exposure controls / Personal protection equipment

### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. When using do not eat, drink, smoke, sniff. Personal protection equipment. Contaminated work clothing should not be allowed out of the workplace. Technical ventilation of workplace.

#### Eye/face protection

Wear eye protection/face protection. Tightly sealed safety glasses.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves are to be worn: The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable material: NBR (Nitrile rubber). Butyl rubber.

Thickness of glove material: 0,7mm

Breakthrough times and swelling properties of the material must be taken into consideration.

Protect skin by using skin protective cream. Set out skin protection guidelines.

Apply skin care products after work.

### Skin protection

Wear suitable protective clothing. .

### Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at: exceeding exposure limit values. Filtering device (full mask or mouthpiece) with filter:

### **Environmental exposure controls**

No information available.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: clear
Odour: characteristic

pH-Value: not determined

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

>78 °C

Flash point:

>23 °C

**Flammability** 

Solid: not applicable



according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 500ml**

Revision date: 01.03.2019 Product code: 21362 Page 7 of 12

Gas: not applicable

**Explosive properties** 

not explosive. In use, may form flammable/explosive vapour-air mixture.

Lower explosion limits: 3,5 vol. %
Upper explosion limits: 8,4 vol. %
Ignition temperature: not determined

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure:

Density:

0,982 g/cm³

Bulk density:

not applicable

Water solubility:

easily soluble

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / dynamic:

not determined

not determined

not determined

Plow time:

Daten nicht verfügbar0

Vapour density:

not determined

Evaporation rate:

not determined

9.2. Other information

Solid content: not determined

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable. The product has not been tested.

### 10.2. Chemical stability

Stable with proper storage and handling.

### 10.3. Possibility of hazardous reactions

No decomposition if used as intended

# 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Refer to chapter 7.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Take precautionary measures against static discharges.

### 10.5. Incompatible materials

Refer to chapter 7.

Materials to avoid: Oxidizing agents.

# 10.6. Hazardous decomposition products

Refer to chapter 5.

No decomposition if used as intended

In case of fire may be liberated: Carbon monoxide. Carbon dioxide.

Thermal decomposition can lead to the escape of irritating gases and vapours.



according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 500ml**

Revision date: 01.03.2019 Product code: 21362 Page 8 of 12

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

Mixture not tested. There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
64-17-5	ethanol, ethyl alcohol						
	oral	LD50 mg/kg	>2000	Rat			
	dermal	LD50 mg/kg	>2000	Rabbit			
	inhalation (4 h) vapour	LC50	>20 mg/l	Rat			
5131-66-8	3-butoxypropan-2-ol						
	oral	LD50 mg/kg	>2000	Rat			
	dermal	LD50 mg/kg	>2000	Rat			

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

#### Sensitising effects

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

There are no data available on the mixture itself.

### Additional information on tests

There are no data available on the mixture itself. No data available

### **Practical experience**

### Observations relevant to classification

The evaluation based on subjective human observations: May cause drowsiness or dizziness. Headache.

### **Further information**

Mixture not tested. There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**



according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 500ml**

Revision date: 01.03.2019 Product code: 21362 Page 9 of 12

#### **12.1. Toxicity**

Mixture not tested. There are no data available on the preparation/mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64-17-5	ethanol, ethyl alcohol						
	Acute fish toxicity	LC50 mg/l	>100	1	Leuciscus idus (golden orfe)		
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Chlorella vulgaris		
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna		
5131-66-8	3-butoxypropan-2-ol						
	Acute fish toxicity	LC50 mg/l	>100		Poecilia reticulata (Guppy)		
	Acute algae toxicity	ErC50 mg/l	>100		Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna		

### 12.2. Persistence and degradability

The product has not been tested. No data available

### 12.3. Bioaccumulative potential

No data available

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,32

# BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol, ethyl alcohol	0,66		

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Other adverse effects

No data available

### **Further information**

Avoid release to the environment. Mixture not tested. There are no data available on the preparation/mixture itself.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. The waste codes are recommendations based on the scheduled use of this products. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.



according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 500ml**

Revision date: 01.03.2019 Product code: 21362 Page 10 of 12

### Waste disposal number of used product

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother

liquors; hazardous waste

#### Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Recommendation: Dispose of waste according to applicable legislation. E.g. Dispose of contents/container to industrial incineration plant. Or:

Dispose of this material and its container to hazardous or special waste collection point.

Do not empty into drains.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

**14.1. UN number:** UN1987

14.2. UN proper shipping name: ALCOHOLS, N.O.S. (Ethanol)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1
Special Provisions: 274 601
Limited quantity: 5 L
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/F

#### Other applicable information (land transport)

F1

### Inland waterways transport (ADN)

**14.1. UN number:** UN1987

14.2. UN proper shipping name: ALCOHOLS, N.O.S. (Ethanol)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1
Special Provisions: 274 601
Limited quantity: 5 L

# Other applicable information (inland waterways transport)

E1

# Marine transport (IMDG)

**14.1. UN number:** UN1987

Print date: 27.08.2019



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **VELIND Glasreiniger 500ml**

Revision date: 01.03.2019 Product code: 21362 Page 11 of 12

14.2. UN proper shipping name: ALCOHOLS, N.O.S. (Ethanol)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Special Provisions: 223, 274
Limited quantity: 5 L
EmS: F-E. S-D

Other applicable information (marine transport)

Ε1

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU regulatory information**

Information according to 2012/18/EU P5c FLAMMABLE LIQUIDS

(SEVESO III):

**Additional information** 

Regulation (EC) No. 648/2004 (Detergents regulation). Labelling for contents according to regulation (EC) No.

648/2004, annex 7: Yes.

**National regulatory information** 

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,14,15.

These details refer to the products as it is delivered.

Notice the directions for use on the label.

\* Data changed compared with the previous version

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances



according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 500ml**

Revision date: 01.03.2019 Product code: 21362 Page 12 of 12

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data

### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
 H226 Flammable liquid and vapour.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.

EUH066 Repeated exposure may cause skin dryness or cracking.

#### **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)