SAFETY DATA SHEET



(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : DHT e-ATF Product code : 45614

1.2. Relevant identified uses of the substance or mixture and uses advised against

Oil for final gears and drive shafts

1.3. Det

1.3. Details of the supplier of the safety data sheet

Registered company name: MOTUL

Address: 119, Boulevard Felix Faure. 93300 AUBERVILLIERS CEDEX FRANCE

Telephone: 33.1.48.11.70.00. Fax: 33.1.48.33.28.79. Telex: .

Email: motul_hse@motul.fr



1.4. Emergency telephone number : +44 (0) 1235 239 670.

Association/Organisation: CARECHEM 24/7 NCEC..



Other emergency numbers

UNITED STATES: 001 866 928 0789 / CANADA: 001 800 579 7421 / MEXICO: +52 55 5004 8763 / MIDDLE EAST - AFRICA: +44 1235

239671

BRAZIL: +55 11 3197 5891 / COLOMBIA: +57 601 508 7337 / ARGENTINA: +54 11 5984 3690 / CHILE: +562 2582 9336

Ireland: +353 1 8092566 24 hours a day, 7 days a week

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

2.2. Label elements



In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P273 Avoid release to the environment.

Precautionary statements - Disposal :

P501 Dispose of contents / container in accordance with local / regional / national /

international regulations



2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures



Composition:

1	dentification	(EC) 1272/2008	Note	%
(CAS: 72623-87-1	GHS08	L	50 <= x % < 100
ı	EC: 276-738-4	Dgr		
1	REACH: 01-2119474889-13	Asp. Tox. 1, H304		

LUBRICATING OILS (PETROLEUM),			
C20-50, HYDROTREATED NEUTRAL OIL-BASED			
CAS: 72623-87-1		L	25 <= x % < 50
EC: 276-738-4			
REACH: 01-2119474889-13			
LUBRICATING OILS (PETROLEUM),			
C20-50, HYDROTREATED NEUTRAL			
OIL-BASED			
CAS: 64742-55-8	GHS08	L	1 <= x % < 2.5
EC: 265-158-7 REACH: 01-2119487077-29	Dgr Asp. Tox. 1, H304		
REACH: 01-2119467077-29	ASp. 10x. 1, H304		
DISTILLATES (PETROLEUM),			
HYDROTREATED LIGHT PARAFFINIC			
CAS: 72623-87-1	GHS08	L	1 <= x % < 2.5
EC: 276-738-4	Dgr		
REACH: 01-2119474889-13	Asp. Tox. 1, H304		
LUBRICATING OILS (PETROLEUM),			
C20-50, HYDROTREATED NEUTRAL			
OIL-BASED	011007 011005 011000		0 0/ 4
EC: 424-820-7 REACH: 01-0000017126-75	GHS07, GHS05, GHS09 Dgr		0 <= x % < 1
NEAGH: 01-0000017 120-73	Acute Tox. 4, H312		
PHOSPHONIC ACID, DIBUTYL ESTER,	Skin Corr. 1B, H314		
REACTION PRODUCTS WITH	Aquatic Acute 1, H400		
2-(OCTYLTHIO)- ETHANOL	M Acute = 10		
,	Aquatic Chronic 1, H410		
	M Chronic = 10		
CAS: 121158-58-5	GHS05, GHS09, GHS08	[2]	0 <= x % < 1
EC: 310-154-3	Dgr		
REACH: 01-2119513207-49	Skin Corr. 1C, H314		
DUENOL DODECVI DRANCHED	Eye Dam. 1, H318		
PHENOL, DODECYL-, BRANCHED	Repr. 1B, H360F Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 10		



Specific concentration limits:

Identification	Specific concentration limits	ATE
CAS: 72623-87-1		inhalation: ATE = 5.53 mg/l 4h
EC: 276-738-4		(dust/mist)
REACH: 01-2119474889-13		
LUBRICATING OILS (PETROLEUM),		
C20-50, HYDROTREATED NEUTRAL		
OIL-BASED		
CAS: 121158-58-5	Repr. 1B: H360F C>= 0.29%	
EC: 310-154-3		
REACH: 01-2119513207-49		



Information on ingredients :

(Full text of H-phrases: see section 16)

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

Note L: The carcinogen classification does not apply because the substance contains less than 3% w/w of dimethyl sulphoxide (DMSO) measured using the IP 346 method.

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.



4.1. description of first aid measures

In the event of exposure by inhalation:

Remove the victim to fresh air. If the symptoms persist, call a physician.

In the event of splashes or contact with eyes :

Wash immediately and abundantly with water, including under the eyelids.

In the event of splashes or contact with skin:

Immediately remove all soiled clothing.

Wash immediately and abundantly with soap and water.

In the event of swallowing:

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

Dry agent, foam, carbon dioxide.

Unsuitable methods of extinction

High volume water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Spilled product may make surfaces slippery.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.



7.1. Precautions for safe handling

Always wash hands after handling.

Do not swallow

Do not get in eyes, on skin, or on clothing.

Fire prevention:

Prevent access by unauthorised personnel.

Take precautionary measures against static discharges by bonding and grounding equipment.

No smokina.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Ensure good ventilation at the workplace

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

Do not breathe fumes, vapour, spray.

7.2. Conditions for safe storage, including any incompatibilities

Store between 5°C and 40°C in a dry, well ventilated place.

Only use hydrocarbon-resistant containers, joints and pipes.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)

Final use: Workers.

Exposure method: Inhalation.

Potential health effects: Long term local effects.

DNEL: 5.4 mg of substance/m3

Final use: Consumers.

Exposure method: Inhalation.

Potential health effects: Long term local effects.

DNEL: 1.2 mg of substance/m3

Predicted no effect concentration (PNEC):

PHOSPHONIC ACID, DIBUTYL ESTER, REACTION PRODUCTS WITH 2-(OCTYLTHIO)- ETHANOL

Environmental compartment: Soil.

PNEC: 0.104 mg/kg

Environmental compartment: Fresh water.

PNEC: 0.036 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 0.128 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.

Personnel shall wear regularly laundered overalls.

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) DHT e-ATF - 45614

Before handling, wear safety goggles in accordance with standard EN166.



- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Glove	0.38 mm
thickness:	
Break-through	> 480 mn
time:	

- Body protection

Physical state

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Breathing apparatus only when aerosol or spray are formed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.	Information on	basic i	physical	and o	chemical	properties
v	minorimation on	Dusio	priyarour	und v	onicinioui	pi opci tico

18	1 Hydrodi State				
	Physical state :	Fluid liquid.			
	Colour				
	Color:	Amber			
(1)	Odour				
	Odour threshold :	Not stated.			
(1)	Melting point				
	Melting point/melting range :	Not relevant.			
Freezing point					
	Freezing point / Freezing range :	Not stated.			
	Boiling point or initial boiling point and boiling range				
,	Boiling point/boiling range :	Not relevant.			
3	Flammability				
-	Flammability (solid, gas):	Not stated.			
~	Lower and upper explosion limit				
	Explosive properties, lower explosivity limit (%):	Not stated.			
	Explosive properties, upper explosivity limit (%):	Not stated.			
	Flash point				
,	Flash Point Interval :	FP > 100°C.			
Auto-ignition temperature					
	Self-ignition temperature :	Not relevant.			
(1)	Decomposition temperature				
	Decomposition point/decomposition range :	Not relevant.			
(1)					
	pH (aqueous solution):	Not stated.			
	pH :	Not relevant.			
(Kinematic viscosity				
	Viscosity:	30.4 mm²/s à 40°C			
(Solubility				
	Water solubility:	Insoluble.			
	Fat solubility :	Not stated.			
Partition coefficient n-octanol/water (log value)					
	Partition coefficient: n-octanol/water :	Not stated.			
(Vapour pressure				
	Vapour pressure (50°C) :	Not relevant.			
(Density and/or relative density				
_	Density:	<1			
4	Relative vapour density				
	Vapour density :	Not stated.			

9.2. Other information No data available.

9.2.1. Information with regard to physical hazard classes

No data available.



9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Keep away from heat and from sources of ignition

Take precautionary measures against static discharges.

10.5. Incompatible materials

Strong oxidants

Acids

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION



11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No data available.

11.1.1. Substances



Acute toxicity:

PHOSPHONIC ACID, DIBUTYL ESTER, REACTION PRODUCTS WITH 2-(OCTYLTHIO)- ETHANOL

Oral route: 2000 < LD50 <= 5000 mg/kg

Species : Rat

Dermal route: LD50 > 500 mg/kg

LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)

Oral route: LD50 > 5000 mg/kg

Species: Rat

OCDE Ligne directrice 401 (Toxicité aiguë par voie orale)

Dermal route : 2,000 < LD50 <= 5000 mg/kg

Species : Rabbit

OCDE Ligne directrice 402 (Toxicité aiguë par voie cutanée)

Inhalation route (Dusts/mist): LC50 = 5.53 mg/l

Species: Rat

OCDE Ligne directrice 403 (Toxicité aiguë par inhalation)

Duration of exposure: 4 h

Germ cell mutagenicity:

PHOSPHONIC ACID, DIBUTYL ESTER, REACTION PRODUCTS WITH 2-(OCTYLTHIO)- ETHANOL

Mutagenesis (in vivo): Negative.

OCDE Ligne directrice 471 (Essai de mutation réverse sur des bactéries)

Ames test (in vitro): Positive.

With or without metabolic activation.

11.1.2. Mixture

Skin corrosion/skin irritation:

DHT e-ATF - 45614

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non allergic contact dermatitis and absorption through the skin.

Aspiration hazard :

"Inhalation of vapours may cause irritation of the respiratory system in very susceptible persons."

May cause lung damage if swallowed

W.

11.2. Information on other hazards

SECTION 12: ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

(1)

12.1.1. Substances

PHENOL, DODECYL-, BRANCHED (CAS: 121158-58-5)

Fish toxicity: LC50 = 40 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 = 0.037 mg/l

Factor M = 10

Duration of exposure: 48 h

NOEC = 0.0037 mg/lFactor M = 10

Aquatic plant toxicity: ECr50 = 0.36 mg/l

Factor M = 1

Duration of exposure: 72 h

PHOSPHONIC ACID, DIBUTYL ESTER, REACTION PRODUCTS WITH 2-(OCTYLTHIO)- ETHANOL

Fish toxicity: LC50 = 1.5 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)

Crustacean toxicity: EC50 = 0.09 mg/l

Factor M = 10

Species : Daphnia magna Duration of exposure : 48 h

OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate)

0,1 < NOEC <= 1 mg/l Species : Daphnia magna Duration of exposure : 21 jours

Algae toxicity: ECr50 = 0.31 mg/l

Factor M = 1

Species: Pseudokirchnerella subcapitata

Duration of exposure: 72 h

LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)

Fish toxicity: LC50 > 100 mg/l

Duration of exposure: 96 h

OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)

Crustacean toxicity: EC50 > 10000 mg/l

Duration of exposure : 48 h

OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate)

NOEC = 10 mg/l

Duration of exposure: 21 jours

OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)

Algae toxicity: ECr50 >= 100 mg/l

Duration of exposure: 72 h

OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)

12.1.2. Mixtures

Fish toxicity: Harmful.

10 < LC50 <= 100 mg/l

12.2. Persistence and degradability



12.2.1. Substances

PHENOL, DODECYL-, BRANCHED (CAS: 121158-58-5)

Biodegradability: Non-rapidly degradable.

PHOSPHONIC ACID, DIBUTYL ESTER, REACTION PRODUCTS WITH 2-(OCTYLTHIO)- ETHANOL

Biodegradability: no degradability data is available, the substance is considered as not

degrading quickly.

LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)

Biodegradability: Non-rapidly degradable.



12.2.2. Mixtures

Biodegradability: Non-rapidly degradable.

12.3. Bioaccumulative potential

12.3.1. Substances

PHENOL, DODECYL-, BRANCHED (CAS: 121158-58-5)

Octanol/water partition coefficient : log Koe = 7.14

Bioaccumulation: BCF = 794.33

Do not dispose of the product in the natural environment, effluents or surface waters.

12.4. Mobility in soil

Not very mobile in soil.

The product is insoluble in water and will spread on the surface

12.5. Results of PBT and vPvB assessment

No data available.



12.6. Endocrine disrupting properties

No data available.



12.7. Other adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.



14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

-

14.4. Packing group

-

14.5. Environmental hazards

.

14.6. Special precautions for user

-



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/669 (ATP 11)

- Container information:

No data available.

- Particular provisions :

No data available.



15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

11004	Many has fatal if any llamond and analysis singular
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.



Abbreviations:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

 $\ensuremath{\mathsf{EC50}}$: The effective concentration of substance that causes 50% of the maximum response.

ECr50: The effective concentration of substance that causes 50% reduction in growth rate.

NOEC: The concentration with no observed effect.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate DNEL : Derived No-Effect Level

PNEC: Predicted No-Effect Concentration CMR: Carcinogenic, mutagenic or reprotoxic.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.