

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10/06/2024 Revision date: 10/06/2024 Supersedes version of: 21/06/2023 Version: 1.2

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Product code Vaporizer : Crick 130 : UDS000719AE : Aerosol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Use of the substance/mixture Professional useWelding and soldering agents

1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### Supplier

CRC Industries Europe B.V. Touwslagerstraat 1 9240 Zele Belgium T +32(0)52/45.60.11, F +32(0)52/45.00.34 hse@crcind.com, www.crcind.com

#### 1.4. Emergency telephone number

Emergency number

: +32(0)52/45.60.11 Office hours: 9-17h CET

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity – Single exposure, Category 3,	H336
Narcosis	
Full to start of the start of t	

### Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes serious eye irritation.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]	
Hazard pictograms (CLP)	
GHS02 GHS07	
Signal word (CLP) : Danger	
Contains : propan-2-ol; isopropyl alcohol; isopropanol; acetone; propan-2-one; propanone	
Hazard statements (CLP) : H222 - Extremely flammable aerosol.	
H229 - Pressurised container: May burst if heated.	
H319 - Causes serious eye irritation.	
H336 - May cause drowsiness or dizziness.	
Precautionary statements (CLP) : P102 - Keep out of reach of children.	
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition	sources.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P261 - Avoid breathing vapours/spray.
	P271 - Use only outdoors or in a well-ventilated area.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
	P501 - Dispose of contents/container to a hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (GB)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	25 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– $40^{\circ}$ C to $80^{\circ}$ C ( $-40^{\circ}$ F to $176^{\circ}$ F).] (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (GB)	CAS-No.: 68476-85-7 EC-No.: 270-704-2 EC Index-No.: 649-202-00-6	25 – 50	Flam. Gas 1, H220 Press. Gas (Comp.), H280
acetone; propan-2-one; propanone substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 67-64-1 EC-No.: 200-662-2 EC Index-No.: 606-001-00-8 REACH-no: 01-2119471330- 49	10 – 25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066
Talc (Mg3H2(SiO3)4) substance with national workplace exposure limit(s) (GB)	CAS-No.: 14807-96-6 EC-No.: 238-877-9 REACH-no: 01-2120140278- 58	5 – 10	Not classified

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 4: First aid measures**

4.1. Description of first aid measures	
First-aid measures general	: Call a poison center or a doctor if you feel unwell. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If signs/symptoms develop, get medical attention.
First-aid measures after skin contact	: Wash skin with plenty of water. Seek medical attention if irritation develops.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Seek medical attention if irritation develops.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after eye contact	<ul> <li>May cause drowsiness or dizziness.</li> <li>Repeated exposure may cause skin dryness or cracking.</li> <li>Eye irritation.</li> </ul>

### 4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Extremely flammable aerosol.</li> <li>Pressurised container: May burst if heated.</li> <li>During fire, gases hazardous to health may be formed.</li> </ul>	
5.3. Advice for firefighters		
Firefighting instructions Protection during firefighting	<ul> <li>Move containers from fire area if it can be done without personal risk. Use standard firefighting procedures and consider the hazards of other involved materials.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Protective equipment	: Wear appropriate protective equipment and clothing during clean-up.	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Evacuate unnecessary personnel. Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	Mechanically recover the product. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Following product recovery, flush area with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to remove residual contamination.
Other information	: Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For disposal of contaminated materials refer to section 13 : "Disposal considerations".

SECTION 7: Handling and stor	age	
7.1. Precautions for safe handling		
Precautions for safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid prolonged exposure. Handle in accordance with good industria hygiene and safety procedures.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked	

place. Keep cool. Keep container closed when not in use.

up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated

## 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

8.1.1 National occupational ex	posure and biological limit values
--------------------------------	------------------------------------

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
United Kingdom - Occupational Exposure Limits		
Local name	Propan-2-ol	
WEL TWA (OEL TWA)	999 mg/m³	
	400 ppm	
WEL STEL (OEL STEL)	1250 mg/m <sup>3</sup>	
	500 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Talc (Mg3H2(SiO3)4) (14807-96-6)		
United Kingdom - Occupational Exposure Limits		
Local name	Talc	
WEL TWA (OEL TWA)	1 mg/m³ respirable dust	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetone; propan-2-one; propanone (67-64-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Acetone	
IOEL TWA	1210 mg/m <sup>3</sup>	
	500 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
United Kingdom - Occupational Exposure Limits		
Local name	Acetone	
WEL TWA (OEL TWA)	1210 mg/m <sup>3</sup>	
	500 ppm	
WEL STEL (OEL STEL)	3620 mg/m <sup>3</sup>	
	1500 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (68476-85-7)

United Kingdom - Occupational Exposure Limits				
Local name	Liquefied petroleum gas			
WEL TWA (OEL TWA)	1750 mg/m³			
	1000 ppm			
WEL STEL (OEL STEL)	2180 mg/m³			
	1250 ppm			
Remark	Carc (Capable of causing cancer and/or heritable genetic damage (only applies if LPG contains more than 0.1% of buta-1,3-diene))			
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE			

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)				
DNEL/DMEL (Workers)				
Long-term - systemic effects, dermal	888 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	500 mg/m³			
DNEL/DMEL (General population)				
Long-term - systemic effects,oral 26 mg/kg bodyweight/day				
Long-term - systemic effects, inhalation	89 mg/m³			
Long-term - systemic effects, dermal 319 mg/kg bodyweight/day				
PNEC (Water)				
PNEC aqua (freshwater)	140.9 mg/l			
PNEC aqua (marine water) 140.9 mg/l				

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)				
PNEC aqua (intermittent, freshwater)	140.9 mg/l			
PNEC (Sediment)				
PNEC sediment (freshwater)	552 mg/kg dwt			
PNEC sediment (marine water)	552 mg/kg dwt			
PNEC (Soil)				
PNEC soil	28 mg/kg dwt			
PNEC (Oral)				
PNEC oral (secondary poisoning)	160 mg/kg food			
PNEC (STP)				
PNEC sewage treatment plant	2251 mg/l			
acetone; propan-2-one; propanone (67-64-1)				
DNEL/DMEL (Workers)				
Acute - local effects, inhalation	2420 mg/m <sup>3</sup>			
Long-term - systemic effects, dermal	186 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	1210 mg/m³			
DNEL/DMEL (General population)				
Long-term - systemic effects,oral	62 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	200 mg/m³			
Long-term - systemic effects, dermal	62 mg/kg bodyweight/day			
PNEC (Water)				
PNEC aqua (freshwater)	10.6 mg/l			
PNEC aqua (marine water)	1.06 mg/l			
PNEC aqua (intermittent, freshwater)	21 mg/l			
PNEC (Sediment)				
PNEC sediment (freshwater)	30.4 mg/kg dwt			
PNEC sediment (marine water)	3.04 mg/kg dwt			
PNEC (Soil)				
PNEC soil	29.5 mg/kg dwt			
PNEC (STP)				
PNEC sewage treatment plant	100 mg/l			
815 Control banding				

## 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):



### 8.2.2.1. Eye and face protection

### Eye protection:

Use eye protection according to EN 166. Safety glasses with side shields.

## 8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended.

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: A

#### 8.2.2.4. Thermal hazards

#### Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: white.
Appearance	: Propane/butane propelled liquid.
Odour	: Solvent.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Extremely flammable aerosol.
Explosive properties	: Pressurised container: May burst if heated.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not applicable
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not applicable
Viscosity, kinematic	: Not available
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not applicable
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0.885 g/cm³ at 20 °C
Relative density	: 0.89 at 20 °C
Relative vapour density at 20°C	: Not available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Particle characteristics	: Not applicable
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	
% of flammable ingredients	: 75 – 100 %
9.2.2. Other safety characteristics	
VOC content	: 630 g/l
Additional information	: For aerosols data for the product without propellant.

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Strong oxidizing agents.

#### **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO2).

SECTION 11: Toxicological information						
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008						
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified (Based on available data, the classification criteria are not met)</li> <li>Not classified (Based on available data, the classification criteria are not met)</li> <li>Not classified (Based on available data, the classification criteria are not met)</li> </ul>					
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)						
LD50 oral rat	5840 mg/kg bodyweight					
Talc (Mg3H2(SiO3)4) (14807-96-6)						
LD50 oral rat	> 5000 mg/kg bodyweight					
LD50 dermal rat	> 2000 mg/kg bodyweight					
acetone; propan-2-one; propanone (67-64-1)						
LD50 oral rat	5800 mg/kg bodyweight					
LD50 dermal	> 15688 mg/kg bodyweight					
LC50 Inhalation - Rat	76 mg/l/4h					
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable					
Serious eye damage/irritation	: Causes serious eye irritation. pH: Not applicable					
Respiratory or skin sensitisation Germ cell mutagenicity	<ul> <li>Not classified (Based on available data, the classification criteria are not met)</li> <li>Not classified (Based on available data, the classification criteria are not met)</li> </ul>					

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carcinogenicity       : Not classified (Based on available data, the classification criteria are not met)         Reproductive toxicity       : Not classified (Based on available data, the classification criteria are not met)         STOT-single exposure       : May cause drowsiness or dizziness.         propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)         STOT-single exposure       May cause drowsiness or dizziness.         acetone; propan-2-one; propanone (67-64-1)         STOT-single exposure       May cause drowsiness or dizziness.         STOT-repeated exposure       : Not classified (Based on available data, the classification criteria are not met)         Aspiration hazard       : Not classified (Based on available data, the classification criteria are not met)         Crick 130       Vaporizer         Vaporizer       Aerosol         11.2. Information on other hazards       11.2.1. Endocrine discusting exposure					
STOT-single exposure       : May cause drowsiness or dizziness.         propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)         STOT-single exposure       May cause drowsiness or dizziness.         acetone; propan-2-one; propanone (67-64-1)         STOT-single exposure       May cause drowsiness or dizziness.         STOT-repeated exposure       May cause drowsiness or dizziness.         STOT-repeated exposure       : Not classified (Based on available data, the classification criteria are not met)         Aspiration hazard       : Not classified (Based on available data, the classification criteria are not met)         Crick 130       Vaporizer         IL2. Information on other hazards       Aerosol	Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)			
propan-2-ol; isopropyl alcohol; isopropanol (7-63-0)         STOT-single exposure       May cause drowsiness or dizziness.         acetone; propan-2-one; propanone (67-64-1)       May cause drowsiness or dizziness.         STOT-single exposure       May cause drowsiness or dizziness.         STOT-repeated exposure       Not classified (Based on available data, the classification criteria are not met)         Aspiration hazard       Not classified (Based on available data, the classification criteria are not met)         Crick 130       Vaporizer         Vaporizer       Aerosol	Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)			
STOT-single exposure       May cause drowsiness or dizziness.         acetone; propan-2-one; propanone (67-64-1)       May cause drowsiness or dizziness.         STOT-single exposure       May cause drowsiness or dizziness.         STOT-repeated exposure       Not classified (Based on available data, the classification criteria are not met)         Aspiration hazard       Not classified (Based on available data, the classification criteria are not met)         Crick 130       Vaporizer         Vaporizer       Aerosol	STOT-single exposure	: May cause drowsiness or dizziness.			
acetone; propan-2-one; propanone (67-64-1)         STOT-single exposure       May cause drowsiness or dizziness.         STOT-repeated exposure       Not classified (Based on available data, the classification criteria are not met)         Aspiration hazard       Not classified (Based on available data, the classification criteria are not met)         Crick 130       Vaporizer         Vaporizer       Aerosol	propan-2-ol; isopropyl alcohol; isop	oropanol (67-63-0)			
STOT-single exposure       May cause drowsiness or dizziness.         STOT-repeated exposure       Not classified (Based on available data, the classification criteria are not met)         Aspiration hazard       Not classified (Based on available data, the classification criteria are not met)         Crick 130       Aerosol         11.2. Information on other hazards       Aerosol	STOT-single exposure	May cause drowsiness or dizziness.			
STOT-repeated exposure       : Not classified (Based on available data, the classification criteria are not met)         Aspiration hazard       : Not classified (Based on available data, the classification criteria are not met)         Crick 130       Vaporizer         11.2. Information on other hazards       Aerosol	acetone; propan-2-one; propanone	(67-64-1)			
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met) Crick 130 Vaporizer Aerosol 11.2. Information on other hazards	STOT-single exposure May cause drowsiness or dizziness.				
Crick 130       Vaporizer       Aerosol       11.2. Information on other hazards	STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)			
Vaporizer Aerosol 11.2. Information on other hazards	Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)			
11.2. Information on other hazards	Crick 130				
	Vaporizer	Aerosol			
	11.2. Information on other hazards				
11.2.1. Endocrine disrupting properties	11.2.1. Endocrine disrupting properties				

Adverse health effects caused by endocrine	:	The mixture does not contain substance(s) included in the list established in accordance
disrupting properties		with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are
		not identified as having endocrine disrupting properties in accordance with the criteria set
		out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU)
		2018/605 at a concentration equal to or greater than 0,1 %

## 11.2.2. Other information

No additional information available

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
Hazardous to the aquatic environment, short-term : (acute)	Not classified (Based on available data, the classification criteria are not met)	
Hazardous to the aquatic environment, long-term : (chronic)	Not classified (Based on available data, the classification criteria are not met)	
Not rapidly degradable		
propan-2-ol; isopropyl alcohol; isopropanol (	67-63-0)	
LC50 - Fish [1]	10000 mg/l	
LC50 - Fish [2]	9640 mg/l	
Talc (Mg3H2(SiO3)4) (14807-96-6)		
LC50 - Fish [1]	89581.02 mg/l	
LC50 - Fish [2]	110000 mg/l	
EC50 96h - Algae [1]	7202.7 mg/l	
NOEC (chronic)	1459.798 mg/l 30 d	
acetone; propan-2-one; propanone (67-64-1)		
LC50 - Fish [1]	5540 mg/l	
EC50 - Other aquatic organisms [1]	12600 mg/l Daphnia magna (Water flea)	
LOEC (chronic)	> 79 mg/l	
NOEC (chronic)	≥ 79 mg/l	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 amend	led by Regulation (EU) 2020/878					
12.2. Persistence and degradability						
Crick 130						
Persistence and degradability Not established. No data is available on the degradability of this product.						
• • • • •	; [A complex combination of hydrocarbons produced by the distillation of ng carbon numbers predominantly in the range of C3 through C7 and boiling C (– 40°F to 176°F).] (68476-85-7)					
Persistence and degradability	Not established.					
12.3. Bioaccumulative potential						
Crick 130						
Partition coefficient n-octanol/water (Log Kow)	Not applicable					
acetone; propan-2-one; propanone (67-64-	1)					
Partition coefficient n-octanol/water (Log Pow)	-0.24					
	; [A complex combination of hydrocarbons produced by the distillation of ng carbon numbers predominantly in the range of C3 through C7 and boiling C (– 40°F to 176°F).] (68476-85-7)					
Partition coefficient n-octanol/water (Log Pow)	2.3					
12.4. Mobility in soil						
No additional information available						
12.5. Results of PBT and vPvB assessment						
Crick 130						
Results of PBT assessment	Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII					
12.6. Endocrine disrupting properties						
Adverse effects on the environment caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.					
12.7. Other adverse effects						
Additional information Global warming potential (GWP)	: No other effects known : 1.50 (Fluorinated greenhouse gases - (EC) No 2024/573)					
SECTION 13: Disposal considerations						
13.1. Waste treatment methods						

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
European List of Waste (LoW, EC 2000/532)	: According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.

# SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG		ΙΑΤΑ	ADN	RID		
14.1. UN number or ID n	umber						
UN 1950	UN 1950		UN 1950	UN 1950	UN 1950		
14.2. UN proper shipping	q name						
AEROSOLS	AEROSOLS		Aerosols, flammable	AEROSOLS	AEROSOLS		
Transport document descr	iption						
UN 1950 AEROSOLS, 2.1,	UN 1950 AEROSOLS,	21	UN 1950 Aerosols,	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2		
(D)	UN 1950 ALNOSOLS,	, 2.1	flammable, 2.1	011 1300 ALI(00010, 2.1	011 1300 AE1(000E0, 2.		
14.3. Transport hazard o	class(es)						
2.1	2.1		2.1	2.1	2.1		
					2		
14.4. Packing group							
Not applicable	Not applicable		Not applicable	Not applicable	Not applicable		
14.5. Environmental haz	ards						
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No		Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No		
No supplementary informatio	n available						
14.6. Special precautions	s for user						
Overland transport							
Classification code (ADR)		: 5F					
Special provisions (ADR)			: 190, 327, 344, 625				
_imited quantities (ADR)		: 11					
Excepted quantities (ADR)		: E0					
Packing instructions (ADR)		: P207, LP200					
Special packing provisions (A	DR)	: PP87, RR6, L2					
Vixed packing provisions (AD	R)	: MP9					
Fransport category (ADR)		: 2					
Special provisions for carriage	e - Packages (ADR)	: V14					
Special provisions for carriage	e - Loading, unloading	: CV9	, CV12				
and handling (ADR)							
Special provisions for carriage	e - Operation (ADR)	: S2					
Tunnel restriction code (ADR)		: D					
Fransport by sea							
Special provisions (IMDG) :			: 63, 190, 277, 327, 344, 381, 959				
Excepted quantities (IMDG):Packing instructions (IMDG):Packing provisions (IMDG):Percent packing provisions (IMDG):EmS-No. (Fire):EmS-No. (Spillage):Stowage category (IMDG):		: SP277					
		: E0					
		: P207, LP200					
		: PP87, L2					
		: F-D					
		: S-U					
		: None					
Stowage and handling (IMDG		: SW1, SW22					
Segregation (IMDG)		: SG6	9				
Air transport							
PCA Excepted quantities (IAT	,	: E0					
$\mu : \mu$ is provided as constitution (IATA)	1	· V201	j –				

: Y203

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provisions (IATA) ERG code (IATA)	:	30kgG 203 75kg 203 150kg A145, A167, A802 10L
Inland waterway transport Classification code (ADN) Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Equipment required (ADN) Ventilation (ADN) Number of blue cones/lights (ADN)	:	5F 190, 327, 344, 625 1 L E0 PP, EX, A VE01, VE04 1
Rail transport Classification code (RID) Special provisions (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Special packing provisions (RID) Mixed packing provisions (RID) Transport category (RID) Special provisions for carriage – Packages (RID) Special provisions for carriage - Loading, unloading and handling (RID) Colis express (express parcels) (RID) Hazard identification number (RID)		5F 190, 327, 344, 625 1L E0 P207, LP200 PP87, RR6, L2 MP9 2 W14 CW9, CW12 CE2 23

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### VOC Directive (2004/42)

VOC content

: 630 g/l

#### **Explosives Precursors Regulation (2019/1148)**

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name	CAS-No.	Combined Nomenclature code (CN)	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Acetone	67-64-1	2914 11 00	ex 3824 99 92

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives\_en

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Acetone		67-64-1	2914 11 00	Category 3		Annex I

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and ac	ronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

## Full text of H- and EUH-statements:

Aerosol 1	Aerosol, Category 1
EUH066	Repeated exposure may cause skin dryness or cracking.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
Press. Gas (Comp.)	Gases under pressure : Compressed gas
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.