

# **Safety Data Sheet**

Copyright, 2023, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 40-7641-0
 Version number:
 1.02

 Revision date:
 05/10/2023
 Supersedes date:
 02/02/2022

Transportation version number:

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

# IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

G192000EU Snow Cannon Kit

#### **Product Identification Numbers**

14-1001-5626-5

7100315588

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

**Telephone:** +44 (0)870 241 6696 **E Mail:** info@meguiars.co.uk

Website: www.meguiars.co.uk

# 1.4. Emergency telephone number

+44 (0)870 241 6696

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the MSDSs for components of this product are:

31-9700-1

## TRANSPORTATION INFORMATION

Refer to section 14 of the kit components for transport information.

# KIT LABEL

#### 2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

#### **CLASSIFICATION:**

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315 Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319 Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

#### 2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

#### SIGNAL WORD

WARNING.

#### **Symbols**

GHS07 (Exclamation mark) |

## **Pictograms**



#### **HAZARD STATEMENTS:**

H315 Causes skin irritation. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

General:

P102 Keep out of reach of children.

**Response:** 

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-

methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Ingredients required per 648/2004: 5-15%: Anionic surfactant. <5%: Amphoteric surfactant. Contains: Perfumes, Hydroxyisohexyl 3-cyclohexene carboxaldehyde, Mixture of Methylchloroisothiazolinone and Methylisothiazolinone (3:1).

#### **Revision information:**

GB Section 15: Label remarks and EU Detergent information was added.

Kit Information: Contains statement for sensitisers information was added. Kit Information: Contains statement for sensitisers information was deleted.

Section 1: Product identification numbers information was added. Section 01: SAP Material Numbers information was added.

Section 15: Label remarks and EU Detergent information was deleted.



# Safety Data Sheet

Copyright, 2023, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 31-9700-1 **Version number:** 8.01

**Revision date:** 03/08/2023 **Supersedes date:** 23/12/2021

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### 1.1. Product identifier

Gold Class<sup>™</sup> Car Wash Shampoo & Conditioner G71 [G7101 G7116 G7164 G7148K]

#### **Product Identification Numbers**

14-1001-0604-7

7012610171

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Automotive.

# 1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

#### 1.4. Emergency telephone number

+44 (0)870 241 6696

# **SECTION 2: Hazard identification**

#### 2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

A similar mixture has been tested for eye damage/irritation and the test results are reflected in the assigned classification. A similar mixture has been tested for skin corrosion/irritation and the test results are reflected in the assigned classification.

#### **CLASSIFICATION:**

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315 Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319 Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

#### 2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

#### SIGNAL WORD

WARNING.

#### **Symbols**

GHS07 (Exclamation mark)

#### **Pictograms**



#### **HAZARD STATEMENTS:**

H315 Causes skin irritation. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

General:

P102 Keep out of reach of children.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

#### SUPPLEMENTAL INFORMATION:

#### **Supplemental Hazard Statements:**

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-

7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an

allergic reaction.

Information required per Regulation (EU) No 528/2012, as amended for Great Britain on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

## Notes on labelling

Updated per Regulation (EC) No. 648/2004 as amended for Great Britain on detergents.

Ingredients required per 648/2004: 5-15%: Anionic surfactant. <5%: Amphoteric surfactant. Contains: Colorants, Perfumes, Hydroxyisohexyl 3-cyclohexene carboxaldehyde, Mixture of Methylchloroisothiazolinone and Methylisothiazolinone (3:1).

#### 2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB
Non-Hazardous Ingredients	Mixture	70 - 90	Substance not classified as hazardous
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	(CAS-No.) 85586-07-8 (EC-No.) 287-809-4	1 - 5	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Cocamidopropyl Betaine	(CAS-No.) 61789-40-0 (EC-No.) 263-058-8	1 - 5	Eye Dam. 1, H318 Aquatic Acute 1, H400,M=1 Aquatic Chronic 2, H411
Dodecyldimethylamine oxide	(CAS-No.) 1643-20-5 (EC-No.) 216-700-6	1 - 5	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	(EC-No.) 931-534-0	1 - 5	Skin Irrit. 2, H315 Eye Dam. 1, H318
Sodium Laurylpolyethoxyethanol Sulphate	(CAS-No.) 68891-38-3 (EC-No.) 500-234-8	1 - 5	Aquatic Chronic 3, H412 Skin Irrit. 2, H315 Eye Dam. 1, H318
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	(CAS-No.) 68411-30-3 (EC-No.) 270-115-0	1 - 5	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	(CAS-No.) 55965-84-9 (EC-No.) 911-418-6	< 0.0015	EUH071 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400,M=100 Aquatic Chronic 1, H410,M=100 Nota B Acute Tox. 2, H330 Acute Tox. 2, H310

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

#### **Specific Concentration Limits**

Ingredient	Identifier(s)	Specific Concentration Limits
Cocamidopropyl Betaine	(CAS-No.) 61789-40-0 (EC-No.) 263-058-8	(C >= 15%) Eye Dam. 1, H318 (5% =< C < 15%) Eye Irrit. 2, H319
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	(CAS-No.) 55965-84-9 (EC-No.) 911-418-6	(C >= 0.6%) Skin Corr. 1C, H314 (0.06% =< C < 0.6%) Skin Irrit. 2, H315 (C >= 0.6%) Eye Dam. 1, H318 (0.06% =< C < 0.6%) Eye Irrit. 2, H319 (C >= 0.0015%) Skin Sens. 1A, H317
Sodium Laurylpolyethoxyethanol Sulphate	(CAS-No.) 68891-38-3 (EC-No.) 500-234-8	(C >= 10%) Eye Dam. 1, H318 (5% =< C < 10%) Eye Irrit. 2, H319
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	(EC-No.) 931-534-0	(C >= 5%) Skin Irrit. 2, H315 (C >= 38%) Eye Dam. 1, H318 (5% =< C < 38%) Eye Irrit. 2, H319
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	(CAS-No.) 85586-07-8 (EC-No.) 287-809-4	(C >= 20%) Eye Dam. 1, H318 (10% =< C < 20%) Eye Irrit. 2, H319

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Rinse skin with large amounts of water. If symptoms persist, get medical attention.

#### Eye contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the GB CLP classification include:

Irritation to the skin (localized redness, swelling, itching, and dryness). Serious irritation to the eyes (significant redness, swelling, pain, tearing, and impaired vision).

# 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

# 5.1. Extinguishing media

Material will not burn.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### **Hazardous Decomposition or By-Products**

**Substance** 

Carbon monoxide Carbon dioxide.

Irritant vapours or gases.

#### Condition

During combustion.
During combustion.

During combustion.

## 5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

#### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

#### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

#### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

Applicable Norms/Standards

Use eye protection conforming to EN 166

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

Applicable Norms/Standards Use gloves tested to EN 374

## **Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical stateLiquid.ColourBright Yellow

Odor Pleasant Odor, Fruity Odor, Sweet Clean

Odour thresholdNo data available.Melting point/freezing pointNot applicable.Boiling point/boiling rangeNo data available.

Flammability (solid, gas) Flammable Limits(LEL) Flammable Limits(UEL)

Flash point

Autoignition temperature Decomposition temperature

nН

Kinematic Viscosity Water solubility Solubility- non-water

Partition coefficient: n-octanol/water

Vapour pressure

**Density** 

Relative density

**Relative Vapour Density** 

9.2. Other information

Not applicable. *Not applicable.* 

Not applicable.
No flash point

Not applicable.
No data available.

8 - 9.5

No data available.

Complete Complete

No data available. No data available.

1 g/cm3

1 [Ref Std:WATER=1] No data available.

2 g/l [Details:(calculated per Directive 2004/42/EC)]

9.2.2 Other safety characteristics

**EU Volatile Organic Compounds** 

Evaporation rateNo data available.Molecular weightNo data available.Percent volatileNo data available.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

#### 10.2 Chemical stability

Stable.

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Heat.

#### 10.5 Incompatible materials

None known.

#### 10.6 Hazardous decomposition products

Substance
None known.

**Condition** 

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for

\_\_\_\_\_

#### Great Britain.

#### Signs and Symptoms of Exposure

#### Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, dryness, cracking, blistering, and pain.

#### Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

## **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Dermal	Rat	LD50 > 2,000  mg/kg
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Ingestion	Rat	LD50 1,800 mg/kg
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Dermal	Rabbit	LD50 6,300 mg/kg
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 52 mg/l
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Rat	LD50 2,079 mg/kg
Sodium Laurylpolyethoxyethanol Sulphate	Dermal	Rat	LD50 > 2,000  mg/kg
Sodium Laurylpolyethoxyethanol Sulphate	Ingestion	Rat	LD50 2,870 mg/kg
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	Dermal	Rat	LD50 > 2,000  mg/kg
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	Ingestion	Rat	LD50 1,080 mg/kg
Cocamidopropyl Betaine	Dermal	Rat	LD50 > 2,000  mg/kg
Cocamidopropyl Betaine	Ingestion	Rat	LD50 > 1,500 mg/kg
Dodecyldimethylamine oxide	Dermal	similar compoun ds	LD50 > 2,000 mg/kg
Dodecyldimethylamine oxide	Ingestion	similar compoun ds	LD50 1,064 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Dermal	Rabbit	LD50 87 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Inhalation- Dust/Mist (4 hours)	Rat	LC50 0.171 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Rat	LD50 40 mg/kg

ATE = acute toxicity estimate

## Skin Corrosion/Irritation

Name	Species	Value
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Rabbit	Irritant
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Rabbit	Irritant
Sodium Laurylpolyethoxyethanol Sulphate	Rabbit	Irritant
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	Rabbit	Irritant
Cocamidopropyl Betaine	Rabbit	Mild irritant
Dodecyldimethylamine oxide	similar	Irritant
	compoun	
	ds	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and	Rabbit	Corrosive
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		

Serious Eye Damage/Irritation

Name	Species	Value
Overall product	In vitro	Severe irritant
	data	
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Rabbit	Corrosive
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Rabbit	Corrosive
Sodium Laurylpolyethoxyethanol Sulphate	Rabbit	Corrosive
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	Rabbit	Corrosive
Cocamidopropyl Betaine	Rabbit	Corrosive
Dodecyldimethylamine oxide	similar	Corrosive
	compoun	
	ds	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and	Rabbit	Corrosive
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		

#### **Skin Sensitisation**

Name	Species	Value
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Guinea	Not classified
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	pig Guinea	Not classified
Sunonic acids, C14-10-aixanc flydroxy and C14-10-aixclic, sodium saits	pig	Not classified
Sodium Laurylpolyethoxyethanol Sulphate	Guinea pig	Not classified
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	Guinea pig	Not classified
Cocamidopropyl Betaine	Multiple animal species	Not classified
Dodecyldimethylamine oxide	Guinea pig	Not classified
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Human and animal	Sensitising

#### **Photosensitisation**

Name	Species	Value
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Human	Not sensitising
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	and	_
	animal	

## **Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route Value	
------	-------------	--

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	In Vitro	Not mutagenic
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	In Vitro	Not mutagenic
Sodium Laurylpolyethoxyethanol Sulphate	In Vitro	Not mutagenic
Sodium Laurylpolyethoxyethanol Sulphate	In vivo	Not mutagenic
Cocamidopropyl Betaine	In Vitro	Not mutagenic
Cocamidopropyl Betaine	In vivo	Not mutagenic
Dodecyldimethylamine oxide	In Vitro	Not mutagenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and	In vivo	Not mutagenic
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and	In Vitro	Some positive data exist, but the data are not
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium	Ingestion	Rat	Not carcinogenic
salts			
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.	Dermal	Mouse	Not carcinogenic
247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]			
(3:1)			
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.	Ingestion	Rat	Not carcinogenic
247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]			
(3:1)			

# Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Ingestion	Not classified for development	Rat	NOAEL 250 mg/kg/day	during organogenesis
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Not classified for development	Mouse	NOAEL 2 mg/kg/day	during organogenesis
Sodium Laurylpolyethoxyethanol Sulphate	Ingestion	Not classified for female reproduction	Rat	NOAEL 300 mg/kg/day	90 days
Sodium Laurylpolyethoxyethanol Sulphate	Ingestion	Not classified for male reproduction	Rat	NOAEL 300 mg/kg/day	90 days
Sodium Laurylpolyethoxyethanol Sulphate	Ingestion	Not classified for development	Rat	NOAEL 300 mg/kg/day	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

# Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Sulfuric acid, mono-C12- 14-alkyl esters, sodium salts	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Sodium	Inhalation	respiratory irritation	Some positive data exist, but the	similar	NOAEL Not	

D. . . . 10 . C . 2

Laurylpolyethoxyethanol Sulphate			data are not sufficient for classification	health hazards	available	
Benzenesulfonic acid, C10- 13-alkyl derivatives, sodium salts	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	
Cocamidopropyl Betaine	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Dodecyldimethylamine oxide	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available.	
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	Ingestion	endocrine system   hematopoietic system   liver   immune system   eyes   kidney and/or bladder	Not classified	Rat	NOAEL 195 mg/kg/day	2 years
Sodium Laurylpolyethoxyethanol Sulphate	Dermal	skin   heart   endocrine system   gastrointestinal tract   hematopoietic system   liver   immune system   nervous system   eyes   kidney and/or bladder   respiratory system   vascular system	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
Sodium Laurylpolyethoxyethanol Sulphate	Ingestion	blood   eyes	Not classified	Rat	NOAEL 225 mg/kg/day	90 days
Cocamidopropyl Betaine	Ingestion	heart   endocrine system   hematopoietic system   liver   nervous system   eyes   kidney and/or bladder	Not classified	Rat	NOAEL 1,000 mg/kg/day	92 days
Dodecyldimethylamine oxide	Ingestion	eyes	Some positive data exist, but the data are not sufficient for classification	similar compoun ds	NOAEL 88 mg/kg/day	90 days

## **Aspiration Hazard**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# 11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

# **SECTION 12: Ecological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

### 12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Type	Exposure	Test endpoint	Test result
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	68411-30-3	Bacteria	Experimental	16 hours	NOEC	30 mg/l
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	68411-30-3	Bluegill	Experimental	96 hours	LC50	1.67 mg/l
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	68411-30-3	Green algae	Experimental	72 hours	ErC50	7.4 mg/l
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	68411-30-3	Water flea	Experimental	48 hours	EC50	2.9 mg/l
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	68411-30-3	Green algae	Experimental	72 hours	NOEC	1.28 mg/l
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	68411-30-3	Rainbow trout	Experimental	72 days	NOEC	0.23 mg/l
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	68411-30-3	Water flea	Experimental	21 days	NOEC	1.18 mg/l
Cocamidopropyl Betaine	61789-40-0	Bacteria	Experimental	30 minutes	NOEC	>3,000 mg/l
Cocamidopropyl Betaine	61789-40-0	Common Carp	Experimental	96 hours	LC50	1.9 mg/l
Cocamidopropyl Betaine	61789-40-0	Green algae	Experimental	96 hours	EC50	0.55 mg/l
Cocamidopropyl Betaine	61789-40-0	Water flea	Experimental	24 hours	EC50	1.1 mg/l
Cocamidopropyl Betaine	61789-40-0	Green algae	Experimental	72 hours	NOEC	0.09 mg/l
Cocamidopropyl Betaine	61789-40-0	Water flea	Experimental	21 days	NOEC	0.9 mg/l
Dodecyldimethyla mine oxide	1643-20-5	Green algae	Experimental	72 hours	ErC50	0.11 mg/l
Dodecyldimethyla mine oxide	1643-20-5	Medaka	Experimental	96 hours	LC50	30 mg/l
Dodecyldimethyla mine oxide	1643-20-5	Water flea	Experimental	48 hours	EC50	2.2 mg/l
Dodecyldimethyla mine oxide	1643-20-5	Fathead minnow	Experimental	302 days	NOEC	0.42 mg/l
Dodecyldimethyla mine oxide	1643-20-5	Green algae	Experimental	72 hours	NOEC	0.0049 mg/l
Dodecyldimethyla mine oxide	1643-20-5	Water flea	Experimental	21 days	NOEC	0.36 mg/l
Sodium Laurylpolyethoxyet hanol Sulphate	68891-38-3	Bacteria	Experimental	16 hours	ErC50	>10,000 mg/l
Sodium Laurylpolyethoxyet	68891-38-3	Green algae	Experimental	72 hours	ErC50	27.7 mg/l

hanol Sulphate						
Sodium Laurylpolyethoxyet hanol Sulphate	68891-38-3	Water flea	Experimental	48 hours	EC50	7.2 mg/l
Sodium Laurylpolyethoxyet hanol Sulphate	68891-38-3	Zebra Fish	Experimental	96 hours	LC50	7.1 mg/l
Sodium Laurylpolyethoxyet hanol Sulphate	68891-38-3	Water flea	Analogous Compound	21 days	NOEC	0.27 mg/l
Sodium Laurylpolyethoxyet hanol Sulphate	68891-38-3	Green algae	Experimental	72 hours	NOEC	0.95 mg/l
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	931-534-0	Diatom	Estimated	72 hours	EC50	1.97 mg/l
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	931-534-0	Zebra Fish	Estimated	96 hours	LC50	4.2 mg/l
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	931-534-0	Water flea	Experimental	48 hours	EC50	4.53 mg/l
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	931-534-0	Diatom	Estimated	72 hours	EC10	1.2 mg/l
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	931-534-0	Water flea	Experimental	21 days	NOEC	2.4 mg/l
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	Activated sludge	Analogous Compound	3 hours	EC50	135 mg/l
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	Green algae	Experimental	72 hours	ErC10	5.4 mg/l
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	Green algae	Experimental	72 hours	ErC50	>20 mg/l
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	Rainbow trout	Experimental	96 hours	LC50	3.6 mg/l
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	Water flea	Experimental	48 hours	EC50	4.7 mg/l
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	Fathead minnow	Analogous Compound	42 days	NOEC	1.4 mg/l
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	Water flea	Analogous Compound	7 days	NOEC	0.88 mg/l
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1)	55965-84-9	Activated sludge	Experimental	3 hours	NOEC	0.91 mg/l

Stortize-Clare 3-one   FC no. 247-500-7   FC no.							
		55965-84-9	Bacteria	Experimental	16 hours	EC50	5.7 mg/l
Tanal 2-methyl-2-me							
2H-isothizzoll-3-one   EC no. 220- 239-6[3:1]							
Degree   D							
239-6] (3:1)							
Experimental   A8 hours   EC50   0.007 mg/l							
Continue		55065.04.0	0 1	P : 1	40.1	EG50	0.007 //
Isothiazolin-3-one   EC no. 220- 239-6] (3:1)   Experimental   Experimental   Fernious   Erc		55965-84-9	Copepod	Experimental	48 hours	EC30	0.00 / mg/I
IEC no. 247-500-  Tand 2-methyl-  214-isothiazol-3- one [EC no. 220-  239-6] (3:1)   reaction mass of 5-  55965-84-9   Chloro-2-methyl-4-  Sothiazol-3- one [EC no. 220-  239-6] (3:1)   reaction mass of 5-  55965-84-9   Chloro-2-methyl-4-  Sothiazol-3- one [EC no. 220-  239-6] (3:1)   reaction mass of 5-  55965-84-9   Green algae   Experimental   72 hours   ErC50   0.027 mg/l							
Table   Tabl							
2H-isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 247-500- 7] and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 247-500- 7] and 2-methyl- 2H-isothiazol-3- one [EC no. 247-500- 7] and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-4- isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- toloro-2-methyl-2- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1-							
Diatom   Experimental   T2 hours   ErC50   Diatom   Experimental   T2 hours   ErC50   Diatom   Di							
239-6  (3:1)							
Experimental   72 hours   ErC50   0.0199 mg/l							
chloro-2-methyl-4-isothiazol-3-one [EC no. 247-500-7]and 2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-55965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 247-500-7]and 2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-one [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84-9 chloro-2-methyl-4-isothiazol-3-0-ine [EC no. 220-239-6] (3.1) reaction mass of: 5-65965-84		55065 94 0	Distant	Evmonimontal	72 hours	ErC50	0.0100 m a/l
Isothiazolin-3-one		33903-84-9	Diatom	Experimental	/2 nours	EICSU	0.0199 mg/1
EC no. 247-500-							
Table   Tabl							
2H-isothiazol-3-	L						
Dec   EC no. 220-   239-6  (3:1)   5965-84-9   Green algae   Experimental   72 hours   ErC50   0.027 mg/l							
Treaction mass of: 5-   55965-84-9   Green algae   Experimental   T2 hours   ErC50   0.027 mg/l							
Experimental   Factor   Fact							
Chloro-2-methyl-4-   isothiazoli-3-one   [EC no. 247-500-7] and 2-methyl-2   H-isothiazoli-3-one   [EC no. 247-500-7] and 2-methyl-4-   isothiazoli-3-one   [EC no. 247-500-7] and 2-methyl-4-   isothiazoli-3-one   [EC no. 247-500-7] and 2-methyl-4-   isothiazoli-3-one   [EC no. 247-500-7] and 2-methyl-4-   isothiazol-3-   isothiazo		55065 84 0	Green alges	Evnerimental	72 hours	ErC50	0.027 mg/l
Isothiazolin-3-one   [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one   EC no. 220-239-6 [ (3:1)		JJ7UJ-84-7	Orech algae	Experimental	/ 2 HOUIS	EICSU	0.02 / IIIg/1
[EC no. 247-500-7] and 2-methyl-4-isothiazoli-3-one [EC no. 220-239-6] (3:1) reaction mass of: 5-5965-84-9 Rainbow trout Experimental  Sheepshead Minnow  Experimental  96 hours  LC50  0.19 mg/l  0.19 mg/l  Experimental  96 hours  LC50  0.19 mg/l							
7] and 2-methyl- 2H-isothiazol-3- one [EC no. 247-500- 7] and 2-methyl- 4- isothiazolin-3-one [EC no. 247-500- 7] and 2-methyl- 4- isothiazolin-3-one [EC no. 247-500- 7] and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1)  reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7] and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1)  reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7] and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1)  reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7] and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1)  reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7] and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1)							
2H-isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 220- 239-6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 220- 239-6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazol-3- one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1)	L						
One [EC no. 220- 239-6] (3:1)   Experimental   96 hours   LC50   0.19 mg/l							
239-6] (3:1)   reaction mass of: 5-   55965-84-9   Rainbow trout   Experimental   96 hours   LC50   0.19 mg/l							
Rainbow trout   Experimental   96 hours   LC50   0.19 mg/l							
Chloro-2-methyl-4-  isothiazolin-3-one   EC no. 247-500-   7  and 2-methyl-2H-isothiazol-3- one   EC no. 220-   239-6  (3:1)		55965-84-9	Rainbow trout	Experimental	96 hours	LC50	0.19 mg/l
Sheepshead   Experimental   Sheepshead   Experimental   Sheepshead   Experimental   Sheepshead   Experimental   Sheepshead   Sheepshe		33703 04 7	Tambow trout	Experimental	70 Hours	Leso	0.17 mg/1
[EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) reaction mass of: 5-chloro-2-methyl-4-isothiazol-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) reaction mass of: 5-chloro-2-methyl-4-isothiazol-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 247-500-7]and 2-methyl-4-isothiazol-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazolin-3-one [EC no. 220-220-239-6] (3:1)  Water flea  Experimental  ### Experimental  ### Experimental  ### Experimental  ### Hours  ### Experimental  ### Hours							
7  and 2-methyl-  2H-isothiazol-3-  one   EC no. 220-  239-6  (3:1)							
2H-isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazol-3- one [EC no. 247-500- 7]and 2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazoli-3- one [EC no. 220- 239-6] (2:1)							
one [EC no. 220- 239-6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (2:1)  Water flea  Experimental  48 hours  EC50  0.099 mg/l							
239-6] (3:1)   reaction mass of: 5- chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)   Experimental   S5965-84-9   Water flea   Experimental   Hours   EC50   O.3 mg/l							
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazoli-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl-4- isothiazolin-3-one [EC no. 220- 239-6] (3:1)  Water flea  Experimental  96 hours  LC50  0.3 mg/l  Water flea  Experimental  48 hours  EC50  0.099 mg/l  0.099 mg/l  100- 100- 100- 100- 100- 100- 100- 10							
chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220-		55965-84-9	Sheepshead	Experimental	96 hours	LC50	0.3 mg/l
isothiazolin-3-one [EC no. 247-500-7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220-				F			
Total Control Contro							
2H-isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220-	[EC no. 247-500-						
2H-isothiazol-3- one [EC no. 220- 239-6] (3:1) reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220-	7]and 2-methyl-						
239-6] (3:1)							
reaction mass of: 5- 55965-84-9 Water flea Experimental 48 hours EC50 0.099 mg/l chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-	one [EC no. 220-						
chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220-	239-6] (3:1)						
chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220-	reaction mass of: 5-	55965-84-9	Water flea	Experimental	48 hours	EC50	0.099 mg/l
isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220-				*			]
7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220-							
2H-isothiazol-3- one [EC no. 220-	L						
one [EC no. 220-							
239-6] (3:1)			1	1			
reaction mass of: 5-   55965-84-9   Diatom   Experimental   48 hours   NOEC   0.00049 mg/l	reaction mass of: 5-	55965-84-9	Diatom	Experimental	48 hours	NOEC	0.00049 mg/l
chloro-2-methyl-4-							
isothiazolin-3-one							
[EC no. 247-500-							
7]and 2-methyl-							
2H-isothiazol-3-							
one [EC no. 220-							
239-6] (3:1)			<u></u>	<u></u>			
reaction mass of: 5- 55965-84-9 Fathead minnow Experimental 36 days NOEL 0.02 mg/l		55965-84-9	Fathead minnow	Experimental	36 days	NOEL	0.02 mg/l
chloro-2-methyl-4-							
isothiazolin-3-one							
[EC no. 247-500-							
7]and 2-methyl-	/ jand 2-methyl-			<u> </u>		<u> </u>	I

2H-isothiazol-3- one [EC no. 220- 239-6] (3:1)						
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1)	55965-84-9	·		72 hours	NOEC	0.004 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Water flea	Experimental	21 days	NOEC	0.004 mg/l

# 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	68411-30-3	Experimental Biodegradation	29 days	CO2 evolution	85 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Cocamidopropyl Betaine	61789-40-0	Experimental Biodegradation	28 days	Dissolv. Organic Carbon Deplet	100 %removal of DOC	OECD 301E - Modif. OECD Screen
Dodecyldimethyla mine oxide	1643-20-5	Experimental Biodegradation	28 days	CO2 evolution	95.27 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Sodium Laurylpolyethoxyet hanol Sulphate	68891-38-3	Experimental Biodegradation	28 days	Dissolv. Organic Carbon Deplet	100 %CO2 evolution/THCO2 evolution	EC C.4.C. CO2 Evolution Test
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	931-534-0	Experimental Biodegradation	28 days	CO2 evolution	80 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	Experimental Biodegradation	28 days	BOD	96 %BOD/ThOD	OECD 301D - Closed bottle test
chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500- 7]and 2-methyl- 2H-isothiazol-3- one [EC no. 220- 239-6] (3:1)		Analogous Compound Biodegradation	29 days	CO2 evolution	62 %CO2 evolution/THCO2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	> 60 days (t 1/2)	

# 12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Benzenesulfonic	68411-30-3	Experimental BCF	192 hours	Bioaccumulation	2-987	OECD305-Bioconcentration
acid, C10-13-alkyl		- Fish		factor		
derivatives, sodium						

salts						
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	68411-30-3	Experimental Bioconcentration		Log Kow	1.4	OECD 123 log Kow slow stir
Cocamidopropyl Betaine	61789-40-0	Estimated Bioconcentration		Log Kow	0.69	
Dodecyldimethyla mine oxide	1643-20-5	Estimated Bioconcentration		Log Kow	1.85	
Sodium Laurylpolyethoxyet hanol Sulphate	68891-38-3	Experimental Bioconcentration		Log Kow	0.3	OECD 123 log Kow slow stir
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	931-534-0	Estimated Bioconcentration		Log Kow	-1.3	
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	Experimental Bioconcentration		Log Kow	0.78	OECD 123 log Kow slow stir
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		Analogous Compound BCF - Fish	28 days	Bioaccumulation factor	54	OECD305-Bioconcentration
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Analogous Compound Bioconcentration		Log Kow	0.4	

# 12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	68411-30-3	Experimental Mobility in Soil	Koc	2,500 l/kg	
Dodecyldimethylam ine oxide	1643-20-5	Modeled Mobility in Soil	Koc	1,100 l/kg	ACD/Labs ChemSketch™
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	Experimental Mobility in Soil	Koc	316-1567 l/kg	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Experimental Mobility in Soil	Koc	10 l/kg	OECD 106 Adsp-Desb Batch Equil

## 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

## 12.6. Other adverse effects

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC)

No.648/2004 on detergents.

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

#### EU waste code (product as sold)

070601\* Aqueous washing liquids and mother liquors

# **SECTION 14: Transportation information**

Not hazardous for transportation.

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number	No data available.	No data available.	No data available.
14.2 UN proper shipping name	No data available.	No data available.	No data available.
14.3 Transport hazard class(es)	No data available.	No data available.	No data available.
14.4 Packing group	No data available.	No data available.	No data available.
14.5 Environmental hazards	No data available.	No data available.	No data available.
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.

ADR Classification Code	No data available.	No data available.	No data available.
IMDG Segregation Code	No data available.	No data available.	No data available.

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject to Annex XVII of regulation (EC) 1907/2006, as amended for GB, with regard to restrictions on the manufacture, placing on the market and use when present in certain dangerous conditions. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

## <u>Ingredient</u> <u>CAS Nbr</u>

reaction mass of: 5-chloro-2-methyl-4-isothiazolin- 55965-84-9 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Restriction status: listed in UK REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 as amended for Great Britain for Conditions of Restriction

#### Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

#### COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1 None

Seveso named dangerous substances, Annex 1, Part 2

methyl-2H-isothiazol-3-one		
[EC no. 220-239-6] (3:1)		

#### Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

## 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

## **SECTION 16: Other information**

#### List of relevant H statements

EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Revision information:**

GB Section 02: CLP Remark(phrase) information was added.

GB Section 02: Other hazards phrase information was added.

GB Section 04: First Aid - Symptoms and Effects (GB CLP) information was added.

GB Section 04: Information on toxicological effects information was added.

GB Section 12: Classification Warning information was added.

GB Section 15: Chemical Safety Assessment information was added.

GB Section 15: Label remarks and EU Detergent information was added.

GBSDS Section 14 Transport in bulk - Main Heading information was added.

GBSDS Section 14 UN Number information was added.

Section 1: Product identification numbers information was added.

Section 01: SAP Material Numbers information was added.

CLP Remark(phrase) information was deleted.

Contains statement for sensitizers information was added.

Contains statement for sensitizers information was deleted.

List of sensitizers information was added.

List of sensitizers information was deleted.

Section 2: Other hazards phrase information was deleted.

Section 3: Composition/Information of ingredients table information was added.

Section 3: Composition/Information of ingredients table information was deleted.

Section 03: SCL table information was added.

Section 03: SCL table information was deleted.

Section 04: First Aid - Symptoms and Effects (CLP) information was deleted.

Section 04: Information on toxicological effects information was deleted.

Section 9: Vapour density value information was modified.

Section 11: Acute Toxicity table information was modified.

- Section 11: Carcinogenicity Table information was modified.
- Section 11: Classification disclaimer information was deleted.
- Section 11: GB Classification disclaimer information was added.
- Section 11: GB No endocrine disruptor information available warning information was added.
- Section 11: Germ Cell Mutagenicity Table information was modified.
- Section 11: No endocrine disruptor information available warning information was deleted.
- Section 11: Reproductive Toxicity Table information was modified.
- Section 11: Serious Eye Damage/Irritation Table information was modified.
- Section 11: Skin Corrosion/Irritation Table information was modified.
- Section 11: Skin Sensitization Table information was modified.
- Section 11: Target Organs Repeated Table information was modified.
- Section 11: Target Organs Single Table information was modified.
- Section 12: 12.6. Endocrine Disrupting Properties information was deleted.
- Section 12: 12.6. Other adverse effects information was added.
- Section 12: 12.7. Other adverse effects information was deleted.
- Section 12: Classification Warning information was deleted.
- Section 12: Component ecotoxicity information information was modified.
- Section 12: Mobility in soil information information was modified.
- Prints No Data if Adverse effects information is not present information was deleted.
- Section 12: No endocrine disruptor information available warning information was added.
- Section 12: No endocrine disruptor information available warning information was deleted.
- Section 12: Persistence and Degradability information information was modified.
- Section 12:Bioccumulative potential information information was modified.
- Section 14 Marine transport in bulk according to IMO instruments Main Heading information was deleted.
- Section 14 UN Number information was deleted.
- Section 15: Chemical Safety Assessment information was deleted.
- Section 15: Label remarks and EU Detergent information was deleted.
- Section 15: Restrictions on manufacture ingredients information information was added.
- Section 15: Seveso Substance Text information was added.
- Section 15: Seveso Substance Text information was deleted.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was added.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was deleted.

- Section 16: Web address information was added.
- Section 16: Web address information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

# Meguiar's, Inc. SDSs for Great Britain are available at www.meguiars.co.uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.