

# SAFETY DATA SHEET

## POLISH PLASTIQUE NF2018

Version:2

Review date: 21/02/2020

RE EC/2016-918 - CLP 1272/2008

### 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1. 1. Product identifier: POLISH PLASTIQUE NF2018
1. 1. 1. Contains:
  - Hydrocarbures, C6 isoalcanes, <5% n-hexane
  - Huile vaseline
1. 1. 2. EC number: Not applicable.
1. 2. Relevant identified uses of the substance or mixture and uses advised against: The use of this preparation is reserved to the professional users. For more information, to consult the chart.
1. 3. Details of the supplier of the safety data sheet: SELD  
6 rue Jules Guesde – ZI du Pontet  
F-69360 Saint Symphorien d'Ozon  
France  
Phone: +33 (0)4 37 25 16 16  
Fax: +33 (0)4 78 21 80 70  
E-mail: contact@seld-production.com
1. 4. Emergency telephone number: UK - National Poisons Information Service Phone: 44 / 191 22 5131
1. 5. Product code nr: 420012

### 2. HAZARDS IDENTIFICATION

2. 1. Classification of the substance or mixture: \* Flam. Aerosol 1 / GHS02 - H222 \*  
\* Asp. Tox. 1 / GHS08 - H304 \*

2. 2. Label elements:



Danger

2. 2. 1. Symbol(s) and signal word: .

2. 2. 2. Contains:
  - Hydrocarbures, C6 isoalcanes, <5% n-hexane
  - Huile vaseline

2. 2. 3. Hazard statement:

H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.  
H315 Causes skin irritation.  
H304 May be fatal if swallowed and enters airways.  
H411 Toxic to aquatic life with long lasting effects.  
H336 May cause drowsiness or dizziness.

2. 2. 4. Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves / protective clothing / eye protection / face protection.  
P273 Avoid release to the environment.  
P261 Avoid breathing dust / fume / gas / mist / vapours / spray.  
P271 Use only outdoors or in a well-ventilated area.

2. 2. 5. Response:

P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P321a Specific treatment (see item nr 4.3.).  
P332+P313 If skin irritation occurs: Get medical advice / attention.  
P362 Take off contaminated clothing.  
P364 And wash it before reuse.  
P301 IF SWALLOWED:  
P310a Immediately call a POISON CENTER / doctor.  
P331 Do NOT induce vomiting.  
P391 Collect spillage.  
P304 IF INHALED:

# SAFETY DATA SHEET

## POLISH PLASTIQUE NF2018

Version:2

Review date:21/02/2020

RE EC/2016-918 - CLP 1272/2008

2. 2. 6. Storage:	P340 Remove person to fresh air and keep comfortable for breathing. P312a Call a POISON CENTER / doctor if you feel unwell. P410 Protect from sunlight. P412 Do not expose to temperatures exceeding 50 °C / 122°F. P405 Store locked up. P403 Store in a well-ventilated place. P233 Keep container tightly closed.
2. 2. 7. Disposal:	P501a Dispose of contents / container in accordance with local / regional / national / international regulation
2. 3. Other hazards:	Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis. Extremely flammable.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

3. 1. Component(s) contributing to the hazard:

- Méthylal
  - CE nr: 203-714-2 - CAS nr: 109-87-5
  - REACH registration number : 01-2119664781-31
  - Conc. (weight %) : Conc. (% pds) : % 40 < C <= 50
  - GHS (Globally Harmonized System)
  - \* GHS02 \* Liq. infl. 2 - H225
  - Miscellaneous :
  - LD50 / Dermal / Rabbit = > 5000 mg/kg
  - LD50 / Oral / Rat = 6423 mg/kg
  - LD50 / Oral / Mouse = 6950 mg/kg
  - LC50 / 96h / Fish = >1000 mg/l
  - LC50 / 48h / Daphnia magna = >1200 mg/l
  - LC50 / Inhalation (vapours) / Rat = 15000 mg/kg
  - Exposure limit values
  - T.L.V. ppm = 1000 - T.L.V. mg/m<sup>3</sup> = 3110
- Hydrocarbures, C6 isoalcanes, <5% n-hexane
  - CE nr: 931-254-9
  - REACH registration number : 01-2119484651-34
  - Conc. (weight %) : Conc. (% pds) : % 40 < C <= 50
  - GHS (Globally Harmonized System)
  - \* GHS02 \* Liq. infl. 2 - H225
  - \* GHS07 \* STOT un. 3 - H336 \* STOT un. 3.
  - \* GHS08 \* Tox. asp. 1 - H304 \* Irr. cut. 2 - H315
  - \* GHS09 \* Tox. aq. chron. 2 - H411
  - Miscellaneous :
  - LE50 / 48h / Daphnia magna = 31.9 mg/l
  - DSEO-R(NOELR) / / Daphnia magna = 7.14 mg/l
  - DSEO-R(NOELR) / / Oncorhynchus mykiss = 4.09 mg/l
  - DSEO-R(NOELR) / 72h / Pseudokirchneriella subcapita = 3 mg/l
  - LL50 / 96h / Oncorhynchus mykiss = 18.3 mg/l
  - LD50 / Skin contact / 4h / Rabbit = >3350 mg/kg
  - LD50 / Oral / Rat = > 16750 mg/kg
  - LC50 / Inhalation (vapours) / 4h / Rat = 259354 mg/m<sup>3</sup>
- Dioxyde de carbone
  - CE nr: 204-696-9 - CAS nr: 124-38-9
  - Conc. (weight %) : Conc. (% pds) : % 5 < C <= 10
  - GHS (Globally Harmonized System)
  - \* GHS04 - Gaz comprimés \* Gaz ss pr. - H280
  - Miscellaneous :
  - Exposure limit values
  - T.L.V. ppm = 5000 - T.L.V. mg/m<sup>3</sup> = 9000 - S.T.E.L ppm = 30000 - S.T.E.L mg/m<sup>3</sup> = 54000
- Diverted from alkyldiamines
  - CE nr: 251-846-4 - CAS nr: 34140-91-5

# SAFETY DATA SHEET

## POLISH PLASTIQUE NF2018

Version:2

Review date:21/02/2020

RE EC/2016-918 - CLP 1272/2008

- REACH registration number : 01-2119974119-29-0000  
- Conc. (weight %) : Conc. (% pds) : % 1 < C <= 5  
- GHS (Globally Harmonized System)  
\* GHS08 \* STOT rép. 2 - H373  
\* GHS07 \* Irr. cut. 2 - H315 \* Irr. oc. 2 - H319  
\* GHS09 \* Tox. aq. chron. 1 - H410  
- Miscellaneous :  
DSEO-R(NOELR) / 24h / Rat = 1 mg/kg  
LD50 / Ingestion / Rat = >2000 mg/kg  
LD50 / Dermal / Rat = >2000 mg/kg

• Huile vaseline  
- CE nr: 232-455-8 - CAS nr: 8042-47-5  
- REACH registration number : 01-2119487078-27  
- Conc. (weight %) : Conc. (% pds) : % 1 < C <= 5  
- GHS (Globally Harmonized System)  
\* GHS08 \* Tox. asp. 1 - H304

The wording of the sentences are mentioned at heading 16.

### 4. FIRST AID MEASURES

#### 4. 1. Description of first aid measures:

4. 1. 1. General advice: In all cases of doubt, or when symptoms persist, seek medical attention. For symptom description, see item 11.
4. 1. 2. Inhalation: Remove to fresh air, keep the patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Give nothing by mouth. If unconscious, place in the recovery position and seek medical advice.
4. 1. 3. Skin contact: Remove contaminated clothing. Wash skin thoroughly with soap and water or use a proprietary skin cleaner.
4. 1. 4. Eye contact: Contact lenses should be removed. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart, and seek medical advice.
4. 1. 5. Ingestion: Rinse mouth, drink a lot of water, do not vomit, keep quiet, and go immediately to hospital or to a doctor.

#### 4. 2. Most important symptoms and effects, both acute and delayed:

4. 2. 1. Inhalation: narcotic effects Toxicité minimale
4. 2. 2. Skin contact: Repeated or prolonged contact with the product may lead to removal of natural fats from the skin resulting in non-allergic contact dermatitis and absorption through the skin. Faiblement toxique
4. 2. 3. Eyes contact: Splashes in the eyes may cause irritation and reversible local damage.
4. 2. 4. Ingestion: Alcohol ingestion increases toxic product effects.

#### 4. 3. Indication of any immediate medical attention and special treatment needed :

In all cases of doubt, or when symptoms persist, seek medical attention.

### 5. FIREFIGHTING MEASURES

5. 1. Extinguishing media: alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>), powder, water spray.
5. 2. Special hazards arising from the substance or mixture: Be careful of explosion risk. Decomposition products may be a hazard to health. Appropriate self-contained breathing apparatus may be required. Fire will produce dense black smoke.

# SAFETY DATA SHEET

## POLISH PLASTIQUE NF2018

Version:2

Review date:21/02/2020

RE EC/2016-918 - CLP 1272/2008

- |  |  |
|--|--|
| 5. 3. Advice for firefighters:                                       | Wear a self contained breathing apparatus.               |
| 5. 4. Specific method(s):  | Cool closed containers exposed to fire with water spray. |
| 5. 5. Extinguishing media which must NOT be used for safety reasons: | Do not use water jet.                                    |

### 6. ACCIDENTAL RELEASE MEASURES

- |  |  |
|--|--|
| 6. 1. Personal precautions, protective equipment and emergency procedures: | Evacuate personnel to a safe area.<br>Exclude sources of ignition and ventilate the area. Exclude non-essential personnel. Avoid breathing vapours. Refer to protective measures listed in Sections 7 and 8. |
| 6. 2. Environmental precautions:   | Prevent liquid from entering sewers, watercourses, underground or low areas.   |
| 6. 3. Methods and material for containment and cleaning up:                | Contain and collect spillages with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth  |
| 6. 4. Reference to other sections:   | Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).  |

### 7. HANDLING AND STORAGE

- |  |  |
|--|--|
| 7. 1. Handling:  |  |
| 7. 1. 1. Precautions for safe handling:                                | Smoking, eating and drinking is prohibited in areas of storage and use.<br>Avoid contact with skin and eyes.<br>For personal protection, see Section 8.<br>The Manual Handling Operations Regulations may apply to the handling of containers of this product. Refer to the guide weight indicated on the container when carrying out assessments. |
| 7. 1. 2. Technical condition(s):                                       | The product should only be used in areas from which all naked lights and other sources of ignition have been excluded.<br>Electrical equipment should be protected to the appropriate standard.  |
| 7. 2. Storage:   |  |
| 7. 2. 1. Conditions for safe storage, including any incompatibilities: | No smoking. Prevent unauthorised access.   |
| 7. 2. 2. Storage condition(s):   | Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.<br>Store at temperatures between 0°C and 50°C   |
| 7. 2. 3. Separation of incompatible product(s):                        | Store separately from oxidising agents and strongly alkaline and strongly acidic materials.  |
| 7. 2. 4. Packaging / tank material:                                    | made of the same material as the supply container.   |
| 7. 3. Specific end use(s):   | None reasonably foreseeable.   |

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- |                                  |   |
|----------------------------------|---|
| 8. 1. Control parameters:        |   |
| 8. 1. 1. Exposure limit(s):      | <ul style="list-style-type: none"><li>• Méthylal :<br/>T.L.V. ppm = 1000 - T.L.V. mg/m<sup>3</sup> = 3110</li><li>• Dioxyde de carbone :<br/>T.L.V. ppm = 5000 - T.L.V. mg/m<sup>3</sup> = 9000 - S.T.E.L ppm = 30000 - S.T.E.L mg/m<sup>3</sup> = 54000</li></ul>  |
| 8. 1. 2. Engineering measure(s): | Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.<br>If these are not sufficient to maintain concentrations of particulates and/or solvent vapours below the relevant occupational exposure limits, suitable respiratory protective equipment should be worn. |

# SAFETY DATA SHEET

## POLISH PLASTIQUE NF2018

Version:2

Review date: 21/02/2020

RE EC/2016-918 - CLP 1272/2008

### 8. 2. Exposure controls:

- |                                    |   |
|------------------------------------|---|
| 8. 2. 1. Respiratory protection:   | In order to avoid inhalation of mist/vapour, all spraying must be done wearing adequate respirator. |
| 8. 2. 2. Hand protection:          | solvent-resistant gloves  |
| 8. 2. 3. Skin and body protection: | Cotton or cotton/synthetic overalls or coveralls are normally suitable.                             |
| 8. 2. 4. Eye protection:           | Eye protection designed to protect against liquid splashes should be worn.                          |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9. 1. Information on basic physical and chemical properties:

- |  |   |
|--|---|
| 9. 1. 1. Appearance:                   | aerosol: liquid + propellant gas no flammable |
| 9. 1. 2. Colour:                       | light yellow                                  |
| 9. 1. 3. Odour:                        | characteristic                                |
| 9. 1. 4. PH:                           | Not applicable.                               |
| 9. 1. 5. Boiling point/range:          | initiale : 57°C fin                           |
| 9. 1. 6. Flash point:                  | >=-30°C                                       |
| 9. 1. 7. Explosion limits:             | LIE : 0.8%<br>LSE : 8%                        |
| 9. 1. 8. Relative density (water = 1): | 0.75  |
| 9. 1. 9. Viscosity:                    | 5   |

### 9. 2. Other information:

- |                              |                                      |
|------------------------------|--------------------------------------|
| 9. 2. 1. Water solubility:   | weak                                 |
| 9. 2. 2. Fat solubility:     | completely soluble                   |
| 9. 2. 3. Solvent solubility: | completely miscible                  |
| 9. 3. Other information:     | Chemical heat of combustion: 41 KJ/g |

## 10. STABILITY AND REACTIVITY

- |  |  |
|--|--|
| 10. 1. Reactivity:                         | No decomposition if stored normally.   |
| 10. 2. Chemical stability:                 | Stable under the recommended storage and handling conditions. (See Section 7).   |
| 10. 3. Possibility of hazardous reactions: | .  |
| 10. 4. Conditions to avoid:                | Avoid temperature above 50°C   |
| 10. 5. Incompatible materials:             | Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the possibility of exothermic reaction. |
| 10. 6. Hazardous decomposition products:   | Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide..                   |

## 11. TOXICOLOGICAL INFORMATION

- |  |   |
|--|---|
| 11. 1. Information on toxicological effects: | There is no data available on the product itself. |
| 11. 2. Acute toxicity:                       |   |
| 11. 2. 1. Inhalation:                        | see item nr 3                                     |
| 11. 2. 2. Skin contact:                      | see item nr 3                                     |

# SAFETY DATA SHEET

## POLISH PLASTIQUE NF2018

Version:2

Review date: 21/02/2020

RE EC/2016-918 - CLP 1272/2008

11. 2. 3. Eyes contact: see item nr 3

11. 2. 4. Ingestion: see item nr 3

### 12. ECOLOGICAL INFORMATION

12. 1. Toxicity: Ecological problems are not known or expected under normal use.
12. 2. Persistence and degradability: Readily biodegradable.
12. 3. Bioaccumulative potential: .
12. 4. Mobility in soil: Air: The product evaporates in atmosphere.  
.  
.
12. 5. Results of PBT and vPvB assessment: No data available.
12. 6. Other adverse effects: None reasonably foreseeable.
12. 7. General information(s): There is no data available on the product itself.  
The product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.

### 13. DISPOSAL CONSIDERATIONS

13. 1. Waste treatment methods: Collect all waste in suitable and labelled containers and dispose according to local legislation.
13. 2. Contaminated packaging: Empty containers can be dumped according to local legislation.
13. 3. Further Information(s): Do NOT wash away into sewer.

### 14. TRANSPORT INFORMATION

14. 1. General information(s): Transport followed ADR, IMDG, IATA
14. 2. UN number: 1950
14. 2. 1. UN proper shipping name: AEROSOLS
14. 3. Land (Road / Railway: ADR/RID):
14. 3. 1. Transport hazard class(es): 2
14. 3. 2. ADR/RID-Labels: 2.1
14. 3. 3. Classification code: 5F
14. 3. 4. Packing instructions: P204
14. 4. Sea (IMDG):
14. 4. 1. Class: 2
14. 4. 2. EmS number: 2-13
14. 4. 3. IMDG-Label(s): 2.1
14. 5. Air (ICAO/IATA):
14. 5. 1. ICAO/IATA class: 2 - II - 203
14. 5. 2. ICAO/IATA-Labels: 2.1
14. 6. Environmental hazards: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
14. 7. Special precautions for user: Concerning personal protective equipment to use, see item 8.
14. 8. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable.

# SAFETY DATA SHEET

## POLISH PLASTIQUE NF2018

Version:2

Review date: 21/02/2020

RE EC/2016-918 - CLP 1272/2008

14. 9. Further Information(s): Limited quantities: LQ2

### 15. REGULATORY INFORMATION

15. 1. Safety, health and environmental regulations/legislation specific for the substance or mixture: Payment 1907/2006 concerning ' recording, ' evaluation and ' authorization of chemical substances, as well as the restrictions applicable to these substances.... as modified.

15. 2. Chemical safety assessment: No data available.

### 16. OTHER INFORMATION

16. 1. Text of the phrases listed in section 3: H280 Contains gas under pressure; may explode if heated.  
H373 May cause damage to organs <or state all organs affected, if know n> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H410 Very toxic to aquatic life w ith long lasting effects.  
H225 Highly flammable liquid and vapour.  
H304 May be fatal if sw allow ed and enters airw ays.  
H336 May cause drow siness or dizziness.  
H411 Toxic to aquatic life w ith long lasting effects.

16. 2. Important remarks: As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied w ith.  
The user is alw ays responsible for ensuring that the requirements of relevant legislation are complied w ith.  
The information contained in this safety data sheet is based on the present state of know ledge and current national legislation it provides guidance on health safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

16. 3. Restrictions: This information relates to the specific material designated and may not be valid in combination with other product(s).

16. 4. History:

16. 4. 1. First edition date: 15/01/2018

16. 4. 2. Previous revision date: 15/01/2018

16. 4. 3. Review date: 21/02/2020

16. 4. 4. Version: 2

16. 4. 5. Review chapter(s) n°: 2

16. 5. Written by: SELD