

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 1910)

Revision: 25.05.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: MANNOL 9928 Epoxidkitt 56g
- · UFI: ACGV-D03Y-X00P-R0RQ
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Adhesives Sealant
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: SCT-Vertriebs GmbH Feldstrasse 154 22880 WEDEL DEUTSCHLAND +49 (0)4103 1211 0 info@sct-germany.de
- Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture
 · Classification according to Regulation (EC) No 1272/2008

GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

GHS07

Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



(Contd. on page 2)

⁻ IE



Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 1910)

Revision: 25.05.2023

	ade name: MANNOL 9928 Epoxidkitt 56g				
	(Contd. of page 1				
· Signal word V	Narning				
	mining components of labelling:				
	uct: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700)				
calcium carbo					
	I-PO-mercaptoglycerol~				
· Hazard staten					
H315 Causes					
	serious eye irritation. use an allergic skin reaction.				
	use respiratory irritation.				
	aquatic life with long lasting effects.				
· Precautionary					
P101	If medical advice is needed, have product container or label at hand.				
P102	Keep out of reach of children.				
P103	Read carefully and follow all instructions.				
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.				
P264	Wash thoroughly after handling.				
P271	Use only outdoors or in a well-ventilated area.				
P280	Wear protective gloves / eye protection / face protection.				
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.				
P305+P351+P	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contac				
D040	lenses, if present and easy to do. Continue rinsing.				
P312	Call a POISON CENTER/doctor if you feel unwell.				
P321	Specific treatment (see on this label).				
P362+P364 P337+P313	Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention.				
P391	Collect spillage.				
P403+P233	Store in a well-ventilated place. Keep container tightly closed.				
P405	Store locked up.				
P501	Dispose of contents/container in accordance with local/regional/national/international				
	regulations.				
 Labelling of p 	packages where the contents do not exceed 125 ml				
Hazard pictog	grams				
	N				
/ ▮ ∖/¥					
GHS07 GHS	S09				
· Signal word V	Warning				
· Signal word V · Hazard-detern	Warning mining components of labelling:				
• Signal word W • Hazard-detern reaction produ	Warning mining components of labelling: uct: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)				
 Signal word W Hazard-detern reaction producation calcium carbon 	Warning mining components of labelling: uct: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) nate				
• Signal word W • Hazard-detern reaction produ calcium carbon Pentaerythritol	Warning mining components of labelling: uct: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) nate I-PO-mercaptoglycerol~				
 Signal word W Hazard-detern reaction producation carbon calcium carbon Pentaerythritol Hazard staten 	Warning mining components of labelling: uct: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) nate I-PO-mercaptoglycerol~ ments				
 Signal word W Hazard-detern reaction producation carbon calcium carbon Pentaerythritol Hazard staten H317 May cau 	Warning mining components of labelling: uct: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) nate I-PO-mercaptoglycerol~ ments use an allergic skin reaction.				
 Signal word W Hazard-detern reaction producalcium carbon Pentaerythritol Hazard staten H317 May cau H335 May cau 	Warning mining components of labelling: uct: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) nate I-PO-mercaptoglycerol~ ments use an allergic skin reaction. use respiratory irritation.				
 Signal word W Hazard-detern reaction produced calcium carbon Pentaerythritol Hazard staten H317 May cau H335 May cau Precautionary 	Warning mining components of labelling: uct: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) nate I-PO-mercaptoglycerol~ ments use an allergic skin reaction. use respiratory irritation. y statements				
Signal word W Hazard-detern reaction producal calcium carbon Pentaerythritol Hazard staten H317 May cau H335 May cau Precautionary P101 If	Warning mining components of labelling: uct: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) nate I-PO-mercaptoglycerol~ ments use an allergic skin reaction. use respiratory irritation. y statements medical advice is needed, have product container or label at hand.				
 Signal word W Hazard-detern reaction produced calcium carbon Pentaerythritol Hazard staten H317 May cau H335 May cau Precautionary P101 If P102 Ket 	Warning mining components of labelling: uct: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) nate I-PO-mercaptoglycerol~ ments use an allergic skin reaction. use respiratory irritation. y statements medical advice is needed, have product container or label at hand. eep out of reach of children.				
 Signal word W Hazard-detern reaction producalcium carbon Pentaerythritol Hazard statern H317 May cau H335 May cau Precautionary P101 If P102 Ke P103 Ref 	Warning mining components of labelling: uct: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) nate I-PO-mercaptoglycerol~ ments use an allergic skin reaction. use respiratory irritation. y statements medical advice is needed, have product container or label at hand.				



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.05.2023 Versio

Version number 2305 (replaces version 1910)

Revision: 25.05.2023

Trade name: MANNOL 9928 Epoxidkitt 56g

(Contd. of page 2)

- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves / eye protection / face protection.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

	· Dangerous components.				
CAS: 25068-38-6 NLP: 500-033-5		reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700)	<25.0%		
		Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205			
		Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %			
	CAS: 72244-98-5	Pentaerythritol-PO-mercaptoglycerol~	<21.0%		
	EC number: 615-735	-8 Skin Sens. 1B, H317; Aquatic Chronic 3, H412			
	CAS: 90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	<4.0%		
	EINECS: 202-013-9	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319			
	· Not dangerous substances				
	CAS: 7631-86-9	silicon dioxide, chemically prepared	≥30.0%		
	EINECS: 231-545-4				
	CAS: 471-34-1	calcium carbonate	≥20.0%		
	EINECS: 207-439-9				

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 1910)

Revision: 25.05.2023

Trade name: MANNOL 9928 Epoxidkitt 56g

(Contd. of page 3)

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- $^{\cdot}$ 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2. Do not use water.
- Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Sand

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. Wear protective clothing.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. • **Information about fire - and explosion protection:** No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 5)

IF



Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 1910)

Revision: 25.05.2023

(Contd. of page 4)

Trade name: MANNOL 9928 Epoxidkitt 56g

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 1910)

Revision: 25.05.2023

Trade name: MANNOL 9928 Epoxidkitt 56g

(Contd. of page 5)

IE

9.1 Information on basic physical and chemical	properties		
General Information	properties		
Colour:	Grey		
Odour:	Characteristic		
Odour threshold:	Not determined.		
Melting point/freezing point:	Undetermined.		
Boiling point or initial boiling point and boiling			
range	Undetermined.		
Flammability	Not determined.		
Lower and upper explosion limit			
Lower:	Not determined.		
Upper:	Not determined.		
Flash point:	Not applicable.		
Auto-ignition temperature:	>370 °C		
Decomposition temperature:	Not determined.		
pH	Not applicable.		
Viscosity:	L L		
Kinematic viscosity	Not applicable.		
Dynamic:	Not applicable.		
Solubility			
water:	Insoluble.		
Partition coefficient n-octanol/water (log value)			
Vapour pressure:	Not applicable.		
Density and/or relative density			
Density:	Not determined.		
Relative density	Not determined.		
Vapour density	Not applicable.		
Particle characteristics			
See section 3.			
9.2 Other information			
Appearance:			
Form:	Pasty		
Important information on protection of health			
and environment, and on safety.			
Ignition temperature:	Product is not selfigniting.		
Explosive properties:	Product does not present an explosion hazard.		
Solvent content:			
Solids content:	100.0 %		
Change in condition			
Evaporation rate	Not applicable.		
Information with regard to physical hazard			
classes			
Explosives	Void		
Flammable gases	Void		
Aerosols	Void		
Oxidising gases	Void		
Gases under pressure	Void		
Flammable liquids	Void		



Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 1910)

Revision: 25.05.2023

Trade name: MANNOL 9928 Epoxidkitt 56g

		(Contd. of page 6)
· Flammable solids	Void	
 Self-reactive substances and mixtures 	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide Aldehyde Poisonous gases/vapours

Carbon dioxide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 >12,500 mg/kg

- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 8)

IE



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.05.2023 Version number 2305 (replaces version 1910)

Revision: 25.05.2023

Trade name: MANNOL 9928 Epoxidkitt 56g

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · European waste catalogue
- HP4 Irritant skin irritation and eye damage
- HP13 Sensitising
- HP14 Ecotoxic

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- · 14.1 UN number or ID number· ADR, IMDG, IATAUN3077
 - 14.2 UN proper shipping name
 ADR

3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number

(Contd. on page 9)

(Contd. of page 7)

[—] IE –



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.05.2023

Version number 2305 (replaces version 1910)

Revision: 25.05.2023

Trade name: MANNOL 9928 Epoxidkitt 56g

	(Contd. of page
IMDG	average molecular weight ≤ 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (reaction product: bisphenol-A (epichlorhydrin) epoxy resin (number averag molecular weight ≤ 700)), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (reaction product: bisphenol-A (epichlorhydrin) epoxy resin (number averag
	molecular weight ≤ 700))
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles. 9
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances ar articles.
Hazard identification number (Kemler code):	
EMS Number: Stowage Category	F-A,S-F A
Stowage Code	SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
Transport category Tunnel restriction code	3 -
IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTION
	(Contd. on page 1



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.05.2023

Version number 2305 (replaces version 1910)

Revision: 25.05.2023

Trade name: MANNOL 9928 Epoxidkitt 56g

(Contd. of page 9)

PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT \leq 700)), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

EUH205 Contains epoxy constituents. May produce an allergic reaction.

• **Department issuing SDS:** Product safety department.

Date of previous version: 09.09.2021

· Version number of previous version: 1910

(Contd. on page 11)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 1910)

Revision: 25.05.2023

Trade name: MANNOL 9928 Epoxidkitt 56g

(Contd. of page 10) · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 * * Data compared to the previous version altered.