Printing date 12.02.2020

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 2002

Revision: 12.02.2020

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- 1.1 Product identifier
- Trade name: MANNOL 9919 Anticor schwarz 650ml
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Anticorrosion additive Coating material
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: SCT-Vertriebs GmbH Feldstrasse 154 22880 WEDEL DEUTSCHLAND info@sct-germany.de
- · Further information obtainable from: Product safety department.
- 1.4 Emergency telephone number: Giftinformationszentrum-Nord +49-551-19240

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 2 H223-H229 Flammable aerosol. Pressurised container: May burst if heated.

GHS08 health hazard

Repr. 2	H361d	Suspected of damaging the unborn child.
STOT RE 2	2 H373	May cause damage to organs through prolonged or repeated exposure.
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.
G	HS07	

Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2	H319	Causes serious eye irritation.
STOT SE 3	H336	May cause drowsiness or dizziness.

#### · 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

GB

GERMANY

## Safety data sheet according to 1907/2006/EC, Article 31

Revision: 12.02.2020

Printing date 12.02.2020

Version number 2002

Trade name: MANNOL 9919 Anticor schwarz 650ml

(Contd. of page 1) · Hazard pictograms GHS02 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labelling: Toluene Hazard statements H223-H229 Flammable aerosol. Pressurised container: May burst if heated. H315 Causes skin irritation. H319 Causes serious eye irritation. Suspected of damaging the unborn child. H361d May cause drowsiness or dizziness. H336 May cause damage to organs through prolonged or repeated exposure. H373 May be fatal if swallowed and enters airways. H304 · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapours/spray. P260 P264 Wash thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Specific treatment (see on this label). P321 P331 Do NOT induce vomiting. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash it before reuse. P362+P364 Store locked up. P405 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · 2.3 Other hazards Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

Revision: 12.02.2020

Printing date 12.02.2020

### Version number 2002

#### Trade name: MANNOL 9919 Anticor schwarz 650ml

	,	td. of page 2
<ul> <li>Dangerous compone</li> </ul>	ints:	
CAS: 106-97-8	butane, pure	15–24%
EINECS: 203-448-7	Flam. Gas 1, H220; Press. Gas (Comp.), H280	
CAS: 108-88-3	Toluene	10-20%
EINECS: 203-625-9	Flam. Liq. 2, H225; Repr. 2, H361d; STOT RE 2, H373; Asp. Tox. 1, H304; Skin Irrit. 2, H315; STOT SE 3, H336	
CAS: 74-98-6	propane	5–10%
EINECS: 200-827-9	Flam. Gas 1, H220; Press. Gas (Comp.), H280	-
CAS: 1318-94-1	MUSCOVITE	5–10%
EC number: 603-531-7	1 Eye Irrit. 2, H319	-
CAS: 1330-20-7	xylene	5–10%
EINECS: 215-535-7	Flam. Liq. 3, H226; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	**
CAS: 1302-78-9	Bentonite	1–3%
EINECS: 215-108-5	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	-
· Not dangerous subst	tances	
CAS: 8052-42-4 A	sphalt	8–13%
EINECS: 232-490-9		
CAS: 14807-96-6 T	alc (Mg3H2(SiO3)4)	5–10%
EINECS: 238-877-9		
Additional information	<b>on:</b> For the wording of the listed hazard phrases refer to section 16.	

## **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

#### • 5.1 Extinguishing media

 Suitable extinguishing agents: CO2. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. Foam
 Fire-extinguishing powder
 Sand

(Contd. on page 4)

GB

Printing date 12.02.2020

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 2002

Revision: 12.02.2020

#### Trade name: MANNOL 9919 Anticor schwarz 650ml

(Contd. of page 3)

- For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures
   Mount respiratory protective device.
   Wear protective equipment. Keep unprotected persons away.
   Ensure adequate ventilation
   Particular danger of slipping on leaked/spilled product.
   Wear protective clothing.
   6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 5)

GB

accord

Printing date 12.02.2020

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 2002

Revision: 12.02.2020

### Trade name: MANNOL 9919 Anticor schwarz 650ml

(Contd. of page 4)

	ontrol parameters dients with limit values that require monitoring at the workplace:
106-9	17-8 butane, pure (25.0%)
WEL	Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)
108-8	8-3 Toluene (20.0%)
WEL	Short-term value: 384 mg/m³, 100 ppm Long-term value: 191 mg/m³, 50 ppm Sk
8052	42-4 Asphalt (13.0%)
WEL	Long-term value: 5 mg/m³
	20-7 xylene (10.0%)
WEL	Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV
· Ingre	dients with biological limit values:
1330	-20-7 xylene (10.0%)
<ul> <li>Addit</li> <li>8.2 E</li> <li>Perso</li> <li>Gene</li> <li>Keep</li> <li>Imme</li> <li>Wash</li> <li>Store</li> <li>Avoid</li> <li>Resp</li> <li>In ca</li> <li>exposition</li> </ul>	<ul> <li>650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid</li> <li>cional information: The lists valid during the making were used as basis.</li> <li>conal protective equipment: oral protective and hygienic measures: away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing n hands before breaks and at the end of work. protective clothing separately. contact with the eyes and skin. iratory protection: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer sure use self-contained respiratory protective device.</li> </ul>
Due prepa Seleo degra	Protective gloves plove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the pration/ the chemical mixture. Stion of the glove material on consideration of the penetration times, rates of diffusion and the relation rial of gloves
degra · <b>Mate</b> The s	Idation

quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to (Contd. on page 6)

Version number 2002

Revision: 12.02.2020

#### Trade name: MANNOL 9919 Anticor schwarz 650ml

(Contd. of page 5)

be checked prior to the application. Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### • Eye protection:

Tightly sealed goggles

9.1 Information on basic physical and o	chemical properties	
General Information Appearance:		
Form:	Liquid	
Colour:	Clear	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	••	
Flash point:	Not applicable, as aerosol.	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	~490 °C	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Not determined.	
Explosion limits:		
Lower:	1.1 Vol %	
Upper:	7 Vol %	
Vapour pressure at 20 °C:	6.7–8.2 hPa	
Density at 20 °C:	0.9 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	



Printing date 12.02.2020



Printing date 12.02.2020

Version number 2002

Revision: 12.02.2020

#### Trade name: MANNOL 9919 Anticor schwarz 650ml

	(Col	ntd. of page 6)
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	35–65 %	
VOC (EC)	35–65 %	
Solids content:	0.0 %	
<ul> <li>9.2 Other information</li> </ul>	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products:
- Carbon monoxide Aldehyde
- Poisonous gases/vapours Carbon dioxide

## **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

ATE	(Acute Toxicity Estimates)	

20,000-40,000 mg/kg (rabbit) LD50 Dermal

Inhalative LC50/4 h 110-220 mg/l

106-97-8 butane, pure

Inhalative LC50/4 h 658 mg/l (rat)

108-88-3 Toluene

5,000 mg/kg (rat) Oral LD50 Dermal LD50 12,124 mg/kg (rabbit) Inhalative LC50/4 h 5,320 mg/l (mouse)

# 1330-20-7 xylene

- LD50 Oral
- 4,300 mg/kg (rat) LD50 Dermal 2,000 mg/kg (rabbit)
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 8)

Version number 2002

Revision: 12.02.2020

#### Trade name: MANNOL 9919 Anticor schwarz 650ml

(Contd. of page 7)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity
- Suspected of damaging the unborn child.
- STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure
- May cause damage to organs through prolonged or repeated exposure.
- Aspiration hazard
- May be fatal if swallowed and enters airways.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

·Europ	ean waste catalogue
HP 3	Flammable
HP 4	Irritant - skin irritation and eye damage
HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP 10	Toxic for reproduction

#### · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

- · 14.1 UN-Number
- · ADR, IMDG, IATA

UN1307

(Contd. on page 9)



Printing date 12.02.2020

Printing date 12.02.2020

Version number 2002

Revision: 12.02.2020

#### Trade name: MANNOL 9919 Anticor schwarz 650ml

	(Contd. of page 8
<ul> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>IMDG, IATA</li> </ul>	1307 XYLENES mixture XYLENES mixture
· 14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Not applicable.
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Flammable liquids. 30 F-D,S-U A
<ul> <li>14.7 Transport in bulk according to Annex II or Marpol and the IBC Code</li> </ul>	f Not applicable.
Transport/Additional information:	
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 D/E
· IMDG	
<ul> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1307 XYLENES MIXTURE, 3, III

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

(Contd. on page 10)

- GB

Version number 2002

Revision: 12.02.2020

(Contd. of page 9)

GB

#### Trade name: MANNOL 9919 Anticor schwarz 650ml

- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 48
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
<ul> <li>Relevant phrases</li> <li>H220 Extremely flammable gas.</li> <li>H225 Highly flammable liquid and vapour.</li> <li>H226 Flammable liquid and vapour.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H312 Harmful in contact with skin.</li> <li>H315 Causes skin irritation.</li> <li>H319 Causes serious eye irritation.</li> <li>H332 Harmful if inhaled.</li> <li>H335 May cause respiratory irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> <li>H361d Suspected of damaging the unborn child.</li> <li>H373 May cause damage to organs through prolonged or repeated exposure.</li> </ul>
<ul> <li>Department issuing SDS: Product safety department.</li> <li>Abbreviations and acronyms:</li> <li>ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>VOC: Volatile Organic Compounds (USA, EU)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>LD50: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPvB: very Persistent and very Bioaccumulative</li> <li>Flam. Gas 1: Flammable gases – Category 1</li> <li>Aerosol 2: Aerosols – Category 2</li> <li>Press. Gas (Comp.): Gases under pressure – Compressed gas</li> <li>Flam. Liq. 2: Flammable liquids – Category 4</li> <li>Skin Irrit. 2: Skin corrosion/irritation – Category 2</li> <li>Eye Irrit. 2: Serious eye damage/eye irritation – Category 2</li> <li>Repr. 2: Reproductive toxicity – Gategory 2</li> <li>Stort SE 3: Specific target organ toxicity (single exposure) – Category 3</li> </ul>



Printing date 12.02.2020