

Printing date 29.10.2020

Version: 1.00

Revision: 25.09.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: SONAX Car Wash Shampoo Cherry Kick Article number: 03185410 UFI: N9P0-P0XT-J00Y-V238 1.2 Relevant identified uses of the substance or mixture and uses advised against Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) **Product category** PC35 Washing and cleaning products (including solvent based products) Application of the substance / the mixture Car care product 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0 Further information obtainable from: Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217 1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240

# SECTION 2: Hazards identification

#### **2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008** Skin Sens. 1A H317 May cause an allergic skin reaction.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



#### Signal word Warning

Hazard-determining components of labelling: 2-methylisothiazol-3(2H)-one Hazard statements H317 May cause an allergic skin reaction. Precautionary statements If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. GR

(Contd. on page 2)



Printing date 29.10.2020

# Safety data sheet according to 1907/2006/EC, Article 31

Version: 1.00

Revision: 25.09.2019

(Contd. of page 1)

# SECTION 3: Composition/information on ingredients

3.2 Mixtures

**Description:** Aqueous tenside solution.

CAS: 68891-38-3	alcohols, C12-14, ethoxylated, sulfates, sodium salts	3-<5%
NLP: 500-234-8 Reg.nr.: 01-2119488639-16-xxxx	♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
	Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 5 % ≤ C < 10 %	
CAS: 2682-20-4	2-methylisothiazol-3(2H)-one	<0.01%
EINECS: 220-239-6 Reg.nr.: 01-2120764690-50-xxxx	<ul> <li>Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330;</li> <li>Skin Corr. 1B, H314; Eye Dam. 1, H318; </li> <li>Aquatic Acute 1, H400; Aquatic Chronic 1, H410; </li> <li>Skin Sens. 1A, H317</li> <li>Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %</li> </ul>	
Regulation (EC) No 648/2004 on	detergents / Labelling for contents	
anionic surfactants, amphoteric su	ufactants	<5%

methylisothiazolinone, benzisothiazolinone, sodium pyrithione

Additional information: For the wording of the listed hazard phrases refer to section 16.

# SECTION 4: First aid measures

4.1 Description of first aid measures

- General information: Remove soiled clothing After inhalation: No special measures required
- After skin contact:
- Wash the areas of skin affected with water and a mild detergent.
- If symptoms persist consult doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

sensitization Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

# SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available. **5.3 Advice for firefighters** 

# Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

# SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

(Contd. on page 3)



Printing date 29.10.2020

Version: 1.00

Revision: 25.09.2019

(Contd. of page 2)

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

**7.1 Precautions for safe handling** No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

**Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground. **Information about storage in one common storage facility:** Store away from foodstuffs. **Further information about storage conditions:** Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

DNEL	S		
CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts			
Oral	DNEL	. 15 mg/kg (VL)	
Derma	al DNEL	. 1,650 mg/kg (VL)	
		2,750 mg/kg (worker long-term)	
Inhala	tive DNEL	. 52 mg/m³ (VL)	
	DNEL	. 175 mg/m³ (worker long-term)	
PNEC	-		
		3 alcohols, C12-14, ethoxylated, sulfates, sodium salts	
PNEC	IEC 10,000 mg/l (sewage plant)		
	0.071 mg	ı/l (sporadic release)	
	0.24 mg/	l (water (fresh water))	
	0.024 mg	ı/l (water (sea water))	
PNEC	7.5 mg/k	g (gro)	
	0.9168 n	ng/kg (sediment (fresh water))	
	0.09168	mg/kg (sediment (sea water))	
Additi	ional info	mation: The lists valid during the making were used as basis.	
8.2 Ex	posure c	ontrols	
	•	tive equipment:	
		ive and hygienic measures:	
		utionary measures are to be adhered to when handling chemicals. foodstuffs, heverages and feed	
	Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.		
	ratory pro		
Not re	Not required in normal cases		
	Ensure good ventilation/exhaustion at the workplace.		
		ands: Protective gloves	
	i <b>al of glov</b> rubber, Nl		
		hickness of the material: $\geq 0.4$ mm	
	[EN 374]		
<u> </u>			

Penetration time of glove material Value for the permeation: Level 6 (≥480min)

(Contd. on page 4)

<sup>–</sup> GB

Printing date 29.10.2020

SONAX®

Version: 1.00

Revision: 25.09.2019

(Contd. of page 3)

Eye protection: Not required in normal cases

SECTION 9: Physical and chemi	cal properties	
9.1 Information on basic physical and chemical properties		
General Information		
Appearance:		
Form:	Fluid	
Colour:	Red	
Odour:	Fruit-like	
Odour threshold:	Not determined.	
pH-value at 20 °C:	7.0 - 8.0	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not applicable	
Upper:	Not applicable	
Vapour pressure:	Not determined.	
Density at 20 °C:	1.01 - 1.02 g/cm <sup>3</sup>	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Flow time at 20 °C	10 - 15 s (DIN EN ISO 2431/4mm)	
9.2 Other information	No further relevant information available.	

# SECTION 10: Stability and reactivity

**10.1 Reactivity** No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

**10.4 Conditions to avoid** See Section 7 for information on safe handling.

10.5 Incompatible materials: No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

#### SECTION 11: Toxicological information

**11.1 Information on toxicological effects** There are no toxicological findings on this mixture. **Acute toxicity** Based on available data, the classification criteria are not met.

#### LD/LC50 values relevant for classification:

CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts

Oral LD50 >5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >5,000 mg/kg (rat) (OECD 402)

(Contd. on page 5)

GB



Printing date 29.10.2020

# Safety data sheet according to 1907/2006/EC, Article 31

Version: 1.00

Revision: 25.09.2019

Primary irritant effect:	(Contd. of page 4)
Skin corrosion/irritation Based on available data, the classification criteria are not met.	
Serious eye damage/irritation Based on available data, the classification criteria are not met.	
<b>Respiratory or skin sensitisation</b> May cause an allergic skin reaction.	
CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) None of the ingredients are known to have effects which are carcinogenic, mutagenic or harmful reproduction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met.	l to
STOT-single exposure Based on available data, the classification criteria are not met.	
STOT-repeated exposure Based on available data, the classification criteria are not met.	
Aspiration hazard Based on available data, the classification criteria are not met.	

# **SECTION 12: Ecological information**

12.1 Toxicity There are no ecotoxicological data available on this mixture.

	Aquatic toxicity:		
	CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts		
LC 50  >10-≤100 mg/l (Leuciscus idus) (DIN EN ISO 7346-2)			
	EC0	>100 mg/l (bacteria) (OECD 209)	
	EC50	>100 mg/l (Scenedesmus subspicatus) (OECD 201)	
		>10-100 mg/l (Daphnia magna) (OECD 202)	
	NOEC	>1-10 mg/l (Leuciscus idus)	
	CAS: 2682-20-4 2-methylisothiazol-3(2H)-one		
EC 20 / 3h 2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))		2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))	
	EC50/3h	34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))	
	12.2 Persistence and degradability		
	The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation		
	(EC/648/2004) for ultimate biodegradability for surfactants in detergents.		
	<b>12.3 Bioaccumulative potential</b> No further relevant information available. <b>12.4 Mobility in soil</b> No further relevant information available		

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes: The product may not be released into the environment without control.

12.5 Results of PBT and vPvB assessment

- PBT: Not applicable.
- **vPvB:** Not applicable.

**12.6 Other adverse effects** No further relevant information available.

# SECTION 13: Disposal considerations

 13.1 Waste treatment methods

 Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

 Recommendation Waste must be disposed of while observing the local, official regulations.

 European waste catalogue

 1) Disposal / product

 2) Disposal / contaminated packaging

 20 01 30
 detergents other than those mentioned in 20 01 29

 15 01 02
 plastic packaging

(Contd. on page 6)

GB



Printing date 29.10.2020

Version: 1.00

Revision: 25.09.2019

(Contd. of page 5)

14.1 UN-Number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	
UN "Model Regulation":	Void	

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives: EC/1907/2006 (REACh) EC/1272/2008 (CLP) EC/648/2004

#### National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning juveniles must be observed. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H301 Toxic if swallowed.

- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

#### Classification according to Regulation (EC) No 1272/2008

Skin sensitisation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

#### Abbreviations and acronyms:

NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)



Printing date 29.10.2020

# Safety data sheet according to 1907/2006/EC, Article 31

Version: 1.00

Revision: 25.09.2019

<ul> <li>MDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>DNEL: Derived No-Effect Level (REACH)</li> <li>PNEC: Predicted No-Effect Concentration (REACH)</li> <li>LO50: Lethal concentration, 50 percent</li> <li>DOELV = indicative occupational exposure limit values</li> <li>Acute Tox. 3: Acute toxicity - oral – Category 3</li> <li>Acute Tox. 2: Acute toxicity - inhalation – Category 1</li> <li>Skin Irrit. 2: Skin corrosion/irritation – Category 1</li> <li>Skin sens. 1A: Skin sensitisation – Category 1A</li> <li>Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1</li> <li>Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1</li> </ul>	(Contd. of page 6)
 Aqualic Grifonic S. Hazaroous to the aqualic environment - tong-term aqualic hazaru – Category S	GB -