

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## EAP 140 Motorinnenschutz

Revision date: 25.01.2018

Product code: 005571

Page 1 of 7

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

EAP 140 Motorinnenschutz

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Cleaning agent for Engines

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Eurolub GmbH	
Street:	Freisinger Str. 25-27	
Place:	D-85386 Eching	
Telephone:	+49 (0)8165 / 9591-0	Telefax: +49 (0)8165/9591-20
e-mail:	info@eurolub.com	
Contact person:	service	Telephone: +49 (0)8165/9591-0
Internet:	www.bluechemgroup.com	

**1.4. Emergency telephone number:** +49(0)8165 / 9591-0; Mo.-Th. 8h-16h; Fr. 8h-14h

#### Further Information

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No. 1272/2008

Hazard categories:

Aspiration hazard: Asp. Tox. 1

Reproductive toxicity: Lact.

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May be fatal if swallowed and enters airways.

May cause harm to breast-fed children.

Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Regulation (EC) No. 1272/2008

##### Hazard components for labelling

Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics

Chlorparaffines C14-C28

**Signal word:** Danger

**Pictograms:**



##### Hazard statements

H304 May be fatal if swallowed and enters airways.

H362 May cause harm to breast-fed children.

H412 Harmful to aquatic life with long lasting effects.

##### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## EAP 140 Motorinnenschutz

Revision date: 25.01.2018

Product code: 005571

Page 2 of 7

P260	Do not breathe vapour/aerosole.
P263	Avoid contact during pregnancy and while nursing.
P270	Do not eat, drink or smoke when using this product.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of this material and its container to hazardous or special waste collection point.

### Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Anti Friction Components  
Detergents, Dispersants  
Synthetic agent combinations  
corrosion preventing agent

#### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
64742-48-9	Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics	80 - < 100 %		
	918-481-9		01-2119457273-39	
	Asp. Tox. 1; H304 EUH066			
85535-85-9	Chlorparaffines C14-C28	1 - < 5 %		
	287-477-0		01-2119519269-33	
	Lact., Aquatic Acute 1, Aquatic Chronic 1; H362 H400 H410 EUH066			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

#### After contact with skin

Take off immediately all contaminated clothing, including underwear and shoes .  
Subsequently wash off with: Water and soap.  
Seek medical attention if problems persist.

#### After contact with eyes

Remove contact lenses.  
Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. After ingestion of absorption substances: Consult physician.

#### After ingestion

Let water be drunken in little sips (dilution effect). Consult physician.  
Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

Frequently or prolonged contact with skin may cause dermal irritation.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## EAP 140 Motorinnenschutz

Revision date: 25.01.2018

Product code: 005571

Page 3 of 7

Irritation of eyes: Irritant effect possible.  
After ingestion: Harmful: may cause lung damage if swallowed.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Warning about danger of aspiration.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Extinguishing powder. Sand. Carbon dioxide (CO<sub>2</sub>). alcohol resistant foam.

#### **Unsuitable extinguishing media**

High power water jet.

### **5.2. Special hazards arising from the substance or mixture**

Formation of decomposition products possible.  
In case of fire and/or explosion do not breathe fumes.

### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Cool endangered container in case of fire.  
Beat down gas/vapours/mist with water spray.  
Contaminated fire-fighting water must be collected separately.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Wear a self-contained breathing apparatus and chemical resistant suit.  
Keep away from sources of ignition. - No smoking.  
Do not breathe gas/fumes/vapour/spray.

### **6.2. Environmental precautions**

Beat down gas/vapours/mist with water spray.  
Do not allow to enter into surface water or drains.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### **6.3. Methods and material for containment and cleaning up**

Prevent spreading of spillages (e.g. by oil barrier).  
Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

### **6.4. Reference to other sections**

No data

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

The substance should only be handled in closed apparatus or systems. Vapours / aerosols must be extracted by suction immediately at point of origin.  
Avoid contact with skin and eyes.

#### **Advice on protection against fire and explosion**

Keep away from sources of ignition. - No smoking.  
Take precautionary measures against static discharges.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.  
Do not store at temperatures over: 50 °C

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## EAP 140 Motorinnenschutz

Revision date: 25.01.2018

Product code: 005571

Page 4 of 7

Take precautionary measures against static discharges.

### 7.3. Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

#### Protective and hygiene measures

- Take off immediately all contaminated clothing
- Do not breathe gas/fumes/vapour/spray.
- Avoid contact with skin and eyes.
- Keep away from food, drink and animal feeding stuffs.
- When using do not eat, drink or smoke.
- Wash hands before breaks and after work.

#### Eye/face protection

Wear tightly sealed safety glasses against possible splashes into the eyes. (EN 166)

#### Hand protection

Tested protective gloves are to be worn: NBR (Nitrile rubber). FKM (Fluoroelastomer (Viton)). (EN374)

#### Skin protection

Wear suitable solvent-proof protective clothing according to EN 465.

#### Respiratory protection

- In case of accumulation of fumes/aerosols, provide adequate ventilation.
- In case of fire: Wear self-contained breathing apparatus.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	green
Odour:	aromatic

#### Changes in the physical state

Initial boiling point and boiling range:	180 - 220 °C
Flash point:	> 60 °C
Lower explosion limits:	
Upper explosion limits:	
Ignition temperature:	> 200 °C
Vapour pressure: (at 20 °C)	20 hPa
Density (at 20 °C):	0,790 - 0,820 g/cm <sup>3</sup>
Water solubility: (at 20 °C)	insoluble

#### Solubility in other solvents

Organic solvents

### 9.2. Other information

No data

## SECTION 10: Stability and reactivity

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## EAP 140 Motorinnenschutz

Revision date: 25.01.2018

Product code: 005571

Page 5 of 7

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

No decomposition when used as intended.

### 10.3. Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4. Conditions to avoid

Only use the material in places where open light, fire and other flammable sources can be kept away.

No decomposition when used as intended.

### 10.5. Incompatible materials

Oxidizing agents, acid, concentrated. Alkalis (alkalis), concentrated.

### 10.6. Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-48-9	Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rabbit		
	inhalative (4 h) gas	LC50 >5 ppm	Rat		
85535-85-9	Chlorparaffines C14-C28				
	oral	LD50 4000 mg/kg	Rat		
	dermal	LD50 4000 mg/kg	Rat		
	inhalative (1 h) vapour	LC50 48170 mg/l	Rat		

#### Irritation and corrosivity

After skin contact: Frequently or prolonged contact with skin may cause dermal irritation.

Irritation of eyes: Irritant effect possible.

#### Sensitising effects

no danger of sensitization.

## SECTION 12: Ecological information

### 12.1. Toxicity

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## EAP 140 Motorinnenschutz

Revision date: 25.01.2018

Product code: 005571

Page 6 of 7

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-48-9	Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics					
	Acute fish toxicity	LC50 mg/l	1000	96 h	Oncorhynchus mykiss	
	Acute algae toxicity	ErC50 mg/l	1000	72 h	Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50 mg/l	1000	48 h	Daphnia magna (Big water flea)	
85535-85-9	Chlorparaffines C14-C28					
	Acute algae toxicity	ErC50	3,2 mg/l	96 h	Algae	

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

Low potential of bio-accumulation.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

No information available.

### 12.6. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### **Advice on disposal**

Do not dispose with household waste.

Do not allow to enter into surface water or drains.

Arrange about the exact waste code with the local waste disposal expert.

Have to add a Special treatment in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

#### **Contaminated packaging**

Container must be completely emptied.

Do not pierce, cut up or weld unclean container. (Explosion hazard.)

## SECTION 14: Transport information

### **Land transport (ADR/RID)**

**14.1. UN number:** -

**14.2. UN proper shipping name:** -

**14.3. Transport hazard class(es):** -

**14.4. Packing group:** -

#### **Other applicable information (land transport)**

No dangerous good in sense of this transport regulation.

### **Inland waterways transport (ADN)**

#### **Other applicable information (inland waterways transport)**

No dangerous good in sense of this transport regulation.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## EAP 140 Motorinnenschutz

Revision date: 25.01.2018

Product code: 005571

Page 7 of 7

### Marine transport (IMDG)

#### Other applicable information (marine transport)

No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

#### Other applicable information (air transport)

No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

No information available.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics

#### Additional information

Contains:

> 30 % hydrocarbons, aliphatic.

#### National regulatory information

Water contaminating class (D): 2 - clearly water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method
Lact.; H362	Calculation method
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H362	May cause harm to breast-fed children.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*