



# EOLYS EXTEND

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reference number: 3189

Issue date: 30-11-20 Revision date: 30-11-20 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : EOLYS EXTEND  
Product code : HP61/EO • HP70/EO • HP200-4 • HP201-4

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use  
Function or use category : Fuel additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Distributor

GiPro Srl  
Via A.Olivetti 7/9 - Riva di Chieri (TO) - Italy  
Tel. +39 011 9468873 - Fax +39 011 9468841  
info@gipro.it - www.gipro.it

#### 1.4. Emergency telephone number

Emergency number : + 32 (0)70.245.245 / +33 (0)1.45.42.59.59

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
Saudi Arabia	Poison Control Center-Riyadh	General Directorate of Health Affairs Medial Province	+966 112324180 +966 112324189	
United Arab Emirates	Health Authority – Abu Dhabi (HAAD) Poison & Drug Information Center (PDIC)	P.O. Box 5674 Abu Dhabi	+ 800-424	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aspiration hazard, Category 1 H304  
Full text of H statements : see section 16

# EOLYS EXTEND

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

Signal word (CLP) :

Danger

Contains :

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics

Hazard statements (CLP) :

H304 - May be fatal if swallowed and enters airways.

Precautionary statements (CLP) :

P262 - Do not get in eyes, on skin, or on clothing.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor.

P331 - Do NOT induce vomiting.

P501 - Dispose of contents/container to a hazardous or special waste collection point.

EUH-statements :

EUH066 - Repeated exposure may cause skin dryness or cracking.

Extra phrases :

For professional users only.

## 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	(CAS-No.) 90622-58-5 (EC-No.) 920-901-0 (REACH-no) 01-2119456810-40	60 – 70	Asp. Tox. 1, H304
2-ethylhexan-1-ol	(CAS-No.) 104-76-7 (EC-No.) 203-234-3 (REACH-no) 01-2119487289-20	1 – 5	Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general :

Never give anything by mouth to an unconscious person. If medical advice is needed, have product container or label at hand.

First-aid measures after inhalation :

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact :

Remove contaminated clothes. Wash skin with plenty of water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact :

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

# EOLYS EXTEND

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after ingestion : Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.  
Symptoms/effects after ingestion : May be fatal if swallowed and enters airways.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Water spray. Dry powder. Foam.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid. Explosion risk in case of fire.  
Explosion hazard : Heating may cause an explosion.  
Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.  
Other information : Prevent liquid from entering sewers, watercourses, underground or low areas.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Eliminate every possible source of ignition. Ensure adequate ventilation, especially in confined areas. Keep public away from danger area. Equip cleanup crew with proper protection.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Dike for recovery or absorb with appropriate material. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Recover the product with absorbent material.  
Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not eat, drink or smoke when using this product. Take precautionary measures against static discharge.

# EOLYS EXTEND

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation.  
Storage conditions : Store in a closed container. Keep out of frost.  
Incompatible materials : Acids. alkalis. Reducing agent.  
Heat and ignition sources : Keep away from naked flames/heat. Keep away from ignition sources.  
Storage area : Store in a dry place. Store in a well-ventilated place.  
Special rules on packaging : Store in original container.  
Packaging materials : stainless steel. Teflon.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

<b>2-ethylhexan-1-ol (104-76-7)</b>	
<b>EU - Occupational Exposure Limits</b>	
Local name	2-ethylhexan-1-ol
IOELV TWA (mg/m <sup>3</sup> )	5,4 mg/m <sup>3</sup>
IOELV TWA (ppm)	1 ppm
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
<b>Austria - Occupational Exposure Limits</b>	
MAK Daily average value (mg/m <sup>3</sup> )	5,4 mg/m <sup>3</sup>
MAK Daily average value (ppm)	1 ppm
MAK Short time value [mg/m <sup>3</sup> ]	10,8 mg/m <sup>3</sup>
MAK Short time value [ppm]	2 ppm
<b>Belgium - Occupational Exposure Limits</b>	
Limit value [mg/m <sup>3</sup> ]	5,4 mg/m <sup>3</sup>
Limit value [ppm]	1 ppm
<b>Denmark - Occupational Exposure Limits</b>	
Grænseværdi (8 timer) (mg/m <sup>3</sup> )	5,4 mg/m <sup>3</sup>
Grænseværdi (8 timer) (ppm)	1
Grænseværdi (STEL) (mg/m <sup>3</sup> )	10,8 mg/m <sup>3</sup>
Grænseværdi (STEL) (ppm)	2 ppm
<b>Finland - Occupational Exposure Limits</b>	
HTP-arvo (8h) (mg/m <sup>3</sup> )	5,4 mg/m <sup>3</sup>
HTP-arvo (8h) (ppm)	1 ppm
<b>France - Occupational Exposure Limits</b>	
VME [mg/m <sup>3</sup> ]	5,4 mg/m <sup>3</sup>
VME [ppm]	1 ppm
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
Occupational exposure limit value (mg/m <sup>3</sup> )	54 mg/m <sup>3</sup>
Occupational exposure limit value (ppm)	10 ppm

# EOLYS EXTEND

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>2-ethylhexan-1-ol (104-76-7)</b>	
<b>Ireland - Occupational Exposure Limits</b>	
OEL (8 hours ref) (mg/m <sup>3</sup> )	5,4 mg/m <sup>3</sup>
OEL (8 hours ref) (ppm)	1 ppm
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	5,4 mg/m <sup>3</sup>
OEL TWA (ppm)	1 ppm
<b>Poland - Occupational Exposure Limits</b>	
NDS (mg/m <sup>3</sup> )	5,4 mg/m <sup>3</sup>
NDSP (mg/m <sup>3</sup> )	10,8 mg/m <sup>3</sup>
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	5,4 mg/m <sup>3</sup>
OEL TWA (ppm)	1 ppm
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (mg/m <sup>3</sup> )	5,4 mg/m <sup>3</sup>
VLA-ED (ppm)	1 ppm
VLA-EC (mg/m <sup>3</sup> )	110 mg/m <sup>3</sup>
VLA-EC (ppm)	20 ppm
<b>Sweden - Occupational Exposure Limits</b>	
nivågränsvärde (NVG) (mg/m <sup>3</sup> )	5,4 mg/m <sup>3</sup>
nivågränsvärde (NVG) (ppm)	1 ppm
<b>United Kingdom - Occupational Exposure Limits</b>	
WEL TWA (mg/m <sup>3</sup> )	5,4 mg/m <sup>3</sup>
<b>Switzerland - Occupational Exposure Limits</b>	
MAK (mg/m <sup>3</sup> )	5,4 mg/m <sup>3</sup>
MAK (ppm)	1 ppm
KZGW (mg/m <sup>3</sup> )	10,8 mg/m <sup>3</sup>
KZGW (ppm)	2 ppm

## 8.2. Exposure controls

<b>Hand protection:</b>
Gloves. EN 374
<b>Eye protection:</b>
Safety glasses. EN 166
<b>Skin and body protection:</b>
Wear suitable protective clothing
<b>Respiratory protection:</b>
Good ventilation of the workplace required

# EOLYS EXTEND

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Device	Filter type	Condition	Standard
Breathing equipment	Gas/vapour filter	Vapour protection	

### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: amber.
Odour	: Hydrocarbons.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 185 – 213 °C
Flash point	: 60 – 64 °C
Auto-ignition temperature	: 255 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Combustible liquid
Vapour pressure	: 2 hPa (30°C)
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0,89 g/cm <sup>3</sup> (20°C)
Solubility	: soluble in most organic solvents.
Partition coefficient n-octanol/water (Log Pow)	: 6,3
Viscosity, kinematic	: 6 mm <sup>2</sup> /s (40°C)
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions of use.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Heat. Open flame. Sparks. Water, humidity. Freezing. Avoid the build-up of electrostatic charge.

# EOLYS EXTEND

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.5. Incompatible materials

Bases. Acids. Strong reducing agents. Strong oxidizers.

### 10.6. Hazardous decomposition products

Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Hydrocarbons, C11-C13, isoalkanes, <2% aromatics (90622-58-5)

LD50 oral	> 10000 mg/kg
LD50 dermal	> 3160 mg/kg

#### 2-ethylhexan-1-ol (104-76-7)

LD50 oral rat	> 3290 mg/kg
LD50 dermal rabbit	> 3000 mg/kg

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

#### EOLYS POWERFLEX EXTEND

Viscosity, kinematic	6 mm <sup>2</sup> /s (40°C)
----------------------	-----------------------------

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

#### 2-ethylhexan-1-ol (104-76-7)

LC50 fish 1	28,2 mg/l (Pimephales promelas, 4DY)
EC50 Daphnia 1	39 mg/l (Daphnia magna)
EC50 72h algae (1)	11,5 mg/l (Desmodesmus subspicatus)

# EOLYS EXTEND

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.2. Persistence and degradability

#### Hydrocarbons, C11-C13, isoalkanes, <2% aromatics (90622-58-5)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

#### Iron oxide isostearate (865812-80-2)

Persistence and degradability	Not readily biodegradable.
-------------------------------	----------------------------

### 12.3. Bioaccumulative potential

#### EOLYS POWERFLEX EXTEND

Partition coefficient n-octanol/water (Log Pow)	6,3
---	-----

#### Iron oxide isostearate (865812-80-2)

Bioaccumulative potential	bioaccumulative.
---------------------------	------------------

### 12.4. Mobility in soil

#### Iron oxide isostearate (865812-80-2)

Partition coefficient n-octanol/water (Log Koc)	5,2
---	-----

### 12.5. Results of PBT and vPvB assessment

#### EOLYS POWERFLEX EXTEND

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### Component

Iron oxide isostearate (865812-80-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
--------------------------------------	---

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods	: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Sewage disposal recommendations	: Do not discharge into drains or the environment.
Product/Packaging disposal recommendations	: Collect all waste in suitable and labelled containers and dispose according to local legislation.
Additional information	: Empty the packaging completely prior to disposal. Do not re-use empty containers.
Ecology - waste materials	: Do not discharge the product into the environment.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	RID
<b>14.1. UN number</b>			
Not applicable	Not applicable	Not applicable	Not applicable

# EOLYS EXTEND

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

##### France

Occupational diseases : RG 84 - Affections engendrées par les solvants organiques liquides à usage professionnel

##### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

# EOLYS EXTEND

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Denmark

Class for fire hazard : Class III-1  
Store unit : 50 liter  
Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed  
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
EUH066	Repeated exposure may cause skin dryness or cracking.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.