



SAFETY DATA SHEET

According to Regulation (EC) No 1907/2006

ZF LifeguardFluid 7.5 DCT

Version number: 1

Issued: 2025-12-24

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

ZF LifeguardFluid 7.5 DCT

Article No.

5961.308.624

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product type

Mixture.

Relevant identified uses

Lubricant.

Not suitable for use in

No uses advised against identified.

1.3. Details of the supplier of the safety data sheet

SDS created by

Global Division B Product Compliance Mgmt. System (BWC)

Supplier

ZF Aftermarket

Address

ZF Friedrichshafen AG

Obere Weiden 12

97424 Schweinfurt

Germany

Telephone

+49 9721 475 60

Email

msds.zf-aftermarket@zf.com

Web site

www.zf.com/contact

Contact person

Global Division B Product Compliance Mgmt. System (BWC)



SAFETY DATA SHEET

According to Regulation (EC) No 1907/2006

ZF LifeguardFluid 7.5 DCT

Version number: 1

Issued: 2025-12-24

Email

msds.zf-aftermarket@zf.com

1.4. Emergency telephone number

+49 (0)89 19240 Information in German and English

Available outside office hours

Yes

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Description

Classification according to GB-CLP.

The product has not been classified as hazardous, but needs to be labelled according to regulation GB-CLP.

2.2. Label elements

Supplemental hazard statements

EUH208 Contains succinic acid derivative. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration $\geq 0,1$ %.

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

**SAFETY DATA SHEET**

According to Regulation (EC) No 1907/2006

**ZF LifeguardFluid
7.5 DCT**

Version number: 1

Issued: 2025-12-24

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Specific concentration limits ATE	Note
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7 265-157-1 01-2119484627-25 649-467-00-8	20 - <50%	Asp. Tox. 1	H304 - -		ATE (oral): >5000 mg/kg; ATE (dermal): >5000 mg/kg; ATE (inhalation): 5 mg/kg
Base oil, low viscous	64742-55-8 265-158-7 01-2119487077-29 649-468-00-3	20 - <50%	Asp. Tox. 1	H304 - -		-
alkyl imidazoline	- 701-204-9 - -	1 - <5%	Skin Irrit. 2, Eye Irrit. 2	H315, H319 - -		-
succinic acid derivative	93882-40-7 299-434-3 01-2120735527-50 -	0.1 - <1%	Skin Sens. 1, Eye Irrit. 2, Aquatic Chronic 2	H317, H319, H411 - -		-

Product based on

General information: Mixture containing severely refined base oils and additives.

Substance additional information

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Nota L/ Nota N of Annex VI of Regulation GB-CLP.

For the complete text of H- / EUH-statements mentioned in this section, see section 16.



ZF LifeguardFluid 7.5 DCT

SECTION 4: First aid measures

4.1. Description of first aid measures

Instantly remove any clothing soiled by the product.

Inhalation

Supply fresh air, consult a doctor in case of discomfort.

Skin contact

Wash with soap and water.

Eye contact

Promptly wash eyes with plenty of water while lifting the eye lids.

Ingestion

Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

May cause skin and eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

CO₂, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added.

Unsuitable extinguishing media

Water with a full water jet.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire-fighting procedures: Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.



ZF LifeguardFluid

7.5 DCT

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of spills, beware of slippery floors and surfaces.

6.2. Environmental precautions

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4. Reference to other sections

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Local regulations concerning handling and storage of water polluting products have to be followed. Do not heat up to temperatures close to the flash point.

7.3. Specific end use(s)

No data available.

Other

Storage Class: 10, Combustible liquids.



ZF LifeguardFluid

7.5 DCT

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits

Occupational exposure limits: No exposure limit value known.

Biological Limit Values (BLV): No exposure indices known.

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain air-borne levels to an acceptable level.

General information: Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

Personal Protective Equipment Symbols



Eye / face protection

Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.

Hand protection

Material: Nitrile butyl rubber (NBR).

Breakthrough time: ≥ 480 min

Recommended thickness of the material: ≥ 0.38 mm.

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Other skin protection

Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

Respiratory protection

Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.



ZF LifeguardFluid 7.5 DCT

Thermal hazards

Not known.

Environmental exposure controls

No data available.

Other

Hygiene measures: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot-wear that cannot be cleaned.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Pale yellow

Odour

Characteristic.

Melting point / freezing point

Not determined.

Boiling point or initial boiling point and boiling range

Not determined.

Flammability

Not determined.

Lower and upper explosion limit

Not applicable for mixtures.

Flash point

215 °C

Auto-ignition temperature

Not determined.

Decomposition temperature

Not determined.



SAFETY DATA SHEET

According to Regulation (EC) No 1907/2006

ZF LifeguardFluid 7.5 DCT

Version number: 1

Issued: 2025-12-24

pH

substance/mixture is non-soluble (in water).

Kinematic viscosity

33.2 mm²/s (40 °C)

Solubility

Insoluble (water); No data available (other solvents).

Water solubility

Insoluble in water.

Partition coefficient n-octanol/water

Not applicable for mixtures.

Vapour pressure

Not applicable for mixtures.

Density and/or relative density

0.84 g/cm³ (15 °C)

Relative vapour density

Not applicable for mixtures.

Evaporation Rate

Not applicable for mixtures.

Explosive properties

Value not relevant for classification.

Oxidising properties

Value not relevant for classification.

Particle characteristics

Not applicable.

9.2. Other information

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal use conditions.



ZF LifeguardFluid 7.5 DCT

10.2. Chemical stability

Stable under normal use conditions.

10.3. Possibility of hazardous reactions

Stable under normal use conditions.

10.4. Conditions to avoid

Stable under normal use conditions.

10.5. Incompatible materials

Strong oxidising substances, strong acids and strong bases.

10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified for acute toxicity based on available data.

ATE (Dermal) : 102244 mg/kg

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Test animals	Method / Guideline
Base oil paraffinic -	LD50	> 5000 mg/kg	Oral	Rat.	-
alkyl imidazoline -	LD50	> 5000 mg/kg	Oral	Rat.	OECD 401
succinic acid deriv- ative -	LD50	> 10,000 mg/kg	Oral	Rat. [Male]	-
Base oil paraffinic -	LD50	> 5000 mg/kg	Dermal	Rabbit	-

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**SAFETY DATA SHEET**

According to Regulation (EC) No 1907/2006

**ZF LifeguardFluid
7.5 DCT**

Version number: 1

Issued: 2025-12-24

Product / Substance name CAS / EC no.	Result	Method / Guideline
Base oil paraffinic -	Not irritating.	OECD 404

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Product / Substance name CAS / EC no.	Result	Method / Guideline
Base oil paraffinic -	Not irritating.	OECD 405

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Product / Substance name CAS / EC no.	Result	Species	Method / Guideline
alkyl imidazoline -	Not sensitising.	Guinea Pig	OECD 406

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Base oil paraffinic - May be fatal if swallowed and enters airways.

**SAFETY DATA SHEET**

According to Regulation (EC) No 1907/2006

**ZF LifeguardFluid
7.5 DCT**

Version number: 1

Issued: 2025-12-24

11.2. Information on other hazards**Endocrine disrupting properties**

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACH Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

Other information

No data available.

SECTION 12: Ecological information**12.1. Toxicity****Acute toxicity**

Based on available data, the classification criteria are not met.

Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Base oil paraffinic -	LC50	> 100 mg/l	96 h	Fish.	-
alkyl imidazoline -	LC50	> 1000 mg/l	96 h	Fish.	-
succinic acid derivative -	LC50	> 100 mg/l	96 h	Fish.	OECD 203

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Base oil paraffinic -	EC50	> 100 mg/l	72 h	Algae.	OECD 201
succinic acid derivative -	EL50	> 100 mg/l	72 h	Algae.	OECD 201



ZF LifeguardFluid 7.5 DCT

Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Base oil paraffinic -	EC50	> 100 mg/l	48 h	Water Flea.	-
alkyl imidazoline -	EC50	> 1000 mg/l	48 h	Water Flea.	-
succinic acid derivative -	EL50	9.5 mg/l	48 h	Water Flea.	OECD 202

Chronical toxicity

Based on available data, the classification criteria are not met.

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Base oil paraffinic -	NOEC	10 mg/l	21 days	Daphnia magna	OECD 211
alkyl imidazoline -	NOEC	32 mg/l	21 days	Water Flea.	-
alkyl imidazoline -	NOEC	23 mg/l	96 h	Algae.	-

12.2. Persistence and degradability

Not applicable for mixtures.

Product / Substance name CAS / EC no.	Result
Base oil paraffinic -	Not readily degradable.

12.3. Bioaccumulative potential

Not applicable for mixtures.

12.4. Mobility in soil

Mobility

Not applicable for mixtures.



ZF LifeguardFluid 7.5 DCT

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration $\geq 0,1$ %.

12.6. Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACH Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

The classification of this product is based all or in part on test data

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose in accordance with all applicable regulations.

Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

Waste code	Waste description
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number

Not regulated.

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

Not regulated.

14.3. Transport hazard class(es)

Label

Not regulated.



SAFETY DATA SHEET

According to Regulation (EC) No 1907/2006

ZF LifeguardFluid 7.5 DCT

Version number: 1

Issued: 2025-12-24

ADR / RID Class

Not regulated.

IMDG Class

Not regulated.

IATA Class

Not regulated.

ADN Class

Not regulated.

14.4. Packing group

Not regulated.

14.5. Environmental hazards

No.

IMDG Marine Pollutant

Not regulated.

14.6. Special precautions for user

Not regulated.

14.7. Maritime transport in bulk according to IMO instruments

Not regulated.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code : Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit)

Regulations 2019: None

The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020: None

DIRECTIVE Control of Major Accident Hazards Regulations 2015: Not applicable

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.



SAFETY DATA SHEET

According to Regulation (EC) No 1907/2006

ZF LifeguardFluid 7.5 DCT

Version number: 1

Issued: 2025-12-24

SECTION 16: Other information

Phrase meaning

Asp. Tox. 1 - Aspiration hazard, hazard category 1

Skin Irrit. 2 - Skin irritation, hazard category 2

Eye Irrit. 2 - Eye irritation, hazard category 2

Skin Sens. 1 - Skin sensitisation, hazard category 1

Aquatic Chronic 2 - Hazardous to the aquatic environment — Chronic hazard category 2

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains succinic acid derivative. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Other

Additional information

Disclaimer : The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.