

SAFETY DATA SHEET Armor All® Protectant Wipes - Matt Finish

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended).

SECTION 1: Identification of the	ne substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Armor All® Protectant Wipes - Matt Finish
Product number	35025, 35015, 35020, 35030
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Car maintenance product.
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of the supplier of the supplier of the supplier of the supplication of the su	he safety data sheet
Supplier	Energizer Trading Ltd Sword House Totteridge Road High Wycombe HP13 6DG UK Tel: +44 845 602 1995 euregulatory@energizer.com
1.4. Emergency telephone number	
Emergency telephone	+44 1495 350234 Monday - Thursday: 0830 - 1700 Friday: 0830 - 1530
National emergency telephone number	 Product information has been submitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health professionals.
SECTION 2: Hazards identification	ation
2.1. Classification of the subst	ance or mixture
Classification (SI 2019 No. 720	0) Not Classified
Physical hazards	
Health hazards	Not Classified
Environmental hazards	Not Classified
2.2. Label elements	
Hazard statements	EUH208 Contains Benzotriazole Polymer Mixture. May produce an allergic reaction.
Precautionary statements	P102 Keep out of reach of children.
Supplemental label information	Contains a preservative (IODOPROPYNYL BUTYLCARBAMATE, DMDM HYDANTOIN) to control microbial deterioration. May produce an allergic reaction.
Detergent labelling	< 5% non-ionic surfactants, < 5% perfumes, Contains DMDM HYDANTOIN, CITRAL, IODOPROPYNYL BUTYLCARBAMATE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

This product does not conta	in any substances classified as PBT or vPvB.
SECTION 3: Composition/information on ingredients	
3.2. Mixtures	
Composition comments	No classified ingredients, or those having occupational exposure limits, present above the levels of disclosure.
SECTION 4: First aid measu	ires
4.1. Description of first aid n	ieasures
General information	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Inhalation	If throat irritation or coughing persists, proceed as follows. Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if symptoms are severe or persist.
Skin contact	Brush off loose particles from skin. Wash with plenty of water. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms are severe or persist after washing.
4.2. Most important symptor	ns and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged or repeated exposure to vapours in high concentrations may cause the following adverse effects: Drowsiness. Dizziness.
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur. May cause discomfort if swallowed.
Skin contact	Due to the physical nature of this product, exposure by this route is unlikely. Prolonged skin contact may cause redness and irritation.
Eye contact	Due to the physical nature of this product, exposure by this route is unlikely. May cause irritation.
4.3. Indication of any immed	liate medical attention and special treatment needed
Notes for the doctor	Treat symptomatically. Keep affected person under observation.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
Suitable extinguishing media	a Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising	from the substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.

Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Use water to keep fire exposed containers cool and disperse vapours.
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Wear positive-pressure self- contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Eliminate all ignition sources if safe to do so. Avoid contact with skin and eyes.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Eliminate all ignition sources if safe to do so. Do not touch or walk into spilled material. Absorb in vermiculite, dry sand or earth and place into containers. Use only non-sparking tools. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.
6.4. Reference to other section	
Reference to other sections	See Section 11 for additional information on health hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Ground/bond container and receiving equipment. Take precautionary measures against static discharges. Keep away from heat, sparks and open flame. Provide adequate ventilation.
Advice on general occupational hygiene	Avoid contact with eyes and prolonged skin contact. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store in a cool and well-ventilated place. Keep away from heat, sparks and open flame. Take precautionary measures against static discharges.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure control	s/Personal protection
8.1. Control parameters Occupational exposure limits ethyl acetate	

Long-term exposure limit (8-hour TWA): WEL 200 ppm 734 mg/m³ Short-term exposure limit (15-minute): WEL 400 ppm 1468 mg/m³

Turpentine, oil

Long-term exposure limit (8-hour TWA): WEL 100 ppm 566 mg/m³ Short-term exposure limit (15-minute): WEL 150 ppm 850 mg/m³

Ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

(2-methoxymethylethoxy)propanol

Long-term exposure limit (8-hour TWA): WEL 50 ppm 308 mg/m 3 Sk

toluene

Long-term exposure limit (8-hour TWA): WEL 50 ppm 191 mg/m³ Short-term exposure limit (15-minute): WEL 100 ppm 384 mg/m³ Sk

WEL = Workplace Exposure Limit. Sk = Can be absorbed through the skin.

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)

DNEL	Workers - Inhalation; Long term systemic effects: 73.4 mg/m ³ Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day Workers - Dermal; Long term local effects: 0.09 mg/cm ² General population - Inhalation; Long term systemic effects: 21.73 mg/m ³ General population - Dermal; Long term systemic effects: 2.5 mg/kg/day General population - Dermal; Long term local effects: 0.056 mg/cm ² General population - Oral; Long term systemic effects: 6.25 mg/kg/day	
PNEC	Fresh water; 0.007 mg/l marine water; 0.001 mg/l STP; 830 mg/l Sediment (Freshwater); 0.195 mg/kg Sediment (Marinewater); 0.019 mg/kg Soil; 0.035 mg/kg	
	Linalool (CAS: 78-70-6)	
DNEL	Workers - Inhalation; Long term systemic effects: 2.8 mg/m ³ Workers - Inhalation; Short term systemic effects: 16.5 mg/m ³ Workers - Dermal; Long term systemic effects: 2.5 mg/kg/day Workers - Dermal; Short term systemic effects: 5 mg/kg/day Workers - Dermal; Long term local effects: 3 mg/cm ² Workers - Dermal; Short term local effects: 3 mg/cm ² General population - Inhalation; Long term systemic effects: 0.7 mg/m ³ General population - Inhalation; Short term systemic effects: 4.1 mg/m ³ General population - Dermal; Long term systemic effects: 1.25 mg/kg/day General population - Dermal; Short term systemic effects: 23.5 mg/kg/day General population - Dermal; Short term local effects: 1.5 mg/cm ² General population - Dermal; Short term local effects: 1.5 mg/cm ² General population - Oral; Long term systemic effects: 0.2 mg/kg/day General population - Oral; Short term systemic effects: 1.2 mg/kg/day	

PNEC	Fresh water; 0.2 mg/l marine water; 0.02 mg/l STP; 10 mg/l Sediment (Freshwater); 2.22 mg/kg Sediment (Marinewater); 0.222 mg/kg Soil; 0.327 mg/kg Oral; 7.8 mg/kg
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation. All handling should only take place in well-ventilated areas. Avoid inhalation of vapours and spray/mists. Use explosion-proof electrical, ventilating and lighting equipment.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Wear tight-fitting, chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Frequent changes are recommended.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Do not smoke in work area. Wash promptly with soap and water if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'UKCA'-marked.
Environmental exposure controls	Keep container tightly sealed when not in use.
SECTION 9: Physical and ch	nemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid-impregnated wipe.
Colour	White.
Odour	Characteristic. Citrus.
Odour threshold	Not determined.
рН	Not determined.
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	Not determined.

Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	0.987 - 1.007 : Liquid.
Bulk density	Not determined.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Not considered to be explosive.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
9.2. Other information	
Other information	No information required.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Will not polymerise.
10.4. Conditions to avoid	
Conditions to avoid	Keep away from heat, sparks and open flame. Avoid excessive heat for prolonged periods of time.
10.5. Incompatible materials	
Materials to avoid	None known.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO2). Carbon monoxide (CO). Toxic gases or vapours.
SECTION 11: Toxicological information	
11.1. Information on toxicolog	ical effects
Acute toxicity - oral	Pasad an available data the elegatification criteria are not mot
Noton (aral LD)	

Notes (oral LD50)

Based on available data the classification criteria are not met.

Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Skin corrosion/irritation	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Based on available data the classification criteria are not met.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Based on available data the classification criteria are not met.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
SECTION 12: Ecological inform	nation
12.1. Toxicity	
Toxicity	Not considered toxic to fish. However, large or frequent spills may have hazardous effects on the environment.
12.2. Persistence and degradability	
Persistence and degradability	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).
12.3. Bioaccumulative potentia	
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not determined.
12.4. Mobility in soil	
Mobility	The product is partly soluble in water and may spread in the aquatic environment.
12.5. Results of PBT and vPvB assessment	

Armor All® Protectant Wipes - Matt Finish

Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not determined.
SECTION 13: Disposal conside	erations
13.1. Waste treatment method	<u>s</u>
General information	Dispose of waste product or used containers in accordance with local regulations
Disposal methods	Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.
SECTION 14: Transport inform	nation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping name	e
Not applicable.	
14.3. Transport hazard class(e	es)
No transport warning sign requ	uired.
14.4. Packing group Not applicable.	
14.5. Environmental hazards	
Environmentally hazardous sul	bstance/marine pollutant
14.6. Special precautions for u	ser
Not applicable.	
14.7. Transport in bulk accordi	ng to Annex II of MARPOL and the IBC Code
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
SECTION 15: Regulatory infor	mation
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
National regulations	EH40/2005 Workplace exposure limits. The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended).
15.2. Chemical safety assessn	nent

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. ATE: Acute Toxicity Estimate. DNEL: Derived No Effect Level. LC50: Lethal Concentration to 50 % of a test population. LD50: Lethal Dose to 50% of a test population (Median Lethal Dose). PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. BCF: Bioconcentration Factor.
Classification procedures according to SI 2019 No. 720	EUH208: Calculation method.
Revision comments	Revised formulation.
Revision date	07/10/2021
Revision	12
Supersedes date	26/03/2021
SDS number	237
Hazard statements in full	EUH208 Contains Benzotriazole Polymer Mixture. May produce an allergic reaction.

The information supplied here is accurate to the best knowledge and belief of Energizer Trading Ltd, it is however, not intended as a warranty or representation, and should not be construed as such, for which Energizer Trading Ltd assumes any legal responsibility. Any information or advice obtained from Energizer Trading Ltd other than by means of this publication, and whether relating to Energizer Trading Ltd's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by Energizer Trading Ltd when used instead of, or in conjunction with materials supplied by Energizer Trading Ltd, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. Energizer Trading Ltd accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.