	25/03/2024 Date of compilation: 20/10/2021 Revised: 25/03/2024 Version: 3 (Replaced 2)
SECT	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: 0RS803 PASTA POLERSKA
	Other means of identification:
	Non-applicable
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: Car repair; polishing paste. For professional users only.
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:
	Troton Sp. z o.o. Ząbrowo 14A 78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 troton@troton.com.pl www.troton.pl / www.troton.eu
1.4	Emergency telephone number: (8am-4pm)+48 094 35 123 94; 112
SECT	TION 2: HAZARDS IDENTIFICATION
2.1	Classification of the substance or mixture:
	CLP Regulation (EC) No 1272/2008:
	The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.
2.2	Label elements:
	CLP Regulation (EC) No 1272/2008:
	Hazard statements:
	Non-applicable
	Precautionary statements:
	P280: Wear protective gloves/eye protection. P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.
	Supplementary information:
22	EUH066: Repeated exposure may cause skin dryness or cracking. EUH210: Safety data sheet available on request.
2.3	Other hazards:
	Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.
SECT	TION 3: COMPOSITION/INFORMATION ON INGREDIENTS
3.1	Substance:
	Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification	Chemical name/Classification			
CAS:		Distillates (petroleur	n), hydrotreated light ⁽¹⁾	ATP CLP00	
EC: Index: REACH:	265-149-8 649-422-00-2 01-2119484819-18- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304; EUH066 - Danger	۵	10 - <25 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878
 ⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

- CONTINUED ON NEXT PAGE -

Printing: 25/03/2024 Date of compilation: 20/10/2021 Revised: 25/03/2024 Version: 3 (Replaced 2)								
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)								
	Identification Chemical name/Classification Concentration							
CAS		Paraffin oils ⁽²⁾	_		Not classified			
Ind	EC: 232-384-2 Index: Non-applicable REACH: 01-2119913301-55- XXXX	Regulation 1272/2008				5 - <10 %		
	CAS: 66455-14-9 EC: 500-165-3 Index: Non-applicable REACH: 01-2119488045-35- XXXX	Alcohols, C12-13, et	hoxylated ⁽¹	.)	Self-classified			
Ind		Regulation 1272/2008	Aquatic Acut	e 1: H400; Aquatic Chronic 3: H412 - Warning	È	1 - <2,5 %		
 ⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 ⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878 								

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Printing: 25/03/2024	Date of compilation: 20/10/2021	Revised: 25/03/2024	Version: 3 (Replaced 2)				
SECTION 5: FIREF.	IGHTING MEASURES (continued)						
(SCBA). Minim with Directive 8	Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,) in accordance with Directive 89/654/EC. Additional provisions:						
Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.							
SECTION 6: ACCID	ENTAL RELEASE MEASURES						

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage Minimum Temp.: 0 °C Maximum Temp.: 45 °C
 - Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Printing: 25/03/2024 Date of compilation: 20/10/2021 Revised: 25/03/2024 Version: 3 (Replaced 2)

SECTION 7: HANDLING AND STORAGE (continued)

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

Non-applicable

DNEL (General population):

Non-applicable

PNEC:

Non-applicable

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
	NON-disposable chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm)	して	EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks
м	landatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Non-applicable

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
+	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	● + →	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

-	: 25/03/2024 Date of compilation:	· ·	Revised: 25/03/2024	Version: 3 (Replaced 2)
EC1	TION 9: PHYSICAL AND CHEMICAL F	PROPERTIES		
.1	Information on basic physical and c	hemical prope	rties:	
	For complete information see the produc	t datasheet.		
	Appearance:			
	Physical state at 20 °C:	I	Liquid	
	Appearance:	I	Paste	
	Colour:	[White	
	Odour:	I	Not available	
	Odour threshold:	I	Non-applicable *	
	Volatility:			
	Boiling point at atmospheric pressure:		117 °C	
	Vapour pressure at 20 °C:	:	2270 Pa	
	Vapour pressure at 50 °C:	:	11960,1 Pa (11,96 kPa)	
	Evaporation rate at 20 °C:	I	Non-applicable *	
	Product description:			
	Density at 20 °C:		1230 kg/m³	
	Relative density at 20 °C:	I	Non-applicable *	
	Dynamic viscosity at 20 °C:	I	Non-applicable *	
	Kinematic viscosity at 20 °C:	I	Non-applicable *	
	Kinematic viscosity at 40 °C:	:	>20,5 mm²/s	
	Concentration:	I	Non-applicable *	
	pH:	I	Non-applicable *	
	Vapour density at 20 °C:	I	Non-applicable *	
	Partition coefficient n-octanol/water 20 c	C: I	Non-applicable *	
	Solubility in water at 20 °C:	I	Non-applicable *	
	Solubility properties:	I	Non-applicable *	
	Decomposition temperature:	I	Non-applicable *	
	Melting point/freezing point:	I	Non-applicable *	
	Flammability:			
	Flash Point:	I	Non Flammable (>60 °C)	
	Flammability (solid, gas):	I	Non-applicable *	
	Autoignition temperature:	I	Non-applicable *	
	Lower flammability limit:	I	Non-applicable *	
	Upper flammability limit:	I	Non-applicable *	
	Particle characteristics:			
	Median equivalent diameter:	I	Non-applicable	
).2	Other information:			
	Information with regard to physical	hazard classes	S:	
	Explosive properties:	I	Non-applicable *	
	Oxidising properties:	I	Non-applicable *	
	Corrosive to metals:	I	Non-applicable *	
	Heat of combustion:	I	Non-applicable *	
	Aerosols-total percentage (by mass) of fl components:		Non-applicable *	
	Other safety characteristics:			
	Surface tension at 20 °C:	I	Non-applicable *	
	*Not relevant due to the nature of the product, n	ot providing informa	tion property of its hazards.	

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Printing: 25/03/2024 Date of compilation: 20/10/2021 Revised: 25/03/2024 Version: 3 (Replaced 2) SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued) Refraction index: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards. SECTION 10: STABILITY AND REACTIVITY 10.1 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. 10.2 Chemical stability: Chemically stable under the indicated conditions of storage, handling and use. 10.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. 10.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Increase in temperature Contact with air Humidity Sunlight Not applicable Not applicable Not applicable Not applicable Not applicable 10.5 Incompatible materials: Acids Water Oxidising materials Combustible materials Others Avoid strong acids Not applicable Not applicable Not applicable Avoid alkalis or strong bases 10.6 Hazardous decomposition products: See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds. SECTION 11: TOXICOLOGICAL INFORMATION 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure: A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.

- Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

25/03/2024	Date of compilation: 20/10/2021	Revised: 25/03/2024	Version: 3 (Replaced 2)							
TON 11: TOXIC	COLOGICAL INFORMATION (contin	ued)								
 Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3. IARC: Distillates (petroleum), hydrotreated light (3) Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. 										
hazardous wi - Skin: Base hazardous fo	y: Based on available data, the classifica ith sensitising effects. For more informati ed on available data, the classification cri r this effect. For more information see se et organ toxicity (STOT) - single exposure	on see section 3. teria are not met, as it does r ection 3.								
this effect. Fo	ailable data, the classification criteria are or more information see section 3. et organ toxicity (STOT)-repeated exposu		in substances classified as h	nazardous for						
it does not co - Skin: Repo H- Aspiration ha Based on ava	 Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Skin: Repeated exposure may cause skin dryness or cracking H- Aspiration hazard: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3. 									
Non-applicable										
	logy information on the substances									
	logy information on the substances									
	Identification		Acute toxicity	Genus						
Paraffin oils		LD50 oral	>2000 mg/kg							
CAS: 8012-95-1		LD50 dermal	>2000 mg/kg							
EC: 232-384-2		LC50 inhalation	- <u>-</u> <u>-</u> <u>-</u>							
	m), hydrotreated light	LD50 oral	>2000 mg/kg							
CAS: 64742-47-8		LD50 dermal	>2000 mg/kg							
EC: 265-149-8		LC50 inhalation	5.							
Alcohols, C12-13, et	thoxylated	LD50 oral	>2000 mg/kg							
CAS: 66455-14-9		LD50 dermal	>2000 mg/kg							
EC: 500-165-3		LC50 inhalation	Non-applicable							
Acute Toxicity	Estimate (ATE mix):			Acute Toxicity Estimate (ATE mix):						
			Ingradiant(a) of unknow							
	ATE mix		Ingredient(s) of unknow	wn toxicity						
Oral	>2000 mg/kg (Calculatio	,	Non-applicable	wn toxicity						
Oral Dermal Inhalation		n method)	,	wn toxicity						

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Printing: 25/03/2024 Date of compilation: 20/10/2021 Revised: 25/03/2024 Version: 3 (Replaced 2)						
SECT	ION 12: ECOLOGICAL INFORMATION (co	ontinued)				
	Identification		Concentration		Species	Genus
	Alcohols, C12-13, ethoxylated	LC50	Non-applicable			
	CAS: 66455-14-9	EC50	Non-applicable			
	EC: 500-165-3	EC50	0,282 mg/L (72 h)	Pseudokirc	hneriella subcapitata	Algae
12.2	Persistence and degradability:					
	Not available					
12.3	Bioaccumulative potential:					
	Substance-specific information:					
	Identification	Ì		Bioaccumulation potential		
	Distillates (petroleum), hydrotreated light			BCF	130	
	CAS: 64742-47-8			Pow Log	3.3	
	EC: 265-149-8			Potential	High	
12.4	Mobility in soil:					
	Not available					
12.5	Results of PBT and vPvB assessment:					
	Product does not meet PBT/vPvB criteria					
12.6	Endocrine disrupting properties:					
	Endocrine-disrupting properties: The product de	oes not meet	the criteria.			

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	waste paint and varnish containing organic solvents or other hazardous substances packaging containing residues of or contaminated by hazardous substances	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Printing:	25/03/2024	Date of compilation: 20/10/2021	Revised: 25/03/2024	Version: 3 (Replaced 2)
SECT	TON 15: REGU	LATORY INFORMATION (continued	d)	
	Article 95, REGU REGULATION (E Seveso III: Non-applicable Limitations to etc): Non-applicable Specific provise It is recommend	No 1005/2009, about substances that de JLATION (EU) No 528/2012: Non-applica EU) No 649/2012, in relation to the impor commercialisation and the use of co sions in terms of protecting people c led to use the information included in thi order to establish the necessary risk prev	ble t and export of hazardous che ertain dangerous substance or the environment: s safety data sheet as a basis f	mical products: Non-applicable es and mixtures (Annex XVII REACH, for conducting workplace-specific risk
	product. Other legislat i			5, , 5
	_	IId be affected by sectorial legislation		
15.2	Chemical safe	, 5		
		s not carried out evaluation of chemical s	afety.	
SECT	TON 16: OTHE	R INFORMATION		
	Legislation related to safety data sheets: The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data shee has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878). Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable			
	The phrases ind individual compo CLP Regulatio Aquatic Acute 1 Aquatic Chronic	gislative phrases mentioned in sectionate do not refer to the product itself; for the product of the product itself; for the p	they are present merely for inf ng lasting effects.	ormative purposes and refer to the
	Asp. Iox. 1: H30 Classification	04 - May be fatal if swallowed and enters procedure:	s airways.	
	Non-applicable			
	interpretation of	nmended in order to prevent industrial ri this safety data sheet, as well as the lab		and to facilitate their comprehension and
	http://echa.euro http://eur-lex.eu			
	ADR: European IMDG: Internatio IATA: Internatio ICAO: Internatio COD: Chemical BOD5: 5day bio BCF: Bioconcent LD50: Lethal Do LC50: Lethal Co EC50: Effective LogPOW: Octan Koc: Partition co UFI: unique forr	agreement concerning the international of onal maritime dangerous goods code nal Air Transport Association onal Civil Aviation Organisation Oxygen Demand chemical oxygen demand tration factor se 50 ncentration 50 concentration 50 olwater partition coefficient pefficient of organic carbon	carriage of dangerous goods b	y road
		<u> </u>		
		- CONTINU	JED ON NEXT PAGE -	

Printing: 25/03/2024 Date of compilation: 20/10/2021

10/2021 Revised: 25/03/2024

Version: 3 (Replaced 2)

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.