



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Product code : 908728

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Engine, gear & lubricating oil.

#### 1.3 Details of the supplier of the safety data sheet

Company : Ellis Enterprises B.V., an affiliate of Valvoline Global Operations  
Wieldrechtseweg 39  
3316 BG Dordrecht  
Netherlands

Telephone : +31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person

E-mail address of person responsible for the SDS : SDS@valvolineglobal.com

#### 1.4 Emergency telephone number

00-800-825-8654, or contact your local emergency telephone number at 112

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard statements	:	H412	Harmful to aquatic life with long lasting effects.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.
		P103	Read carefully and follow all instructions.
<b>Prevention:</b>			
		P273	Avoid release to the environment.
<b>Disposal:</b>			
		P501	Dispose of contents/ container to an approved waste disposal plant.

### Additional Labelling

EUH208 Contains Amines, C12-14-tert-alkyl. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Polysulfides, di-tert-Bu	68937-96-2 273-103-3 01-2119540515-43- xxxx	Skin Sens. 1B; H317 Aquatic Chronic 3; H412	>= 2.5 - < 5



## SAFETY DATA SHEET

According to REACH Regulation (EC) No  
1907/2006, as amended by UK REACH  
Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear  
Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

		specific concentration limit Skin Sens. 1B; H317 >= 46 %	
Amines, C12-14-tert-alkyl	68955-53-3 273-279-1 01-2119456798-18- xxxx	Acute Tox. 4; H302 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.1 - < 0.25
(Z)-octadec-9-enylamine	112-90-3 204-015-5 612-283-00-3	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 (Liver, Gastrointestinal tract, Immune system) Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 0.025 - < 0.1

For explanation of abbreviations see section 16.



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.  
If on clothes, remove clothes.  
If skin irritation persists, call a physician.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Symptoms caused by an allergic reaction can be immediate or may be delayed up to several hours after exposure.
- No symptoms known or expected.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No hazards which require special first aid measures.
- Treat symptomatically.

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : carbon dioxide and carbon monoxide

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Refer to protective measures listed in sections 7 and 8. Use personal protective equipment.

### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
- Advice on protection against : Normal measures for preventive fire protection.



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

fire and explosion

Hygiene measures : General industrial hygiene practice.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : No materials to be especially mentioned.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : No data available

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : neoprene, nitrile rubber

Break through time :  $\geq 240$  min

Glove thickness :  $\geq 0.35$  mm

Guideline : Equipment should conform to EN 374

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

Skin and body protection : protective glove.  
Respiratory protection : Protective suit  
: No personal respiratory protective equipment normally required.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance : liquid  
Colour : amber  
Odour : oily  
Odour Threshold : No data available  
  
pH : Not applicable  
  
Pour point : < -27 °C  
  
Boiling point/boiling range : No data available  
  
Flash point : 216 °C  
Method: Pensky-Martens closed cup  
  
Evaporation rate : No data available  
  
Flammability : No data available  
  
Upper explosion limit / Upper flammability limit : No data available  
  
Lower explosion limit / Lower flammability limit : No data available  
  
Vapour pressure : No data available  
  
Relative vapour density : No data available  
  
Relative density : No data available  
  
Density : 0.88 g/cm<sup>3</sup> (15.6 °C)  
  
Solubility(ies)  
Water solubility : insoluble  
Solubility in other solvents : No data available  
  
Partition coefficient: n-octanol/water : No data available  
Decomposition temperature : No data available



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : ca. 132.8 mm<sup>2</sup>/s (40 °C)  
Oxidizing properties : No data available

### 9.2 Other information

Particle size : Not applicable  
Self-ignition : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified due to lack of data.

#### Product:



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

- Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method
- Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

### Components:

#### **Polysulfides, di-tert-Bu:**

- Acute oral toxicity : **LD50 (Rat): > 2,000 mg/kg**  
Method: **OECD Test Guideline 401**  
Assessment: **The substance or mixture has no acute oral toxicity**  
Remarks: **No mortality observed at this dose.**
- Acute dermal toxicity : **LD50 (Rat): > 2,000 mg/kg**  
Method: **OECD Test Guideline 402**  
Assessment: **The substance or mixture has no acute dermal toxicity**  
Remarks: **No mortality observed at this dose.**

#### **Amines, C12-14-tert-alkyl:**

- Acute oral toxicity : **LD50 Oral (Rat, male and female): 612 mg/kg**  
Method: **OECD Test Guideline 401**  
GLP: **yes**  
Assessment: **The component/mixture is moderately toxic after single ingestion.**
- Acute inhalation toxicity : **LC50 (Rat, male and female): Exposure time: 4 h**  
Test atmosphere: **vapour**  
Method: **OECD Test Guideline 403**  
GLP: **yes**  
Assessment: **The component/mixture is highly toxic after short term inhalation.**
- Acute dermal toxicity : **LD50 (Rat, male and female): 251 mg/kg**  
Method: **OECD Test Guideline 402**  
GLP: **yes**  
Assessment: **The component/mixture is toxic after single contact with skin.**

#### **(Z)-octadec-9-enylamine:**

- Acute oral toxicity : **LD50 (Rat): 888 mg/kg**



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

### Skin corrosion/irritation

Not classified due to lack of data.

#### Components:

##### Polysulfides, di-tert-Bu:

Result : Mild skin irritation

##### Amines, C12-14-tert-alkyl:

Species : Rabbit  
Result : Corrosive after 3 minutes to 1 hour of exposure  
GLP : yes

##### (Z)-octadec-9-enylamine:

Result : Corrosive after 4 hours or less of exposure

### Serious eye damage/eye irritation

Not classified due to lack of data.

#### Components:

##### Polysulfides, di-tert-Bu:

Result : Slight, transient irritation

##### Amines, C12-14-tert-alkyl:

Species : Rabbit  
Method : No information available.  
Result : Corrosive  
GLP : yes

##### (Z)-octadec-9-enylamine:

Result : Corrosive

### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Not classified due to lack of data.

#### Product:

Result : Does not cause skin sensitisation.  
Remarks : Expected based on components.



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

### Components:

#### Polysulfides, di-tert-Bu:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	The product is a skin sensitiser, sub-category 1B.
Method	:	OECD Test Guideline 406

#### Amines, C12-14-tert-alkyl:

Test Type	:	Buehler Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Assessment	:	The product is a skin sensitiser, sub-category 1A.
Method	:	Buehler Test
GLP	:	yes

### Germ cell mutagenicity

Not classified due to lack of data.

### Components:

#### Polysulfides, di-tert-Bu:

Genotoxicity in vitro	:	Test Type: <b>in vitro assay</b> Result: <b>Positive results were obtained in some in vitro tests.</b>
Genotoxicity in vivo	:	Test Type: <b>Micronucleus test</b> Species: <b>Mouse</b> Cell type: <b>Bone marrow</b> Method: <b>OECD Test Guideline 474</b> Result: <b>negative</b>

### Carcinogenicity

Not classified due to lack of data.

### Reproductive toxicity

Not classified due to lack of data.

### STOT - single exposure

Not classified due to lack of data.

### Components:

#### (Z)-octadec-9-enylamine:

Target Organs	:	Respiratory Tract
Assessment	:	The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

### STOT - repeated exposure

Not classified due to lack of data.

### Components:

#### (Z)-octadec-9-enylamine:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### Aspiration toxicity

Not classified due to lack of data.

### Components:

#### (Z)-octadec-9-enylamine:

May be fatal if swallowed and enters airways.

### Further information

#### Product:

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### (Z)-octadec-9-enylamine:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.11 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.011 mg/l  
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

### 12.2 Persistence and degradability

#### Components:

##### Polysulfides, di-tert-Bu:

Biodegradability	:	Result: <b>Not readily biodegradable.</b> Biodegradation: <b>13 %</b> Exposure time: <b>28 d</b> Method: <b>OECD Test Guideline 301B</b>
------------------	---	---

### 12.3 Bioaccumulative potential

#### Components:

##### Amines, C12-14-tert-alkyl:

Partition coefficient: n-octanol/water	:	log Pow: <b>2.9 (20 °C)</b>
--	---	-----------------------------

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

Waste Code : The Waste code should be assigned in discussion between



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

the user and the waste disposal company.  
The following Waste Codes are only suggestions:  
13 02 05, mineral-based non-chlorinated engine, gear and lubricating oils

### SECTION 14: Transport information

#### 14.1 UN number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good

#### 14.4 Packing group

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA_P (Passenger)	:	Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	:	Not applicable

#### The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	Not in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	Not in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

### 15.2 Chemical safety assessment

No data available

#### Inventories

AllIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

---

## SECTION 16: Other information

### Full text of H-Statements

H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H335	:	May cause respiratory irritation.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Valvoline™ LIGHT & HD AXLE OIL 80W90 Gear Oil

Version: 14.0

Revision Date: 14.08.2025

Print Date: 16/12/2025

International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Internal information : R0524399

#### Classification of the mixture:

Aquatic Chronic 3                      H412

#### Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN