Page 1/8

*

*



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.05.2018

Version number 57

Revision: 04.12.2017

SECTION 1: Identification of the substance/mixture and of the	e company/undertaking
· 1.1 Product identifier	
• Trade name: <u>MOTIP® BITUMEN UNDERCOATING BLACK BRUSH CA</u>	N 1,3 KG
 Article number: 000016 1.2 Relevant identified uses of the substance or mixture and uses advised age No further relevant information available. Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertain Product category PC9a Coatings and paints, thinners, paint removers Process category PROC7 Industrial spraying PROC10 Roller application or brushing PROC11 Non industrial spraying Application of the substance / the mixture Anticorrosion additive 	
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: MOTIP DUPLI B.V. Wolfraamweg 2 NL- 8471 XC Wolvega The Netherlands Tel: +31 (0)561 694400 Fax: +31 (0)561 694411 e-mail info@nl.motipdupli.com 	
 Further information obtainable from: Department Product Safety 1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h) UK: NPIS National Poisons Information Centre Tel: +44 0344 892 0111 	
SECTION 2: Hazards identification	
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame 	
Flam. Liq. 3 H226 Flammable liquid and vapour.	
GHS08 health hazard	
STOT RE 2 H373 May cause damage to organs through prolonged or	r repeated exposure.
GHS07	
STOT SE 3 H336 May cause drowsiness or dizziness.	(Contd. on page 2)

Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.05.2018

Version number 57

Revision: 04.12.2017

Trade name: MOTIP® BITUMEN UNDERCOATING BLACK BRUSH CAN 1,3 KG

	(Contd. of page
Aquatic Chronic	3 H412 Harmful to aquatic life with long lasting effects.
	ding to Regulation (EC) No 1272/2008 lassified and labelled according to the CLP regulation.
GHS02 GHS	07 GHS08
Signal word Wa	rning
	ning components of labelling:
Hydrocarbons,	
	C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
•	C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics
Hazard stateme	
	le liquid and vapour.
	e drowsiness or dizziness.
	e damage to organs through prolonged or repeated exposure.
	o aquatic life with long lasting effects.
Precautionary s	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents / container in accordance with regional regulations.
Additional infor	mation:
EUH066 Repeat	ted exposure may cause skin dryness or cracking.
2.3 Other hazar	
Results of PBT	and vPvB assessment
PBT: Not applie	cable.
vPvB: Not appli	

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

*

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
EC number: 918-668-5	Hydrocarbons, C9, aromatics	5-<10%
Reg.nr.: 01-2119455851-35	 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 STOT SE 3, H335-H336 	_
EC number: 919-446-0 Reg.nr.: 01-2119458049-33	<i>Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics</i> (2-25%)	5-<10%
-	 Flam. Liq. 3, H226 STOT RE 1, H372; Asp. Tox. 1, H304 Aquatic Chronic 2, H411 STOT SE 3, H336 	-
	(Con	ntd. on page

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.05.2018

Version number 57

Revision: 04.12.2017

Trade name: MOTIP® BITUMEN UNDERCOATING BLACK BRUSH CAN 1,3 KG

	(Cor	ntd. of page 2)
EC number: 919-857-5 Reg.nr.: 01-2119463258-33	<i>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics</i>	5-<10%
	 Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 	_
CAS: 67-56-1	methanol	<2.5%
EINECS: 200-659-6	🚸 Flam. Lig. 2, H225	-
Index number: 603-001-00-X Reg.nr.: 01-2119433307-44	 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT SE 1, H370 	
Addition al informations For	the wording of the listed hazard phrases refer to section 16	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

*

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- \cdot 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

(Contd. on page 4)

GB

Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.05.2018

Version number 57

Revision: 04.12.2017

Trade name: MOTIP® BITUMEN UNDERCOATING BLACK BRUSH CAN 1,3 KG

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

67-56-1 methanol

WEL Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm Sk

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Page 5/8

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.05.2018

Version number 57

Revision: 04.12.2017


(Contd. of page 4)

Trade name: MOTIP® BITUMEN UNDERCOATING BLACK BRUSH CAN 1,3 KG

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



9.1 Information on basic physical and ch	nemical properties
General Information	inning properties
Appearance:	
Form:	Pasty
Colour:	Black
Odour:	<i>Solvent-like</i>
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	$130 {}^{\circ}C(266 {}^{\circ}F)$
Flash point:	39 °C (102.2 °F)
Flammability (solid, gas):	Not applicable.
Ignition temperature:	>200 °C (>392 °F)
с і	200 °C (392 °F)
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
Explosion limits:	
Lower:	0.6 Vol %
	0.6 %
Upper:	8 Vol %
	7.0 %
Vapour pressure at 20 °C (68 °F):	5 hPa (3.8 mm Hg)
	2 hPa (1.5 mm Hg)
Density at 20 °C (68 °F):	1.28 g/cm ³ (10.68 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
<i>Dynamic at 20 °C (68 °F):</i>	17,000 mPas
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	24.7 %

GB

*

×

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.05.2018

Version number 57

Revision: 04.12.2017

Trade name: MOTIP® BITUMEN UNDERCOATING BLACK BRUSH CAN 1,3 KG

		(Contd. of page 5)
· EU-VOC:	316.2 g/l	
• EU-VOC in %:	24.70 %	
· VOC (EC)		
	316.2 g/l	
· VOC-EU%	24.70 %	
· Solids content:	75.3 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure
- May cause damage to organs through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- Harmful to aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

Page 7/8

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.05.2018

Version number 57

Revision: 04.12.2017

Trade name: MOTIP® BITUMEN UNDERCOATING BLACK BRUSH CAN 1,3 KG

(Contd. of page 6)

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

15 01 04 metallic packaging

• Uncleaned packaging:

· Recommendation: Non contaminated packagings may be recycled.

14.1 UN-Number	
ADR, IMDG, IATA	UN1139
ADN, IMDO, IAIA ADN	not regulated
	norregulated
14.2 UN proper shipping name	1120 CONTINC COLUTION
ADR ADN	1139 COATING SOLUTION
	not regulated COATING SOLUTION
IMDG, IATA	COATING SOLUTION
14.3 Transport hazard class(es)	
ADR, ADN, IMDG	
Class	not regulated
IATA	[*]
Class	2 Elauren abla lianida
Label	3 Flammable liquids. 3
	5
14.4 Packing group	
ADR, IMDG	not regulated
IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
EMS Number:	$F-E, \underline{S-E}$
14.7 Transport in bulk according to Ann	er II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
ADR Remarks:	> 450 l: 3 F1, III
	> 4JU ι. J Γ Ι, ΙΙΙ
IMDG	
Remarks:	> 30 l: 3, III
UN ''Model Regulation'':	not regulated

(Contd. on page 8)

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.05.2018

Version number 57

Revision: 04.12.2017

Trade name: MOTIP® BITUMEN UNDERCOATING BLACK BRUSH CAN 1,3 KG

(Contd. of page 7)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I methanol
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57
- None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H370 Causes damage to organs. H372 Causes damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects. · Department issuing SDS: R&D legislation and regulatory advisor · Contact: K. Smedeman · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 2: Flammable liquids Category 2
- Flam. Liq. 3: Flammable liquids Category 3
- Acute Tox. 3: Acute toxicity Category 3
- STOT SE 1: Specific target organ toxicity (single exposure) Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- STOT RE 1: Specific target organ toxicity (repeated exposure) Category 1
- STOT RE 2: Specific target organ toxicity (repeated exposure) Category 2 Asp. Tox. 1: Aspiration hazard – Category 1
- Asp. Tox. 1: Aspiration hazara Category I

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

 \cdot * Data compared to the previous version altered.