



Revision date: 2 Jun 2022 Version: 2 Print date: 2 Jun 2022

**Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

\* **1.1. Product identifier**

Trade name/designation:

RAVENOL TDG 75W-110

Article No.:

1221109

UFI:

UW4T-C3ER-KP6E-JEG6

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture:

Lubricant

\* **1.3. Details of the supplier of the safety data sheet**

**Supplier (manufacturer/importer/only representative/downstream user/distributor):**

**Ravensberger Schmierstoffvertrieb GmbH**

Produktsicherheit  
Jöllenbecker Str. 2  
33824 Werther  
Germany

**Telephone:** +49 5203 9719 0

**Telefax:** +49 5203 9719 40

**E-mail:** kontakt@ravenol.de

**Website:** www.ravenol.de

**E-mail (competent person):** sdb@ravenol.de

\* **1.4. Emergency telephone number**

24 hr. emergency phone number, 24h: +49 700 24 112 112 (Contract ID: RAV) / +1 872 5888271  
(Contract ID: RAV)

**SECTION 2: Hazards identification**

\* **2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation ( <i>Skin Sens. 1</i> )	H317: May cause an allergic skin reaction.	Calculation method.
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	Calculation method.

\* **2.2. Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms:**



**GHS07**

Exclamation mark

**Signal word:** Warning



Revision date: 2 Jun 2022 Version: 2 Print date: 2 Jun 2022

**Hazard components for labelling:**

Polysulfides, di-tert-Bu; Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched); magnesium metaborate

**Hazard statements for health hazards**

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

**Precautionary statements Prevention**

P261	Avoid breathing vapours and spray.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves and eye/face protection.

**Precautionary statements Response**

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

**Precautionary statements Disposal**

P501	Dispose of contents/container to an appropriate recycling or disposal facility.
------	---

\* **2.3. Other hazards****Other adverse effects:**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**SECTION 3: Composition/information on ingredients**\* **3.2. Mixtures****Hazardous ingredients / Hazardous impurities / Stabilisers:**

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64742-54-7 EC No.: 265-157-1 REACH No.: 01-2119484627-25	<b>Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified</b> Asp. Tox. 1 (H304) <b>Danger</b>	15 - < 25 weight-%
CAS No.: 68037-01-4 EC No.: 500-183-1 REACH No.: 01-2119486452-34	<b>1-decene, homopolymer, hydrogenated</b> Asp. Tox. 1 (H304) <b>Danger</b>	10 - < 20 weight-%
CAS No.: 68937-96-2 EC No.: 273-103-3 REACH No.: 01-2119540515-43	<b>Polysulfides, di-tert-Bu</b> Aquatic Chronic 4 (H413), Skin Sens. 1 (H317) <b>Warning</b>	2 - < 5 weight-%
EC No.: 931-384-6 REACH No.: 01-2119493620-38-0000	<b>Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)</b> Acute Tox. 4 (H302), Aquatic Chronic 2 (H411), Eye Dam. 1 (H318), Skin Sens. 1 (H317) <b>Danger</b>	1 - < 2 weight-%
CAS No.: 13703-82-7 EC No.: 237-235-5	<b>magnesium metaborate</b> Skin Sens. 1B (H317) <b>Warning</b>	0 - < 0.5 weight-%
CAS No.: 597-82-0 EC No.: 209-909-9	<b>O,O,O-triphenyl phosphorothioate</b> Repr. 2 (H361fd) <b>Warning</b>	0 - < 0.5 weight-%
CAS No.: 64742-47-8 EC No.: 265-149-8 Index No.: 650-001-00-0	<b>Distillates (petroleum), hydrotreated light</b> Asp. Tox. 1 (H304) <b>Danger</b>	0 - < 0.03 weight-%

Full text of H- and EUH-phrases: see section 16.



Revision date: 2 Jun 2022 Version: 2 Print date: 2 Jun 2022

## SECTION 4: First aid measures

### \* 4.1. Description of first aid measures

#### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

#### Following inhalation:

Provide fresh air. Consult a doctor immediately.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately.

#### After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Causes serious eye irritation.

#### Following ingestion:

Rinse mouth thoroughly with water. Do NOT induce vomiting. Consult a doctor immediately.

#### Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

### \* 4.2. Most important symptoms and effects, both acute and delayed

May produce an allergic reaction. Serious eye damage/eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Observe risk of aspiration if vomiting occurs.

## SECTION 5: Firefighting measures

### \* 5.1. Extinguishing media

#### Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO<sub>2</sub>)

Extinguishing powder

alcohol resistant foam

Use water spray jet to protect personnel and to cool endangered containers.

#### Unsuitable extinguishing media:

Full water jet

### \* 5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point

When hot, product develops flammable vapours.

#### Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>), Gases/vapours, toxic

During heating or in case of fire, toxic gases is possible.

### \* 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

### \* 5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### \* 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product.

##### Protective equipment:

Personal protection equipment: see section 8

##### Emergency procedures:

Eliminate all ignition sources if safe to do so. Remove persons to safety. Provide adequate ventilation.



Revision date: 2 Jun 2022 Version: 2 Print date: 2 Jun 2022

### 6.1.2. For emergency responders

#### Personal protection equipment:

Use personal protection equipment.

### \* 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### \* 6.3. Methods and material for containment and cleaning up

#### For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information:

Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

### \* 6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

## SECTION 7: Handling and storage

### \* 7.1. Precautions for safe handling

#### Protective measures

##### Advices on safe handling:

Wear personal protection equipment (refer to section 8).

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.

##### Fire prevent measures:

No special fire protection measures are necessary.

##### Environmental precautions:

Shafts and sewers must be protected from entry of the product.

##### Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

### \* 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.

Keep/Store only in original container.

#### Hints on storage assembly:

not required

**Storage class (TRGS 510, Germany):** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

### 7.3. Specific end use(s)

#### Recommendation:

Observe technical data sheet.



Revision date: 2 Jun 2022 Version: 2 Print date: 2 Jun 2022

## SECTION 8: Exposure controls/personal protection

### \* 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE)	O,O,O-triphenyl phosphorothioate CAS No.: 597-82-0 EC No.: 209-909-9	① 20 mg/m <sup>3</sup> ② 40 mg/m <sup>3</sup> ⑤ (einatembare Fraktion)
TRGS 900 (DE)	Distillates (petroleum), hydrotreated light CAS No.: 64742-47-8 EC No.: 265-149-8	① 300 mg/m <sup>3</sup> ② 600 mg/m <sup>3</sup> ⑤ (C9-C14 Aliphaten)
VLA (FR)	Distillates (petroleum), hydrotreated light CAS No.: 64742-47-8 EC No.: 265-149-8	① 1,000 mg/m <sup>3</sup> ② 1,500 mg/m <sup>3</sup> ⑤ (hydrocarbures C9-C12)
NO	Distillates (petroleum), hydrotreated light CAS No.: 64742-47-8 EC No.: 265-149-8	① 50 ppm (275 mg/m <sup>3</sup> ) ⑤ (White Spirit (aromatinnhold < 22 %))
DFG (DE)	Distillates (petroleum), hydrotreated light CAS No.: 64742-47-8 EC No.: 265-149-8	① 5 mg/m <sup>3</sup> ② 20 mg/m <sup>3</sup> ⑤ (Aerosol, alveolengängige Fraktion)
MAK (AT)	Distillates (petroleum), hydrotreated light CAS No.: 64742-47-8 EC No.: 265-149-8	① 200 mL/m <sup>3</sup> ② 400 mL/m <sup>3</sup> ⑤ (für Kohlenwasserstoffgemische mit einem Gehalt an aromatischen Kohlenwasserstoffen von weniger als 1 %, an n-Hexan von weniger als 5 % und an Cyclo-/ Isohexanen von weniger als 25 %)
MAK (AT)	Distillates (petroleum), hydrotreated light CAS No.: 64742-47-8 EC No.: 265-149-8	① 170 mL/m <sup>3</sup> ② 340 mL/m <sup>3</sup> ⑤ (für Kohlenwasserstoffgemische mit einem Gehalt an aromatischen Kohlenwasserstoffen von weniger als 1 %, an n-Hexan von weniger als 5 % und an Cyclo-/ Isohexanen von 25 % oder mehr)
WEL (GB)	Distillates (petroleum), hydrotreated light CAS No.: 64742-47-8 EC No.: 265-149-8	① 1,200 mg/m <sup>3</sup> ⑤ (> or = C7, Normal and branched chain alkanes)
WEL (GB)	Distillates (petroleum), hydrotreated light CAS No.: 64742-47-8 EC No.: 265-149-8	① 800 mg/m <sup>3</sup> ⑤ (> or = C7, Cycloalkanes)
DFG (DE)	Distillates (petroleum), hydrotreated light CAS No.: 64742-47-8 EC No.: 265-149-8	① 50 ppm (350 mg/m <sup>3</sup> ) ② 100 ppm (700 mg/m <sup>3</sup> ) ⑤ (Dampf)
RU	Distillates (petroleum), hydrotreated light CAS No.: 64742-47-8 EC No.: 265-149-8	① 100 mg/m <sup>3</sup> ③ 300 mg/m <sup>3</sup>
CH	Distillates (petroleum), hydrotreated light CAS No.: 64742-47-8 EC No.: 265-149-8	① 50 ppm (350 mg/m <sup>3</sup> ) ② 100 ppm (700 mg/m <sup>3</sup> ) ⑤ (Dampf)
SI	Distillates (petroleum), hydrotreated light CAS No.: 64742-47-8 EC No.: 265-149-8	① 700 mg/m <sup>3</sup>
RO	Distillates (petroleum), hydrotreated light CAS No.: 64742-47-8 EC No.: 265-149-8	① 700 mg/m <sup>3</sup> ② 1,000 mg/m <sup>3</sup>



Revision date: 2 Jun 2022 Version: 2 Print date: 2 Jun 2022

**8.1.2. Biological limit values**

No data available

**8.1.3. DNEL-/PNEC-values**

Substance name	DNEL value	① DNEL type ② Exposure route
Polysulfides, di-tert-Bu CAS No.: 68937-96-2 EC No.: 273-103-3	14.5 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
Polysulfides, di-tert-Bu CAS No.: 68937-96-2 EC No.: 273-103-3	1.66 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EC No.: 931-384-6	8.56 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EC No.: 931-384-6	12.5 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
O,O,O-triphenyl phosphorothioate CAS No.: 597-82-0 EC No.: 209-909-9	1.39 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
O,O,O-triphenyl phosphorothioate CAS No.: 597-82-0 EC No.: 209-909-9	0.4 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EC No.: 931-384-6	1.2 µg/L	① PNEC aquatic, freshwater
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EC No.: 931-384-6	0.12 µg/L	① PNEC aquatic, marine water
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EC No.: 931-384-6	24.33 mg/L	① PNEC sewage treatment plant
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EC No.: 931-384-6	14.4 mg/kg bw/day	① PNEC sediment, freshwater
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EC No.: 931-384-6	1.44 mg/kg bw/day	① PNEC sediment, marine water
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EC No.: 931-384-6	10 mg/kg bw/ day	① PNEC secondary poisoning
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EC No.: 931-384-6	85 µg/L	① PNEC aquatic, intermittent release



Revision date: 2 Jun 2022 Version: 2 Print date: 2 Jun 2022

Substance name	PNEC Value	① PNEC type
O,O,O-triphenyl phosphorothioate CAS No.: 597-82-0 EC No.: 209-909-9	10 mg/L	① PNEC sewage treatment plant

\* **8.2. Exposure controls**

**8.2.1. Appropriate engineering controls**

See section 7. No additional measures necessary.

**8.2.2. Personal protection equipment**



**Eye/face protection:**

During transfer: Eye glasses with side protection  
 Wear eye/face protection. EN 166

**Skin protection:**

Hand protection  
 Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)  
 Thickness of the glove material:  $\geq 0,4$  mm  
 Breakthrough time: 480 min  
 Breakthrough times and swelling properties of the material must be taken into consideration.  
 The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.  
 For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.  
 Tested protective gloves must be worn: EN ISO 374  
 Suitable protective clothing: Protective clothing

**Respiratory protection:**

Usually no personal respiratory protection necessary.

**8.2.3. Environmental exposure controls**

See section 7. No additional measures necessary.

**SECTION 9: Physical and chemical properties**

\* **9.1. Information on basic physical and chemical properties**

**Appearance**

**Physical state:** Liquid

**Colour:** yellow

**Odour:** characteristic

**Safety relevant basis data**

Parameter	Value	at °C	① Method ② Remark
pH	<i>not applicable</i>		
Melting point	<i>not determined</i>		
Freezing point	<i>not determined</i>		
Initial boiling point and boiling range	<i>not determined</i>		
Decomposition temperature	<i>not determined</i>		
Flash point	212 °C		
Evaporation rate	<i>not determined</i>		
Auto-ignition temperature	<i>not determined</i>		
Upper/lower flammability or explosive limits	<i>not determined</i>		
Vapour pressure	<i>not determined</i>		
Vapour density	<i>not determined</i>		
Density	874 kg/m <sup>3</sup>	15 °C	
Relative density	<i>not determined</i>		
Bulk density	<i>not determined</i>		
Water solubility	practically insoluble		



Revision date: 2 Jun 2022 Version: 2 Print date: 2 Jun 2022

Parameter	Value	at °C	① Method ② Remark
Partition coefficient: n-octanol/water	<i>not determined</i>		
Dynamic viscosity	<i>not determined</i>		
Kinematic viscosity	158 mm <sup>2</sup> /s	40 °C	

\* **9.2. Other information**

Not applicable

**SECTION 10: Stability and reactivity**\* **10.1. Reactivity**

No known hazardous reactions. Risk of explosion if heated under confinement.

\* **10.2. Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

To avoid thermal decomposition do not overheat.

**10.5. Incompatible materials**

Materials to avoid: Acid, Oxidizing agent, Reducing agent

\* **10.6. Hazardous decomposition products**Hazardous combustion products: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>), During heating or in case of fire, toxic gases is possible.**Further information**

No information available.

**SECTION 11: Toxicological information**\* **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

<b>Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified</b> CAS No.: 64742-54-7 EC No.: 265-157-1
<b>LD<sub>50</sub> oral:</b> 5,000 mg/kg (Rat) OECD 401
<b>LD<sub>50</sub> dermal:</b> 5,000 mg/kg (Rabbit) OECD 402
<b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b> 5.53 mg/L 4 h (Rat) OECD 403
<b>1-decene, homopolymer, hydrogenated</b> CAS No.: 68037-01-4 EC No.: 500-183-1
<b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rabbit)
<b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b> >5 mg/L 4 h (Rat)
<b>Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)</b> EC No.: 931-384-6
<b>LD<sub>50</sub> oral:</b> ≥2,000 mg/kg (Rat)
<b>O,O,O-triphenyl phosphorothioate</b> CAS No.: 597-82-0 EC No.: 209-909-9
<b>LD<sub>50</sub> oral:</b> 10,000 mg/kg
<b>LD<sub>50</sub> dermal:</b> 2,000 mg/kg

**Acute oral toxicity:**

Based on available data, the classification criteria are not met.

**Acute dermal toxicity:**

Based on available data, the classification criteria are not met.

**Acute inhalation toxicity:**

Based on available data, the classification criteria are not met.

**Skin corrosion/irritation:**

Based on available data, the classification criteria are not met.

**Serious eye damage/irritation:**

Causes serious eye irritation.



Revision date: 2 Jun 2022 Version: 2 Print date: 2 Jun 2022

**Respiratory or skin sensitisation:**

May cause an allergic skin reaction.

**Germ cell mutagenicity:**

Based on available data, the classification criteria are not met.

**Carcinogenicity:**

Based on available data, the classification criteria are not met.

**Reproductive toxicity:**

Based on available data, the classification criteria are not met.

**STOT-single exposure:**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

**Aspiration hazard:**

Observe risk of aspiration if vomiting occurs.

For viscosity data, see section 9.

**Additional information:**

Frequently or prolonged contact with skin may cause dermal irritation.

\* **11.2. Information on other hazards**

**Endocrine disrupting properties:**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

**SECTION 12: Ecological information**

\* **12.1. Toxicity**

<b>Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified</b> CAS No.: 64742-54-7 EC No.: 265-157-1
LC <sub>50</sub> : 100 mg/L 4 d (fish)
LC <sub>50</sub> : 10,000 mg/L 4 d (crustaceans)
EC <sub>50</sub> : 10,000 mg/L 2 d (crustaceans)
NOEC: 100 mg/L 4 d (fish)
NOEC: 100 mg/L 3 d (Algae/water plant)
NOEC: ≥100 mg/L 3 d (Algae/water plant, Algen)
<b>1-decene, homopolymer, hydrogenated</b> CAS No.: 68037-01-4 EC No.: 500-183-1
LC <sub>50</sub> : >750 mg/L 4 d (fish)
EC <sub>50</sub> : 190 mg/L 2 d (crustaceans, Daphnia pulex (water flea))
EC <sub>50</sub> : >1,000 mg/L 3 d (Algae/water plant)
<b>Polysulfides, di-tert-Bu</b> CAS No.: 68937-96-2 EC No.: 273-103-3
EC <sub>50</sub> : 63 mg/L 2 d (crustaceans)
EC <sub>50</sub> : >100 mg/L 3 d (Algae/water plant)
<b>Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)</b> EC No.: 931-384-6
EC <sub>50</sub> : 6.4 - 15 mg/L 4 d (Algae/water plant, Acute (short-term) toxicity to algae and cyanobacteria)
NOEC: 1.7 - 3.3 mg/L 4 d (Algae/water plant, Acute (short-term) toxicity to algae and cyanobacteria)
LC <sub>50</sub> : 24 mg/L 4 d (fish)
LOEC: 3.2 mg/L 4 d (fish)

**Assessment/classification:**

The substance/mixture does not fulfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

**Additional ecotoxicological information:**

Do not allow uncontrolled discharge of product into the environment.

\* **12.2. Persistence and degradability**

<b>Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)</b> EC No.: 931-384-6
<b>Biodegradation:</b> Yes, slowly



Revision date: 2 Jun 2022 Version: 2 Print date: 2 Jun 2022

**Biodegradation:**

Not readily biodegradable (according to OECD criteria)

\* **12.3. Bioaccumulative potential**

<b>Polysulfides, di-tert-Bu</b> CAS No.: 68937-96-2 EC No.: 273-103-3
Log K <sub>OW</sub> : = 6
<b>O,O,O-triphenyl phosphorothioate</b> CAS No.: 597-82-0 EC No.: 209-909-9
Log K <sub>OW</sub> : 5

**Accumulation / Evaluation:**

The product has not been tested.

\* **12.4. Mobility in soil**

The product has not been tested.

\* **12.5. Results of PBT and vPvB assessment**

<b>Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified</b> CAS No.: 64742-54-7 EC No.: 265-157-1
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>1-decene, homopolymer, hydrogenated</b> CAS No.: 68037-01-4 EC No.: 500-183-1
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>Polysulfides, di-tert-Bu</b> CAS No.: 68937-96-2 EC No.: 273-103-3
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)</b> EC No.: 931-384-6
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>magnesium metaborate</b> CAS No.: 13703-82-7 EC No.: 237-235-5
<b>Results of PBT and vPvB assessment:</b> —
<b>O,O,O-triphenyl phosphorothioate</b> CAS No.: 597-82-0 EC No.: 209-909-9
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>Distillates (petroleum), hydrotreated light</b> CAS No.: 64742-47-8 EC No.: 265-149-8
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

\* **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No data available.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

Dispose of waste according to applicable legislation.

**13.1.1. Product/Packaging disposal**

**Waste codes/waste designations according to EWC/AVV**

**Waste code packaging**

**Remark:**

Dispose of waste according to applicable legislation.

**Waste treatment options**

**Appropriate disposal / Product:**

Dispose of waste according to applicable legislation.

**Appropriate disposal / Package:**

Non-contaminated packages may be recycled.

**Other disposal recommendations:**

Consult the appropriate local waste disposal expert about waste disposal.

**13.2. Additional information**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.



Revision date: 2 Jun 2022 Version: 2 Print date: 2 Jun 2022

## SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.7. Maritime transport in bulk according to IMO instruments</b>			
Not applicable			

## SECTION 15: Regulatory information

\* **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

### 15.1.1. EU legislation

#### Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive], Hazard categories:

- E2 Hazardous to the Aquatic Environment in Category Chronic 2

Safety data sheet available on request.

### 15.1.2. National regulations

#### [DE] National regulations

#### Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### Störfallverordnung

##### for substances contained in the product:

Hazard categories:

- E2 Hazardous to the Aquatic Environment in Category Chronic 2

#### Technische Anleitung Luft (TA-Luft)

##### Remark:

To follow: 5.2.5

#### Water hazard class

##### WGK:

2 - deutlich wassergefährdend

##### Source:

Self-classification (mixture; calculation rule).

Identification number 436

#### Technische Regeln für Gefahrstoffe

TRGS 510

TRGS 500

#### Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868

Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195



Revision date: 2 Jun 2022 Version: 2 Print date: 2 Jun 2022

### Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltöIV)



#### [DK] National regulations

### Other regulations, restrictions and prohibition regulations

Dänemark: Bekendtgørelse af lov om arbejdsmiljø: Beskæftigelsesministeriets lovbekendtgørelse nr. 1072 af 7. september 2010

Lister over stoffer og processer, der anses for at være kræftfremkaldende



#### [FR] National regulations

### Other regulations, restrictions and prohibition regulations

Frankreich: Tableaux de maladies professionnelles

Nomenclature des installations classées pour la protection de l'environnement

Articles L. 4523-1 à L. 4523-17, L. 4611-1 à L. 4614-16, R. 4523-1 à R. 4523-17 et R. 4612-1 à R. 4615-21 du Code du travail



#### [NL] National regulations

### Other regulations, restrictions and prohibition regulations

Niederlande: Lijst vankankerverwekkende, mutagene en voor de voortplanting giftige stoffen (SZW)

Algemeene beoordelingsmethodiek Water (ABM)

Nederlandse emissierichtlijn (NeR)

NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Borstvoeding

NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Vruchtbaarheid

NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Ontwikkeling

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

Wet van 18 maart 1999, houdende bepalingen ter verbetering van de arbeidsomstandigheden (Arbeidsomstandighedenwet)

Wet op de ondernemingsraden 1971



#### [CH] National regulations

### Other regulations, restrictions and prohibition regulations

Mengenschwelle (Schweiz - StFV)

Gefahrencode

Brandverhütung, BVD (Schweiz)

## 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## 15.3. Additional information

No data available.

## SECTION 16: Other information

### \* 16.1. Indication of changes

1.1.	Product identifier
1.3.	Details of the supplier of the safety data sheet
1.4.	Emergency telephone number
2.1.	Classification of the substance or mixture
2.2.	Label elements
2.3.	Other hazards
3.2.	Mixtures
4.1.	Description of first aid measures
4.2.	Most important symptoms and effects, both acute and delayed
5.1.	Extinguishing media
5.2.	Special hazards arising from the substance or mixture
5.3.	Advice for firefighters
5.4.	Additional information
6.1.	Personal precautions, protective equipment and emergency procedures
6.2.	Environmental precautions
6.3.	Methods and material for containment and cleaning up
6.5.	Additional information
7.1.	Precautions for safe handling
7.2.	Conditions for safe storage, including any incompatibilities



Revision date: 2 Jun 2022 Version: 2 Print date: 2 Jun 2022

8.1.	Control parameters
8.2.	Exposure controls
9.1.	Information on basic physical and chemical properties
9.2.	Other information
10.1.	Reactivity
10.2.	Chemical stability
10.6.	Hazardous decomposition products
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
11.2.	Information on other hazards
12.1.	Toxicity
12.2.	Persistence and degradability
12.3.	Bioaccumulative potential
12.4.	Mobility in soil
12.5.	Results of PBT and vPvB assessment
12.6.	Endocrine disrupting properties
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes
16.4.	Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]
16.5.	Relevant R-, H- and EUH-phrases (Number and full text)

## 16.2. Abbreviations and acronyms

See overview table at [www.euphrac.eu](http://www.euphrac.eu)

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

## 16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive

1999/45/EEC - Dangerous Preparations Directive

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

## \* 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation ( <i>Skin Sens. 1</i> )	H317: May cause an allergic skin reaction.	Calculation method.
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	Calculation method.

## \* 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

## 16.6. Training advice

No data available



Revision date: 2 Jun 2022 Version: 2 Print date: 2 Jun 2022

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version